

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
352.50	391.67	427

## Ovako UK scrap & alloy surcharges

**feb-24**

Please note for customers buying in Euros the Q1 exchange rate is £1 = €1.153

### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		20.08	22.31	24.30
NV A		8352		6.10	6.77	7.38
525A61/CCr3		9265		101.95	113.27	123.35
525A61/CCr3		4265 VDG		101.95	113.27	123.35
605M36/605A37	5905			117.26	130.29	
635M15/637M17	4712			151.43	168.26	
655M13	4714			508.70	565.22	
655M13	4715			475.32	528.14	
665M17	4801			324.85	360.95	
704A60/CrMo1		4234 VDG		132.94	147.71	160.86
704A60/CrMo1		9234		132.94	147.71	160.86
708M40/708A42	6126	9288 (708M40/708A42)		141.27	156.97	
709M40	6107			180.83	200.92	
709M40	6134			173.04	192.27	
722M24	8310			394.10	437.89	
735A51	7402	9282		92.95	103.28	
805H60		9280		186.87	207.64	
817M40	6506	9205		367.03	407.81	
817M40	6510			367.03	407.81	
817M40 + S		4205		365.18	405.75	
826M40	6518			578.84	643.16	
945M38	6201			209.97	233.30	
SAE 1046		8673		39.93	44.36	
4130	6037	9226		181.37	201.52	
4140	6080	9288 (4140)		141.85	157.61	171.64
4140 Ni .2/.25	1272			164.76	183.07	
SAE 4140 Ni .35/.50	6139			199.89	222.09	241.86
SAE1117 ASTM A29		9133		9.68	10.75	11.71
4140 Mod (MPS 14)		9240		136.52	151.69	
4140H	6115			137.69	152.99	
4145	6097			136.38	151.53	
4150	6112	9286 (4150)		136.38	151.53	
4340	6514			371.29	412.54	
5160		9261		49.35	54.84	
8620	4542			181.64	201.83	219.79
8620	4548	9225	152G	181.88	202.09	220.07
8620(M)		9253		181.50	201.67	219.62
100Cr6	5621		803 J/N/P	82.09	91.22	99.33
CHAP031		9663		25.37	28.19	30.70
15B35Hm		9667		30.54	33.94	36.96
15B41 MOD		4689 VDG		41.25	45.83	49.91
15B41 MOD	5497			41.25	45.83	49.91
SB24M13B		9643		19.87	22.08	
SB27M12CB		9660		32.72	36.35	39.59
SB30M13B	9662			19.55	21.72	23.65
27M12B		9654		19.55	21.72	23.65
SB30M10B		9651		7.63	8.47	9.23
SB30M12CB		9661		35.91	39.90	43.45
SB33M15CB		4679		36.91	41.01	44.66
SB43M14B		4678		74.92	83.24	90.65
SB600		9823		37.05	41.17	44.83
16MnCr5	4316	9218		56.43	62.70	
16MnCr5	4306	9661		56.43	62.70	
17Cr3	5502			45.15	50.17	54.63
17MnV6	7252	9875		32.12	35.69	38.86

18CrNiMo7-6	4761			407.39	452.66	492.94
20MnCr5	4324			70.11	77.90	
20MnCr5	4334			70.11	77.90	
20MnB5+Cr+HH		4642		23.21	25.79	
20NiCrMo2	4532			162.70	180.78	
23MnNiMoCr54So		4209		393.02	436.69	
23MnNiMoCr54		4219		405.96	451.07	
27MnCrB5	5465			31.36	34.84	
30CrNiMo8	6507			534.51	593.90	
31CrMoV9	6140			247.51	275.01	
33MnCrB5/MPS 16		4648 VDG		166.25	184.73	
MPS16		4648		166.25	184.73	
34CrNiMo6	6499	9205		402.08	446.76	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		103.68	115.20	
38MnSiV6	7221			38.59	42.88	
38MnVs6		4873		32.32	35.91	
40CrMo4	6077			150.88	167.65	182.57
42CrMo4	6082	9288 (42CrMo4)		150.84	167.60	
42CrMO4	1252			146.31	162.57	177.04
42CrMo4		4288		128.37	142.64	155.33
42CrMo4 MOD	6103			195.38	217.09	236.41
42CrMoS4+HH		9287		150.84	167.60	182.52
42CD4	1279			127.24	141.38	153.96
42MnV5		9859		87.07	96.74	105.35
49MnVs3		4850		25.50	28.34	30.86
50CrV4		9282		92.95	103.28	112.47
50CrMo4	6136			150.76	167.51	182.42
51CrV4		4282		95.70	106.33	115.79
51CrV4		4254		138.74	154.16	167.88
51CrV4		9212		85.69	95.21	103.68
51CrV4		4292		99.80	110.89	120.76
51CrV4 Type 1		4291		91.62	101.80	110.86
51CrMoV4		9296		165.27	183.64	199.98
52CrMoV4		4283		168.24	186.93	203.57
52CrMoV4		4296		163.54	181.71	197.89
51CrV4m4		4290		99.66	110.73	120.59
251A58		9073		34.45	38.28	41.68
56SiCr7		9072		22.87	25.42	27.68
56SiCr7		9084		36.26	40.28	
56SiCr7 Mod		9071		36.04	40.05	
61SiCr7(32-45 mm)		4077		42.47	47.19	
92506 ( 320/380)	4540			180.47	200.52	
92520	4738			293.98	326.65	
92520	4739			289.32	321.47	
92523	4741			259.13	287.92	
92506 'A Level'	1280			180.89	200.99	
92523	4743			245.22	272.46	
92245H	5515			91.74	101.93	111.00
3M		9885		95.07	105.63	
3M Issue 19		4885		73.18	81.31	
Ovako 482 (10M)		9857		38.28	42.53	
14M		4857		46.18	51.31	
17M/18M		9858		21.23	23.59	
17M		9891		21.23	23.59	
S460NL		9856		21.23	23.59	
A193 B7	6093			136.38	151.53	
A193 B16	6098			345.05	383.38	
A320 L7	1281			136.38	151.53	
A320 L7	6137			136.38	151.53	
A320 L7	6135			179.64	199.60	
ASTM A 350 LF2	2735			7.44	8.26	9.00
EN11		9262		39.97	44.41	
SMO215(HYTUFF)	4803			439.03	487.81	531.22
TB1398	4740			259.82	288.69	
V2525-75 (146S)	4757		146S	241.58	268.42	292.31
V2142	7256			32.59	36.21	39.43
V2158	4326			71.70	79.67	

V2158		4222		92.85	103.16	
V2244-75	1266			151.35	168.17	
V2244-00	6129			151.35	168.17	
V2250	6112			138.59	153.99	
V2527-70	4701			282.56	313.96	
453C (SS142534)			453C	561.04	623.38	678.86
SB500		9816		30.15	33.50	
V2906	7216	9850		24.49	27.21	
V2908		4108		20.71	23.01	
Cromobolt	6116			184.85	205.39	223.67
047A			047A	6.20	6.88	7.50
047R			047R	3.61	4.01	4.37
143A			143A	58.55	65.05	70.84
146S (V2525-75)	4757		146S	241.58	268.42	292.31
152G (8620)	4548	9225	152G	181.88	202.09	220.07
157C (4320)			157C	365.78	406.42	442.59
157F			157F	357.23	396.93	432.25
157Q			157Q	239.06	265.62	289.27
158Q			158Q	582.36	647.07	704.65
159B			159B	413.10	459.00	499.85
159X			159X	423.22	470.25	512.10
215B			215B	10.73	11.92	12.99
234K (16MnCr5)			234K	60.24	66.93	72.89
236F			236F	72.74	80.82	88.02
248D			248D	353.87	393.18	428.18
253A			253A	542.08	602.31	655.91
253F			253F	504.68	560.75	610.66
253L	4722		253L	546.13	606.81	660.81
253S			253S	542.74	603.05	656.72
255G			255G	602.71	669.68	729.28
256G			256G	674.00	748.88	815.54
258D			258D	769.26	854.73	930.80
275A			275A	476.32		576.34
277L			277L (X200)	424.44	471.60	513.57
TS280M-LX		9880		32.71	36.35	39.58
280M			280M	45.38		54.91
280T (19MnVS6)			280T	45.38		54.91
280X (19MnVS6)			280X	33.13		40.08
316A			316A	12.58		15.22
322D (25CrMo4)			322D	143.10		173.15
322Y			322Y	103.56	115.07	125.31
326C (4140)			326C	139.43		168.71
327A			327A	191.85		232.14
327A	1233		327A	186.23	206.93	225.34
327A	1291		327A	186.23	206.93	225.34
327B			327B	169.50		205.09
355B			355B	378.43		457.91
356D (34CrNiMo6)			356D	364.60		441.16
368.6		9620		140.73		170.28
398Q			398Q	621.84		752.43
420G			420G	384.55		465.30
495B	6521		495B	530.75		642.21
497Q			497Q (X300)	457.92		554.09
510N			510N	15.50		18.75
513Y			513Y	49.35	54.84	59.72
520M	2721			19.72	21.91	23.86
S355J2(M)		9864		21.28	23.65	25.75
MPS2B ISSUE 2 (S355J2C)		9820		22.89	25.43	27.70
520-S355J2	2723			18.90	21.00	22.87
528A/E (50CrMo4)			528A/E (X500)	141.19	156.87	170.84
593B			593B	149.35	165.95	180.72
593Q			593Q	149.35	165.95	180.72
594Y			594Y	100.96	112.18	122.16
596Y			596Y	179.65	199.61	217.38
667L			677L/Q/T (X600)	179.25		216.89
803J/N/P (100Cr6)	5621		803 J/N/P	82.09	91.22	99.33
803F/Q (100Cr6)			803F/Q (X800)	83.55		101.10
802F	5620		802F	82.00	91.11	99.22
100Cr6		4268		82.00		99.22
824B (100CrMo7)			824B	178.57		216.07

825B (100CrMo7 3)			825B	210.32		254.49
826B (100CrMo7 4)			826B	279.56		338.26
825T			825T	220.92		267.32
827B			827B	329.25		398.39
837N/R (100CrMn6)			837N/R	92.09		111.43
15MA27	7245			69.18	76.87	83.71
1130	5616			144.16	160.18	
2725	4734			499.03	554.48	
3350	8312			325.07	361.18	
L435-2				542.46	602.74	
1500	7302			342.26	380.29	414.14
Hybrid 55				1414.41	1571.56	1711.43
Hybrid 60				1414.41	1571.56	1711.43
Imanite	6130			424.28	471.42	513.38
IMACRO	8302			254.49	282.76	307.93
IMACRO EL 700	9259			218.62	242.91	264.53
S355	2714			25.36	28.17	30.68
368.6	5478			136.72	151.91	165.43