

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
332.50	369.44	402

Ovako UK scrap & alloy surcharges

Jul-23

Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.139

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		23.27	25.85	28.15
NV A		8352		6.87	7.63	8.31
525A61/CCr3		9265		116.35	129.27	140.78
525A61/CCr3		4265 VDG		116.35	129.27	140.78
605M36/605A37	5905			129.63	144.03	
635M15/637M17	4712			206.14	229.05	
655M13	4715			665.26	739.18	
665M17	4801			430.11	477.90	
704A60/CrMo1		4234 VDG		150.45	167.17	182.05
704A60/CrMo1		9234		150.45	167.17	182.05
708M40/708A42	6126	9288 (708M40/708A42)		160.28	178.09	
709M40	6107			204.05	226.72	
722M24	8310			448.28	498.09	
735A51	7402	9282		110.10	122.33	
805H60		9280		230.69	256.32	
817M40	6506	9205		471.22	523.58	
817M40	6510			471.22	523.58	
817M40 + S		4205		469.72	521.91	
826M40	6518			745.80	828.66	
945M38	6201			264.32	293.69	
SAE 1046		8673		51.37	57.08	
4130	6037	9226		224.82	249.81	
4140	6080	9288 (4140)		161.10	179.00	194.93
4140 Ni .2/.25	1272			194.99	216.66	
SAE 4140 Ni .35/.50	6139			241.91	268.79	292.72
SAE1117 ASTM A29		9133		10.86	12.06	13.13
4140 Mod (MPS 14)		9240		171.90	191.00	
4140H	6115			156.07	173.41	
4145	6097			154.52	171.69	
4150	6112	9286 (4150)		154.52	171.69	
4340	6514			487.34	541.49	
5160		9261		57.67	64.08	
8620	4542			225.12	250.13	272.39
8620	4548	9225	152G	225.41	250.46	272.75
8620(M)		9253		224.97	249.97	272.21
100Cr6	5621		803 J/N/P	96.59	107.32	116.87
CHAP031		9663		29.16	32.40	35.28
15B35Hm		9667		35.21	39.12	42.60
15B41 MOD		4689 VDG		47.62	52.91	57.62
15B41 MOD	5497			47.62	52.91	57.62
SB24M13B		9643		22.66	25.18	
SB27M12CB		9660		37.87	42.08	45.83
SB30M13B	9662			22.37	24.86	27.07
27M12B		9654		22.37	24.86	27.07
SB30M10B		9651		8.51	9.45	10.29
SB30M12CB		9661		41.56	46.18	50.29
SB33M15CB		4679		42.64	47.38	51.59
SB43M14B		4678		90.90	101.00	109.99
SB600		9823		44.49	49.44	53.84
16MnCr5	4316	9218		65.64	72.93	
16MnCr5	4306	9661		65.64	72.93	
17Cr3	5502			52.96	58.84	64.08
17MnV6	7252	9875		37.72	41.91	45.64
18CrNiMo7-6	4761			519.50	577.22	628.59
20MnCr5	4324			81.86	90.95	
20MnCr5	4334			81.86	90.95	

20MnB5+Cr+HH		4642		26.67	29.63	
20NiCrMo2	4532			218.75	243.05	
23MnNiMoCr54So		4209		478.12	531.25	
23MnNiMoCr54		4219		492.58	547.31	
27MnCrB5	5465			36.25	40.27	
31CrMoV9	6140			285.51	317.24	
33MnCrB5/MPS 16		4648 VDG		227.93	253.26	
MPS16		4648		227.93	253.26	
34CrNiMo6	6499	9205		513.30	570.33	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		122.73	136.37	
38MnSiV6	7221			45.92	51.03	
38MnVs6		4873		38.12	42.36	
40CrMo4	6077			170.93	189.92	206.82
42CrMo4	6082	9288 (42CrMo4)		170.93	189.92	
42CrMO4	1252			166.15	184.62	201.05
42CrMo4		4288		145.79	161.99	176.41
42CrMo4 MOD	6103			220.46	244.96	266.76
42CrMoS4+HH		9287		170.93	189.92	206.82
42CD4	1279			144.63	160.70	175.01
42MnV5		9859		110.00	122.22	133.09
49MnVs3		4850		30.29	33.65	36.65
50CrV4		9282		110.10	122.33	133.22
50CrMo4	6136			170.93	189.92	206.83
51CrV4		4282		113.29	125.88	137.08
51CrV4		4254		161.20	179.11	195.05
51CrV4		9212		101.33	112.58	122.60
51CrV4		4292		118.06	131.18	142.85
51CrV4 Type 1		4291		108.47	120.52	131.25
51CrMoV4		9296		189.36	210.40	229.13
52CrMoV4		4283		193.79	215.32	234.48
52CrMoV4		4296		188.21	209.12	227.73
51CrV4m4		4290		117.91	131.02	142.68
251A58		9073		41.28	45.86	49.94
56SiCr7		9072		27.62	30.69	33.42
56SiCr7		9084		43.36	48.18	
56SiCr7 Mod		9071		43.12	47.91	
61SiCr7(32-45 mm)		4077		50.42	56.02	
92506 (320/380)	4540			223.65	248.50	
92520	4738			381.91	424.35	
92520	4739			378.44	420.49	
92523	4741			338.91	376.56	
92506 'A Level'	1280			220.26	244.73	
92523	4743			319.61	355.12	
92245H	5515			105.56	117.29	127.73
3M		9885		111.39	123.76	
3M Issue 19		4885		86.52	96.13	
Ovako 482 (10M)		9857		45.43	50.48	
14M		4857		54.73	60.81	
17M/18M		9858		25.75	28.61	
17M		9891		25.75	28.61	
S460NL		9856		25.75	28.61	
A193 B7	6093			154.52	171.69	
A193 B16	6098			392.04	435.60	
A320 L7	1281			154.52	171.69	
A320 L7	6137			154.52	171.69	
A320 L7	6135			211.84	235.38	
ASTM A 320L	1281			194.99	216.66	235.94
ASTM A 350 LF2	2735			8.27	9.19	10.01
EN11		9262		46.76	51.95	
SMO215(HYTUFF)	4803			563.23	625.82	681.51
TB1398	4740			339.64	377.38	
V2525-75 (146S)	4757		146S	314.85	349.83	380.97
V2142	7256			38.31	42.57	46.36
V2158	4326			83.70	93.00	
V2158		4222		114.80	127.56	
V2244-75	1266			171.52	190.57	
V2244-00	6129			171.52	190.57	
V2250	6112			157.18	174.64	
V2527-70	4701			381.09	423.44	
453C (SS142534)			453C	754.05	837.83	912.40

SB500		9816		35.33	39.25	
V2906	7216	9850		29.06	32.29	
V2908		4108		23.83	26.47	
Cromobolt	6116			210.21	233.57	254.36
047A			047A	7.04	7.83	8.52
047R			047R	3.81	4.23	4.61
143A			143A	68.29	75.87	82.62
146S (V2525-75)	4757		146S	314.85	349.83	380.97
152G (8620)	4548	9225	152G	225.41	250.46	272.75
157C (4320)			157C	480.48	533.87	581.38
157F			157F	432.93	481.04	523.85
157Q			157Q	325.02	361.13	393.27
158Q			158Q	738.38	820.42	893.44
159B			159B	527.91	586.56	638.77
159X			159X	539.42	599.35	652.69
215B			215B	11.88	13.20	14.37
234K (16MnCr5)			234K	70.28	78.08	85.03
236F			236F	84.96	94.40	102.80
248D			248D	477.56	530.62	577.84
253A			253A	723.67	804.08	875.64
253F			253F	672.27	746.97	813.45
253L	4722		253L	730.18	811.32	883.52
253S			253S	724.44	804.93	876.57
255G			255G	813.52	903.91	984.36
256G			256G	901.69	1001.88	1091.05
258D			258D	937.19	1041.33	1134.00
275A			275A	607.78		735.42
277L			277L (X200)	501.89	557.65	607.28
TS280M-LX		9880		38.51	42.79	46.60
280M			280M	53.37		64.58
280T (19MnVS6)			280T	53.37		64.58
280X (19MnVS6)			280X	38.95		47.13
316A			316A	13.78		16.68
322D (25CrMo4)			322D	162.28		196.36
322Y			322Y	116.40	129.34	140.85
326C (4140)			326C	158.06		191.25
327A			327A	225.60		272.97
327A	1233		327A	219.32	243.69	265.38
327A	1291		327A	219.32	243.69	265.38
327B			327B	196.91		238.26
355B			355B	495.57		599.64
356D (34CrNiMo6)			356D	467.37		565.51
368.6		9620		178.12		215.52
398Q			398Q	706.00		854.26
420G			420G	437.78		529.71
495B	6521		495B	612.88		741.59
497Q			497Q (X300)	587.02		710.30
510N			510N	17.84		21.59
513Y			513Y	57.67	64.08	69.78
520M	2721			23.02	25.58	27.86
S355J2(M)		9864		25.03	27.82	30.29
MPS2B ISSUE 2 (S355J2C)		9820		26.85	29.83	32.48
520-S355J2	2723			21.89	24.32	26.48
528A/E (50CrMo4)			528A/E (X500)	160.28	178.09	193.94
593B			593B	180.61	200.67	218.53
593Q			593Q	180.61	200.67	218.53
594Y			594Y	119.62	132.92	144.75
596Y			596Y	205.65	228.50	248.84
667L			677L/Q/T (X600)	204.07		246.92
803J/N/P (100Cr6)	5621		803 J/N/P	96.59	107.32	116.87
803F/Q (100Cr6)			803F/Q (X800)	98.29		118.92
802F	5620		802F	96.44	107.16	116.69
100Cr6		4268		96.44		116.69
824B (100CrMo7)			824B	204.58		247.54
825B (100CrMo7 3)			825B	239.61		289.93
826B (100CrMo7 4)			826B	316.22		382.62
825T			825T	251.39		304.18
827B			827B	371.85		449.94
837N/R (100CrMn6)			837N/R	108.05		130.74
15MA27	7245			81.08	90.09	98.11
1130	5616			163.35	181.50	
2725	4734			662.48	736.09	

3350	8312			371.97	413.30	
L435-2				724.15	804.61	
1500	7302			426.59	473.98	516.17
Hybrid 55				1838.08	2042.31	2224.07
Hybrid 60				1838.08	2042.31	2224.07
Imanite	6130			481.10	534.55	582.13
IMACRO	8302			296.78	329.76	359.10
IMACRO EL 700	9259			256.80	285.33	310.73
S355	2714			29.77	33.07	36.02