

### Ovako UK scrap & alloy surcharges

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
312.50	347.22	378

**Sep-23** Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.139

#### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		21.16	23.51	25.61
NV A		8352		5.23	5.81	6.33
525A61/CCr3		9265		111.43	123.81	134.83
525A61/CCr3		4265 VDG		111.43	123.81	134.83
605M36/605A37	5905			134.72	149.69	
635M15/637M17	4712			192.35	213.72	
655M13	4714			664.49	738.32	
655M13	4715			627.71	697.46	
665M17	4801			419.93	466.59	
704A60/CrMo1		4234 VDG		148.28	164.76	179.42
704A60/CrMo1		9234		148.28	164.76	179.42
708M40/708A42	6126	9288 (708M40/708A42)		157.21	174.67	
709M40	6107			203.82	226.46	
722M24	8310			440.88	489.87	
735A51	7402	9282		99.82	110.92	
805H60		9280		225.08	250.09	
817M40	6506	9205		455.86	506.51	
817M40	6510			455.86	506.51	
817M40 + S		4205		452.62	502.92	
826M40	6518			732.54	813.93	
945M38	6201			257.43	286.04	
SAE 1046		8673		46.44	51.60	
4130	6037	9226		220.45	244.95	
4140	6080	9288 (4140)		157.99	175.54	191.16
4140 Ni .2/.25	1272			190.43	211.59	
SAE 4140 Ni .35/.50	6139			236.25	262.50	285.86
SAE1117 ASTM A29		9133		8.29	9.21	10.03
4140 Mod (MPS 14)		9240		158.98	176.64	
4140H	6115			153.38	170.42	
4145	6097			151.99	168.88	
4150	6112	9286 (4150)		151.99	168.88	
4340	6514			472.59	525.10	
5160		9261		50.46	56.07	
8620	4542			220.69	245.21	267.03
8620	4548	9225	152G	220.90	245.44	267.28
8620(M)		9253		220.57	245.08	266.89
100Cr6	5621		803 J/N/P	85.49	94.99	103.45
CHAP031		9663		24.76	27.51	29.95
15B35Hm		9667		30.20	33.55	36.54
15B41 MOD		4689 VDG		40.99	45.54	49.60
15B41 MOD	5497			40.99	45.54	49.60
SB24M13B		9643		19.01	21.12	
SB27M12CB		9660		32.60	36.22	39.44
SB30M13B	9662			18.75	20.84	22.69
27M12B		9654		18.75	20.84	22.69
SB30M10B		9651		6.52	7.24	7.89
SB30M12CB		9661		35.83	39.81	43.35
SB33M15CB		4679		36.58	40.64	44.26
SB43M14B		4678		89.39	99.32	108.16
SB600		9823		41.69	46.32	50.44
16MnCr5	4316	9218		57.95	64.39	
16MnCr5	4306	9661		57.95	64.39	
17Cr3	5502			46.40	51.55	56.14
17MnV6	7252	9875		33.76	37.51	40.85
18CrNiMo7-6	4761			501.34	557.04	606.62
20MnCr5	4324			71.80	79.78	

20MnCr5	4334			71.80	79.78	
20MnB5+Cr+HH		4642		22.65	25.17	
20NiCrMo2	4532			202.58	225.09	
23MnNiMoCr54So		4209		479.08	532.32	
23MnNiMoCr54		4219		494.37	549.30	
27MnCrB5	5465			31.12	34.58	
31CrMoV9	6140			273.44	303.82	
33MnCrB5/MPS 16		4648 VDG		212.88	236.53	
MPS16		4648		212.88	236.53	
34CrNiMo6	6499	9205		495.78	550.87	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		114.97	127.75	
38MnSiV6	7221			41.88	46.54	
38MnVs6		4873		34.56	38.40	
40CrMo4	6077			168.63	187.36	204.04
42CrMo4	6082	9288 (42CrMo4)		168.60	187.34	
42CrMO4	1252			162.70	180.78	196.87
42CrMo4		4288		142.46	158.29	172.37
42CrMo4 MOD	6103			220.47	244.97	266.77
42CrMoS4+HH		9287		168.60	187.34	204.01
42CD4	1279			140.87	156.53	170.46
42MnV5		9859		101.52	112.80	122.84
49MnVs3		4850		27.52	30.57	33.29
50CrV4		9282		99.82	110.92	120.79
50CrMo4	6136			168.56	187.29	203.96
51CrV4		4282		103.65	115.17	125.42
51CrV4		4254		152.40	169.33	184.40
51CrV4		9212		91.56	101.73	110.78
51CrV4		4292		106.71	118.57	129.12
51CrV4 Type 1		4291		98.17	109.08	118.79
51CrMoV4		9296		185.01	205.57	223.87
52CrMoV4		4283		187.61	208.45	227.00
52CrMoV4		4296		182.65	202.94	221.00
51CrV4m4		4290		106.59	118.44	128.98
251A58		9073		32.37	35.97	39.17
56SiCr7		9072		20.15	22.38	24.38
56SiCr7		9084		34.88	38.75	
56SiCr7 Mod		9071		33.99	37.76	
61SiCr7(32-45 mm)		4077		40.93	45.48	
92506 ( 320/380)	4540			219.64	244.04	
92520	4738			365.69	406.33	
92520	4739			361.92	402.13	
92523	4741			322.80	358.66	
92506 'A Level'	1280			217.59	241.76	
92523	4743			303.73	337.48	
92245H	5515			98.90	109.88	119.66
3M		9885		103.74	115.26	
3M Issue 19		4885		78.01	86.67	
Ovako 482 (10M)		9857		41.29	45.87	
14M		4857		49.59	55.10	
17M/18M		9858		24.80	27.55	
17M		9891		24.80	27.55	
S460NL		9856		24.80	27.55	
A193 B7	6093			151.99	168.88	
A193 B16	6098			397.62	441.80	
A320 L7	1281			151.99	168.88	
A320 L7	6137			151.99	168.88	
A320 L7	6135			207.39	230.43	
ASTM A 320L	1281			190.43	211.59	230.42
ASTM A 350 LF2	2735			6.35	7.06	7.68
EN11		9262		40.90	45.45	
SMO215(HYTUFF)	4803			549.33	610.37	664.69
TB1398	4740			323.38	359.31	
V2525-75 (146S)	4757		146S	301.04	334.48	364.25
V2142	7256			34.18	37.98	41.36
V2158	4326			73.41	81.57	
V2158		4222		103.90	115.45	
V2244-75	1266			169.05	187.83	
V2244-00	6129			169.05	187.83	
V2250	6112			154.41	171.57	
V2527-70	4701			355.25	394.72	

453C (SS142534)			453C	723.28	803.64	875.16
SB500		9816		32.60	36.23	
V2906	7216	9850		26.34	29.26	
V2908		4108		19.32	21.47	
Cromobolt	6116			205.52	228.36	248.68
047A			047A	5.33	5.93	6.45
047R			047R	3.02	3.36	3.66
143A			143A	59.84	66.49	72.41
146S (V2525-75)	4757		146S	301.04	334.48	364.25
152G (8620)	4548	9225	152G	220.90	245.44	267.28
157C (4320)			157C	465.97	517.74	563.82
157F			157F	433.88	482.09	525.00
157Q			157Q	303.42	337.14	367.14
158Q			158Q	734.17	815.75	888.35
159B			159B	509.39	565.99	616.36
159X			159X	520.75	578.61	630.10
215B			215B	9.15	10.16	11.07
234K (16MnCr5)			234K	61.55	68.39	74.47
236F			236F	74.57	82.85	90.23
248D			248D	445.52	495.02	539.07
253A			253A	693.36	770.40	838.97
253F			253F	644.39	715.99	779.71
253L	4722		253L	699.34	777.05	846.20
253S			253S	694.03	771.15	839.78
255G			255G	776.28	862.54	939.30
256G			256G	866.88	963.20	1048.92
258D			258D	934.94	1038.82	1131.28
275A			275A	592.29		716.67
277L			277L (X200)	493.56	548.40	597.21
TS280M-LX		9880		34.59	38.44	41.86
280M			280M	47.70		57.72
280T (19MnVS6)			280T	47.70		57.72
280X (19MnVS6)			280X	34.94		42.28
316A			316A	10.68		12.92
322D (25CrMo4)			322D	160.22		193.87
322Y			322Y	116.05	128.95	140.42
326C (4140)			326C	155.11		187.68
327A			327A	221.56		268.08
327A	1233		327A	214.82	238.69	259.93
327A	1291		327A	214.82	238.69	259.93
327B			327B	194.41		235.24
355B			355B	479.03		579.63
356D (34CrNiMo6)			356D	449.99		544.49
368.6		9620		170.13		205.86
398Q			398Q	710.06		859.17
420G			420G	429.53		519.73
495B	6521		495B	625.69		757.09
497Q			497Q (X300)	568.48		687.86
510N			510N	14.91		18.04
513Y			513Y	50.46	56.07	61.06
520M	2721			20.32	22.58	24.59
S355J2(M)		9864		22.31	24.79	26.99
MPS2B ISSUE 2 (S355J2C)		9820		23.98	26.64	29.01
520-S355J2	2723			18.98	21.09	22.97
528A/E (50CrMo4)			528A/E (X500)	157.16	174.62	190.16
593B			593B	170.47	189.41	206.27
593Q			593Q	170.47	189.41	206.27
594Y			594Y	108.75	120.83	131.59
596Y			596Y	202.62	225.14	245.17
667L			677L/Q/T (X600)	196.99		238.36
803J/N/P (100Cr6)	5621		803 J/N/P	85.49	94.99	103.45
803F/Q (100Cr6)			803F/Q (X800)	86.99		105.26
802F	5620		802F	85.40	94.89	103.33
100Cr6		4268		85.40		103.33
824B (100CrMo7)			824B	196.92		238.27
825B (100CrMo7 3)			825B	233.62		282.69
826B (100CrMo7 4)			826B	315.20		381.39
825T			825T	245.85		297.48
827B			827B	371.80		449.88
837N/R (100CrMn6)			837N/R	94.59		114.46
15MA27	7245			75.69	84.10	91.59
1130	5616			162.15	180.16	

2725	4734			635.95	706.61	
3350	8312			359.50	399.44	
L435-2				693.80	770.89	
1500	7302			414.05	460.05	501.00
Hybrid 55				1760.39	1955.99	2130.08
Hybrid 60				1760.39	1955.99	2130.08
Imanite	6130			488.42	542.69	590.99
IMACRO	8302			269.95	299.94	326.64
IMACRO EL 700	9259			228.23	253.59	276.16
S355	2714			26.71	29.68	32.32