

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
317.50	352.78	384

## Ovako UK scrap & alloy surcharges

**Nov-23**

Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.161

### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		19.59	21.76	23.70
NV A		8352		5.23	5.81	6.33
525A61/CCr3		9265		113.48	126.09	137.31
525A61/CCr3		4265 VDG		113.48	126.09	137.31
605M36/605A37	5905			131.49	146.10	
635M15/637M17	4712			182.45	202.72	
655M13	4714			621.79	690.88	
655M13	4715			585.17	650.19	
665M17	4801			393.00	436.67	
704A60/CrMo1		4234 VDG		149.05	165.61	180.35
704A60/CrMo1		9234		149.05	165.61	180.35
708M40/708A42	6126	9288 (708M40/708A42)		158.65	176.28	
709M40	6107			203.99	226.65	
722M24	8310			446.07	495.63	
735A51	7402	9282		99.38	110.42	
805H60		9280		217.20	241.33	
817M40	6506	9205		436.49	484.98	
817M40	6510			436.49	484.98	
817M40 + S		4205		434.15	482.38	
826M40	6518			693.40	770.44	
945M38	6201			246.80	274.22	
SAE 1046		8673		45.45	50.50	
4130	6037	9226		212.33	235.93	
4140	6080	9288 (4140)		159.46	177.18	192.95
4140 Ni .2/.25	1272			188.44	209.38	
SAE 4140 Ni .35/.50	6139			231.23	256.93	279.79
SAE1117 ASTM A29		9133		8.32	9.24	10.06
4140 Mod (MPS 14)		9240		157.90	175.45	
4140H	6115			154.53	171.70	
4145	6097			153.05	170.06	
4150	6112	9286 (4150)		153.05	170.06	
4340	6514			447.70	497.44	
5160		9261		53.52	59.46	
8620	4542			212.58	236.20	257.22
8620	4548	9225	152G	212.77	236.41	257.45
8620(M)		9253		212.46	236.06	257.07
100Cr6	5621		803 J/N/P	90.92	101.02	110.01
CHAP031		9663		26.04	28.93	31.51
15B35Hm		9667		31.89	35.43	38.58
15B41 MOD		4689 VDG		43.33	48.14	52.42
15B41 MOD	5497			43.33	48.14	52.42
SB24M13B		9643		19.93	22.15	
SB27M12CB		9660		34.42	38.24	41.64
SB30M13B	9662			19.63	21.81	23.75
27M12B		9654		19.63	21.81	23.75
SB30M10B		9651		6.57	7.30	7.95
SB30M12CB		9661		37.87	42.07	45.82
SB33M15CB		4679		38.59	42.88	46.69
SB43M14B		4678		85.58	95.09	103.55
SB600		9823		37.60	41.78	45.50
16MnCr5	4316	9218		61.84	68.71	
16MnCr5	4306	9661		61.84	68.71	
17Cr3	5502			49.15	54.61	59.47
17MnV6	7252	9875		30.96	34.40	37.46
18CrNiMo7-6	4761			482.72	536.36	584.09
20MnCr5	4324			76.25	84.72	
20MnCr5	4334			76.25	84.72	
20MnB5+Cr+HH		4642		23.83	26.48	
20NiCrMo2	4532			193.55	215.05	

23MnNiMoCr54So		4209		460.18	511.31	
23MnNiMoCr54		4219		474.90	527.66	
27MnCrB5	5465			32.84	36.49	
30CrNiMo8	6507			634.38	704.86	
31CrMoV9	6140			275.98	306.65	
33MnCrB5/MPS 16		4648 VDG		200.50	222.78	
MPS16		4648		200.50	222.78	
34CrNiMo6	6499	9205		476.75	529.72	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		116.87	129.86	
38MnSiV6	7221			37.76	41.96	
38MnVs6		4873		31.47	34.97	
40CrMo4	6077			169.74	188.60	205.39
42CrMo4	6082	9288 (42CrMo4)		169.68	188.54	
42CrMO4	1252			164.20	182.45	198.68
42CrMo4		4288		144.05	160.06	174.30
42CrMo4 MOD	6103			220.73	245.25	267.08
42CrMoS4+HH		9287		169.68	188.54	205.32
42CD4	1279			142.48	158.31	172.40
42MnV5		9859		95.10	105.67	115.08
49MnVs3		4850		24.88	27.64	30.10
50CrV4		9282		99.38	110.42	120.25
50CrMo4	6136			169.57	188.41	205.18
51CrV4		4282		102.70	114.12	124.27
51CrV4		4254		151.26	168.06	183.02
51CrV4		9212		91.71	101.90	110.97
51CrV4		4292		106.66	118.51	129.06
51CrV4 Type 1		4291		97.54	108.38	118.02
51CrMoV4		9296		183.05	203.39	221.50
52CrMoV4		4283		185.31	205.90	224.22
52CrMoV4		4296		180.04	200.04	217.85
51CrV4m4		4290		106.54	118.37	128.91
251A58		9073		31.93	35.48	38.63
56SiCr7		9072		18.87	20.96	22.83
56SiCr7		9084		34.96	38.84	
56SiCr7 Mod		9071		33.65	37.39	
61SiCr7(32-45 mm)		4077		41.40	46.00	
92506 ( 320/380)	4540			211.63	235.14	
92520	4738			350.11	389.01	
92520	4739			345.45	383.83	
92523	4741			308.80	343.12	
92506 'A Level'	1280			210.45	233.83	
92523	4743			291.40	323.78	
92245H	5515			101.88	113.20	123.27
3M		9885		102.46	113.85	
3M Issue 19		4885		78.13	86.81	
Ovako 482 (10M)		9857		37.35	41.50	
14M		4857		46.22	51.35	
17M/18M		9858		21.71	24.12	
17M		9891		21.71	24.12	
S460NL		9856		21.71	24.12	
A193 B7	6093			153.05	170.06	
A193 B16	6098			385.07	427.86	
A320 L7	1281			153.05	170.06	
A320 L7	6137			153.05	170.06	
A320 L7	6135			205.44	228.27	
ASTM A 320L	1281			188.44	209.38	228.02
ASTM A 350 LF2	2735			6.42	7.14	7.77
EN11		9262		43.35	48.17	
SMO215(HYTUFF)	4803			519.27	576.97	628.32
TB1398	4740			309.42	343.80	
V2525-75 (146S)	4757		146S	288.10	320.11	348.60
V2142	7256			31.34	34.82	37.92
V2158	4326			77.98	86.64	
V2158		4222		105.89	117.66	
V2244-75	1266			170.12	189.02	
V2244-00	6129			170.12	189.02	
V2250	6112			155.64	172.93	
V2527-70	4701			340.02	377.80	
453C (SS142534)			453C	680.92	756.58	823.92
SB500		9816		29.75	33.06	

V2906	7216	9850		23.84	26.49	
V2908		4108		19.82	22.02	
Cromobolt	6116			208.00	231.11	251.68
047A			047A	5.29	5.88	6.40
047R			047R	3.20	3.55	3.87
143A			143A	63.55	70.61	76.90
146S (V2525-75)	4757		146S	288.10	320.11	348.60
152G (8620)	4548	9225	152G	212.77	236.41	257.45
157C (4320)			157C	440.03	488.92	532.44
157F			157F	417.57	463.96	505.26
157Q			157Q	288.40	320.44	348.96
158Q			158Q	695.75	773.05	841.85
159B			159B	490.04	544.49	592.94
159X			159X	501.46	557.18	606.77
215B			215B	9.29	10.32	11.24
234K (16MnCr5)			234K	65.34	72.60	79.06
236F			236F	79.21	88.01	95.84
248D			248D	426.40	473.78	515.94
253A			253A	655.22	728.02	792.81
253F			253F	609.70	677.44	737.73
253L	4722		253L	660.57	733.97	799.29
253S			253S	655.93	728.81	793.68
255G			255G	731.73	813.03	885.39
256G			256G	816.63	907.36	988.12
258D			258D	902.38	1002.65	1091.89
275A			275A	556.69		673.59
277L			277L (X200)	483.16	536.84	584.62
TS280M-LX		9880		31.62	35.14	38.27
280M			280M	45.81		55.43
280T (19MnVS6)			280T	45.81		55.43
280X (19MnVS6)			280X	31.99		38.71
316A			316A	10.95		13.24
322D (25CrMo4)			322D	161.15		195.00
322Y			322Y	115.83	128.70	140.16
326C (4140)			326C	156.38		189.22
327A			327A	219.43		265.51
327A	1233		327A	212.93	236.59	257.65
327A	1291		327A	212.93	236.59	257.65
327B			327B	193.07		233.62
355B			355B	454.07		549.43
356D (34CrNiMo6)			356D	432.62		523.47
368.6		9620		164.51		199.05
398Q			398Q	699.89		846.87
420G			420G	434.99		526.34
495B	6521		495B	607.77		735.40
497Q			497Q (X300)	538.61		651.72
510N			510N	15.54		18.81
513Y			513Y	53.52	59.46	64.76
520M	2721			18.81	20.90	22.75
S355J2(M)		9864		20.45	22.72	24.74
MPS2B ISSUE 2 (S355J2C)		9820		22.03	24.48	26.66
520-S355J2	2723			17.79	19.77	21.53
528A/E (50CrMo4)			528A/E (X500)	158.54	176.16	191.83
593B			593B	166.49	184.99	201.46
593Q			593Q	166.49	184.99	201.46
594Y			594Y	107.81	119.79	130.45
596Y			596Y	199.53	221.70	241.43
667L			677L/Q/T (X600)	197.11		238.50
803J/N/P (100Cr6)	5621		803 J/N/P	90.92	101.02	110.01
803F/Q (100Cr6)			803F/Q (X800)	92.52		111.95
802F	5620		802F	90.85	100.95	109.93
100Cr6		4268		90.85		109.93
824B (100CrMo7)			824B	201.00		243.20
825B (100CrMo7 3)			825B	236.84		286.58
826B (100CrMo7 4)			826B	316.17		382.57
825T			825T	248.69		300.92
827B			827B	371.89		449.99
837N/R (100CrMn6)			837N/R	100.16		121.19
15MA27	7245			70.86	78.73	85.74
1130	5616			162.84	180.94	
2725	4734			602.58	669.53	
3350	8312			366.87	407.64	

L435-2				655.69	728.54	
1500	7302			394.78	438.64	477.68
Hybrid 55				1673.20	1859.11	2024.57
Hybrid 60				1673.20	1859.11	2024.57
Imanite	6130			475.37	528.19	575.20
IMACRO	8302			284.38	315.97	344.10
IMACRO EL 700	9259			243.38	270.42	294.49
S355	2714			24.49	27.21	29.63
368.6	5478			159.45	177.16	192.93