

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
327.50	363.89	396

Ovako UK scrap & alloy surcharges

Dec-23

Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.161

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		18.62	20.69	22.53
NV A		8352		5.45	6.05	6.59
525A61/CCr3		9265		106.30	118.12	128.63
525A61/CCr3		4265 VDG		106.30	118.12	128.63
605M36/605A37	5905			114.75	127.50	
635M15/637M17	4712			172.61	191.79	
655M13	4714			577.75	641.94	
655M13	4715			547.93	608.81	
665M17	4801			358.11	397.90	
704A60/CrMo1		4234 VDG		136.53	151.70	165.20
704A60/CrMo1		9234		136.53	151.70	165.20
708M40/708A42	6126	9288 (708M40/708A42)		146.05	162.28	
709M40	6107			185.08	205.64	
722M24	8310			410.92	456.58	
735A51	7402	9282		96.88	107.65	
805H60		9280		198.76	220.84	
817M40	6506	9205		402.56	447.29	
817M40	6510			402.56	447.29	
817M40 + S		4205		401.77	446.42	
826M40	6518			630.61	700.68	
945M38	6201			226.09	251.21	
SAE 1046		8673		43.97	48.85	
4130	6037	9226		193.78	215.31	
4140	6080	9288 (4140)		146.85	163.17	177.69
4140 Ni .2/.25	1272			173.40	192.66	
SAE 4140 Ni .35/.50	6139			212.40	236.00	257.01
SAE1117 ASTM A29		9133		8.65	9.62	10.47
4140 Mod (MPS 14)		9240		151.43	168.26	
4140H	6115			141.96	157.74	
4145	6097			140.49	156.10	
4150	6112	9286 (4150)		140.49	156.10	
4340	6514			411.62	457.35	
5160		9261		53.60	59.56	
8620	4542			194.03	215.59	234.77
8620	4548	9225	152G	194.23	215.81	235.02
8620(M)		9253		193.90	215.45	234.62
100Cr6	5621		803 J/N/P	90.83	100.92	109.90
CHAP031		9663		26.27	29.19	31.79
15B35Hm		9667		32.09	35.65	38.82
15B41 MOD		4689 VDG		43.56	48.40	52.71
15B41 MOD	5497			43.56	48.40	52.71
SB24M13B		9643		20.17	22.41	
SB27M12CB		9660		34.61	38.45	41.88
SB30M13B	9662			19.87	22.08	24.05
27M12B		9654		19.87	22.08	24.05
SB30M10B		9651		6.83	7.59	8.26
SB30M12CB		9661		38.06	42.29	46.05
SB33M15CB		4679		38.84	43.15	46.99
SB43M14B		4678		77.37	85.96	93.61
SB600		9823		35.13	39.03	42.50
16MnCr5	4316	9218		61.78	68.64	
16MnCr5	4306	9661		61.78	68.64	
17Cr3	5502			49.23	54.70	59.56
17MnV6	7252	9875		29.64	32.94	35.87
18CrNiMo7-6	4761			446.58	496.20	540.36
20MnCr5	4324			76.32	84.80	
20MnCr5	4334			76.32	84.80	
20MnB5+Cr+HH		4642		24.04	26.71	
20NiCrMo2	4532			184.16	204.62	

23MnNiMoCr54So		4209		413.06	458.95	
23MnNiMoCr54		4219		425.78	473.09	
27MnCrB5	5465			33.04	36.71	
30CrNiMo8	6507			585.70	650.77	
31CrMoV9	6140			259.18	287.97	
33MnCrB5/MPS 16		4648 VDG		189.13	210.15	
MPS16		4648		189.13	210.15	
34CrNiMo6	6499	9205		440.64	489.60	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		111.35	123.72	
38MnSiV6	7221			35.76	39.73	
38MnVs6		4873		29.92	33.25	
40CrMo4	6077			155.56	172.84	188.22
42CrMo4	6082	9288 (42CrMo4)		155.51	172.79	
42CrMO4	1252			151.32	168.13	183.09
42CrMo4		4288		133.02	147.80	160.95
42CrMo4 MOD	6103			200.19	222.43	242.23
42CrMoS4+HH		9287		155.51	172.79	188.17
42CD4	1279			131.81	146.46	159.49
42MnV5		9859		90.33	100.36	109.29
49MnVs3		4850		23.61	26.23	28.57
50CrV4		9282		96.88	107.65	117.23
50CrMo4	6136			155.42	172.69	188.06
51CrV4		4282		99.63	110.70	120.55
51CrV4		4254		142.79	158.65	172.77
51CrV4		9212		89.64	99.60	108.47
51CrV4		4292		104.19	115.77	126.08
51CrV4 Type 1		4291		95.10	105.67	115.07
51CrMoV4		9296		168.54	187.27	203.93
52CrMoV4		4283		171.78	190.86	207.85
52CrMoV4		4296		166.52	185.02	201.49
51CrV4m4		4290		104.07	115.63	125.92
251A58		9073		33.12	36.80	40.07
56SiCr7		9072		20.11	22.34	24.33
56SiCr7		9084		35.96	39.95	
56SiCr7 Mod		9071		34.84	38.71	
61SiCr7(32-45 mm)		4077		42.43	47.14	
92506 (320/380)	4540			193.00	214.45	
92520	4738			325.37	361.53	
92520	4739			321.14	356.83	
92523	4741			288.05	320.06	
92506 'A Level'	1280			191.11	212.34	
92523	4743			272.38	302.65	
92245H	5515			97.18	107.98	117.59
3M		9885		97.73	108.59	
3M Issue 19		4885		76.43	84.92	
Ovako 482 (10M)		9857		35.44	39.38	
14M		4857		44.28	49.20	
17M/18M		9858		19.93	22.14	
17M		9891		19.93	22.14	
S460NL		9856		19.93	22.14	
A193 B7	6093			140.49	156.10	
A193 B16	6098			343.73	381.92	
A320 L7	1281			140.49	156.10	
A320 L7	6137			140.49	156.10	
A320 L7	6135			188.79	209.77	
ASTM A 350 LF2	2735			6.66	7.41	8.06
EN11		9262		43.43	48.25	
SMO215(HYTUFF)	4803			473.37	525.96	572.77
TB1398	4740			288.68	320.75	
V2525-75 (146S)	4757		146S	268.05	297.83	324.34
V2142	7256			30.05	33.39	36.37
V2158	4326			78.05	86.72	
V2158		4222		103.57	115.08	
V2244-75	1266			155.97	173.30	
V2244-00	6129			155.97	173.30	
V2250	6112			143.06	158.96	
V2527-70	4701			322.81	358.68	
453C (SS142534)			453C	630.43	700.47	762.81
SB500		9816		28.04	31.16	
V2906	7216	9850		22.66	25.18	

V2908		4108		20.27	22.52	
Cromobolt	6116			192.17	213.52	232.52
047A			047A	5.52	6.14	6.68
047R			047R	3.27	3.63	3.96
143A			143A	63.62	70.69	76.98
146S (V2525-75)	4757		146S	268.05	297.83	324.34
152G (8620)	4548	9225	152G	194.23	215.81	235.02
157C (4320)			157C	403.90	448.78	488.72
157F			157F	374.94	416.60	453.68
157Q			157Q	273.00	303.33	330.32
158Q			158Q	627.09	696.77	758.78
159B			159B	453.34	503.71	548.54
159X			159X	463.82	515.36	561.22
215B			215B	9.63	10.70	11.65
234K (16MnCr5)			234K	65.43	72.70	79.17
236F			236F	79.27	88.08	95.92
248D			248D	404.69	449.65	489.67
253A			253A	607.49	674.99	735.06
253F			253F	565.31	628.12	684.03
253L	4722		253L	612.60	680.67	741.25
253S			253S	608.21	675.78	735.93
255G			255G	680.41	756.01	823.29
256G			256G	754.71	838.57	913.20
258D			258D	814.43	904.92	985.46
275A			275A	507.67		614.28
277L			277L (X200)	442.40	491.56	535.31
TS280M-LX		9880		30.22	33.57	36.56
280M			280M	44.46		53.80
280T (19MnVS6)			280T	44.46		53.80
280X (19MnVS6)			280X	30.59		37.02
316A			316A	11.31		13.68
322D (25CrMo4)			322D	147.61		178.61
322Y			322Y	104.93	116.59	126.97
326C (4140)			326C	143.81		174.02
327A			327A	201.20		243.45
327A	1233		327A	195.64	217.38	236.73
327A	1291		327A	195.64	217.38	236.73
327B			327B	176.41		213.46
355B			355B	418.17		505.99
356D (34CrNiMo6)			356D	400.78		484.94
368.6		9620		153.14		185.30
398Q			398Q	631.29		763.86
420G			420G	401.45		485.75
495B	6521		495B	539.73		653.08
497Q			497Q (X300)	494.35		598.17
510N			510N	15.76		19.06
513Y			513Y	53.60	59.56	64.86
520M	2721			18.15	20.16	21.96
S355J2(M)		9864		19.62	21.80	23.74
MPS2B ISSUE 2 (S355J2C)		9820		21.12	23.47	25.55
520-S355J2	2723			17.33	19.26	20.97
528A/E (50CrMo4)			528A/E (X500)	145.96	162.18	176.61
593B			593B	157.05	174.50	190.03
593Q			593Q	157.05	174.50	190.03
594Y			594Y	104.87	116.53	126.90
596Y			596Y	182.68	202.98	221.05
667L			677L/Q/T (X600)	182.19		220.45
803J/N/P (100Cr6)	5621		803 J/N/P	90.83	100.92	109.90
803F/Q (100Cr6)			803F/Q (X800)	92.43		111.83
802F	5620		802F	90.75	100.83	109.80
100Cr6		4268		90.75		109.80
824B (100CrMo7)			824B	188.23		227.76
825B (100CrMo7 3)			825B	219.39		265.46
826B (100CrMo7 4)			826B	287.68		348.09
825T			825T	229.71		277.95
827B			827B	337.22		408.03
837N/R (100CrMn6)			837N/R	100.34		121.41
15MA27	7245			66.36	73.73	80.29
1130	5616			148.62	165.14	
2725	4734			558.32	620.36	
3350	8312			342.79	380.87	
L435-2				607.95	675.50	

1500	7302		361.95	402.17	437.96
Hybrid 55			1554.27	1726.96	1880.66
Hybrid 60			1554.27	1726.96	1880.66
Imanite	6130		424.49	471.65	513.63
IMACRO	8302		278.77	309.75	337.32
IMACRO EL 700	9259		242.84	269.82	293.84
S355	2714		23.42	26.02	28.34
368.6	5478		148.52	165.02	179.70