

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
177.50	197.22	215

Ovako UK scrap & alloy surcharges

Dec/20

Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.108

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
525A61/CCr3		9265		46.04	51.16	55.71
525A61/CCr3		4265 VDG		46.04	51.16	55.71
605M36/605A37	5905			42.69	47.43	
635M15/637M17	4712			122.54	136.15	
655M13	4715			409.12	454.58	
665M17	4801			234.87	260.97	
704A60/CrMo1		4234 VDG		56.08	62.31	67.86
704A60/CrMo1		9234		56.08	62.31	67.86
708M40/708A42	6126	9288 (708M40/708A42)		60.57	67.30	
709M40	6107			74.05	82.28	
722M24	8310			168.96	187.73	
735A51	7402	9282		56.05	62.28	
805H60		9280		110.64	122.94	
817M40	6506	9205		244.11	271.24	
817M40	6510			244.11	271.24	
826M40	6518			384.44	427.16	
945M38	6201			132.03	146.70	
4130	6037	9226		107.08	118.98	
4140	6080	9288 (4140)		60.73	67.48	73.49
4140 Ni .2/.25	1272			83.43	92.70	
SAE 4140 Ni .35/.50	6139			109.47	121.63	132.46
4140 Mod (MPS 14)		9240		89.27	99.18	
4140H	6115			58.64	65.15	
4145	6097			57.93	64.37	
4150	6112	9286 (4150)		57.93	64.37	
4340	6514			263.16	292.40	
5160		9261		26.73	29.70	
8620	4542			107.27	119.18	129.79
8620	4548	9225	152G	107.36	119.29	129.90
8620(M)		9253		107.17	119.08	129.68
100Cr6	5621		803 J/N/P	43.91	48.78	53.13
15B41 MOD		4689 VDG		22.87	25.41	27.67
15B41 MOD	5497			22.87	25.41	27.67
SB27M12CB		9660		18.02	20.02	21.81
SB33M15CB		4679		20.39	22.66	24.68
SB43M14B		4678		42.17	46.86	51.03
16MnCr5	4316	9218		31.06	34.52	
16MnCr5	4306			31.06	34.52	
17Cr3	5502			24.22	26.92	29.31
17MnV6	7252	9875		21.77	24.19	26.34
20MnCr5	4324			38.09	42.32	
20MnCr5	4334			38.09	42.32	
20MnB5+Cr+HH		4642		12.94	14.38	
20NiCrMo2	4532			127.09	141.22	
23MnNiMoCr54So		4209		214.11	237.91	
27MnCrB5	5465			17.32	19.24	
31CrMoV9	6140			119.86	133.18	
33MnCrB5/MPS 16		4648 VDG		137.67	152.96	
33MnCrB5/MPS 16		9648		137.67	152.96	
MPS16		4648		137.67	152.96	
34CrNiMo6	6499	9205		263.32	292.58	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				

36CrB4		4646		55.13	61.26	
38MnSiV6	7221			26.52	29.46	
38MnVs6		4873		22.25	24.72	
40CrMo4	6077			63.76	70.85	77.15
42CrMo4	6082	9288 (42CrMo4)		63.67	70.74	
42CrMO4	1252			62.75	69.73	75.93
42CrMo4		4288		55.61	61.79	67.29
42CrMo4 MOD	6103			79.97	88.86	96.77
42CD4	1279			55.30	61.44	66.91
42MnV5		9859		63.55	70.61	76.89
49MnVs3		4850		17.46	19.40	21.12
50CrV4		9282		56.05	62.28	67.82
50CrMo4	6136			63.49	70.54	76.82
51CrV4		4254		73.39	81.55	88.80
51CrV4		9212		51.22	56.91	61.97
51CrV4		4292		59.79	66.43	72.35
51CrV4 Type 1		4291		55.37	61.52	66.99
51CrMoV4		9296		78.00	86.66	94.37
52CrMoV4		4283		82.92	92.13	100.33
52CrMoV4		4296		80.46	89.41	97.36
51CrV4m4		4290		59.70	66.33	72.24
56SiCr7		9072		14.96	16.62	18.10
56SiCr7		9084		17.60	19.56	
56SiCr7 Mod		9071		17.31	19.23	
61SiCr7(32-45 mm)		4077		21.20	23.56	
92506 (320/380)	4540			106.81	118.68	
92520	4738			204.43	227.15	
92520	4739			205.34	228.16	
92523	4741			184.75	205.28	
92245H	5515			43.55	48.38	52.69
3M		9885		53.47	59.41	
3M Issue 19		4885		43.63	48.48	
Ovako 482 (10M)		9857		26.23	29.15	
14M		4857		30.47	33.86	
17M/18M		9858		15.57	17.30	
17M		9891		15.57	17.30	
S460NL		9856		15.57	17.30	
A193 B7	6093			57.93	64.37	
A193 B16	6098			152.57	169.53	
A320 L7	1281			57.93	64.37	
A320 L7	6137			57.93	64.37	
ASTM A 320L	1281			83.43	92.70	100.95
ASTM A 350 LF2	2735			4.31	4.79	5.21
EN11		9262		21.58	23.98	
SMO215(HYTUFF)	4803			286.26	318.06	346.37
TB1398	4740			185.21	205.79	
V2525-75 (146S)	4757		146S	170.62	189.58	206.45
V2142	7256			21.95	24.39	26.56
V2158	4326			38.98	43.31	
V2158		4222		59.72	66.36	
V2244-75	1266			63.94	71.05	
V2244-00	6129			63.94	71.05	
V2250	6112			59.07	65.63	
V2527-70	4701			222.34	247.05	
453C (SS142534)			453C	428.42	476.03	518.39
SB500		9816		21.52	23.91	
V2906	7216	9850		16.72	18.57	
V2908		4108		11.27	12.53	
Cromobolt	6116			80.04	88.93	96.85
047			047	3.38	3.75	4.09
143A			143A	31.89	35.43	38.58
146S (V2525-75)	4757		146S	170.62	189.58	206.45
152G (8620)	4548	9225	152G	107.36	119.29	129.90
157C (4320)			157C	259.87	288.75	314.44
157F			157F	191.10	212.33	231.23
157Q			157Q	192.30	213.66	232.68
158Q			158Q	364.55	405.06	441.11
159B			159B	271.45	301.61	328.46
159X			159X	275.69	306.32	333.58

215B			215B	6.30	7.00	7.62
234K (16MnCr5)			234K	32.78	36.42	39.66
236F			236F	39.51	43.89	47.80
253A			253A	407.02	452.25	492.50
253F			253F	376.15	417.95	455.15
253L	4722		253L	411.83	457.59	498.32
253S			253S	407.40	452.66	492.95
255G			255G	467.66	519.63	565.87
256G			256G	507.74	564.15	614.36
275A			275A	313.08		378.83
277L			277L (X200)	220.68	245.20	267.02
TS280M-LX		9880		22.24	24.71	26.91
280M			280M	28.84		34.90
280T (19MnVS6)			280T	28.84		34.90
322D (25CrMo4)			322D	60.09		72.71
322Y			322Y	42.47	47.19	51.39
326C (4140)			326C	59.62		72.14
327A			327A	93.95		113.69
327A	1233		327A	92.21	102.45	111.57
327A	1291		327A	92.21	102.45	111.57
327B			327B	78.86		95.42
355B			355B	267.38		323.53
356D (34CrNiMo6)			356D	242.60		293.55
368.6		9620		91.37		110.56
398Q			398Q	268.17		324.48
420G			420G	165.68		200.47
495B	6521		495B	236.20		285.81
497Q			497Q (X300)	301.36		364.64
510N			510N	8.54		10.34
513Y			513Y	26.73	29.70	32.35
520M	2721			13.18	14.64	15.95
520-S355J2	2723			12.43	13.81	15.03
528A/E (50CrMo4)			528A/E (X500)	60.39	67.10	73.07
593B			593B	89.71	99.68	108.55
593Q			593Q	89.71	99.68	108.55
594Y			594Y	61.44	68.27	74.35
596Y			596Y	85.55	95.05	103.51
667L			677L/Q/T (X600)	75.67		91.57
803J/N/P (100Cr6)	5621		803 J/N/P	43.91	48.78	53.13
803F/Q (100Cr6)			803F/Q (X800)	44.70		54.09
100Cr6		4268		43.91		53.13
824B (100CrMo7)			824B	80.14		96.97
825B (100CrMo7 3)			825B	91.62		110.86
826B (100CrMo7 4)			826B	115.20		139.40
825T			825T	95.32		115.34
827B			827B	134.04		162.19
837N/R (100CrMn6)			837N/R	49.34		59.70
15MA27	7245			41.10	45.67	49.73
1130	5616			59.81	66.46	
2725	4734			369.23	410.26	
3350	8312			145.37	161.52	
L435-2				407.21	452.46	
1500	7302			207.51	230.57	251.09
Hybrid 55				996.61	1107.35	1205.90
Hybrid 60				996.61	1107.35	1205.90
Imanite	6130			183.48	203.87	222.02