

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
309.50	343.89	374

### Ovako UK scrap & alloy surcharges

**Aug-21**

Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.159

#### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
525A61/CCr3		9265		83.19	92.44	100.66
525A61/CCr3		4265 VDG		83.19	92.44	100.66
605M36/605A37	5905			103.05	114.50	
635M15/637M17	4712			148.88	165.42	
655M13	4715			476.84	529.83	
665M17	4801			314.74	349.72	
704A60/CrMo1		4234 VDG		108.48	120.54	131.26
704A60/CrMo1		9234		108.48	120.54	131.26
708M40/708A42	6126	9288 (708M40/708A42)		113.76	126.40	
709M40	6107			145.71	161.91	
722M24	8310			305.26	339.18	
735A51	7402	9282		92.21	102.46	
805H60		9280		173.22	192.47	
817M40	6506	9205		335.96	373.29	
817M40	6510			335.96	373.29	
826M40	6518			538.99	598.87	
945M38	6201			195.77	217.52	
4130	6037	9226		163.90	182.11	
4140	6080	9288 (4140)		113.31	125.90	137.10
4140 Ni .2/25	1272			139.74	155.26	
SAE 4140 Ni .35/50	6139			173.68	192.98	210.16
4140 Mod (MPS 14)		9240		120.39	133.76	
4140H	6115			111.47	123.86	
4145	6097			110.54	122.82	
4150	6112	9286 (4150)		110.54	122.82	
4340	6514			346.67	385.19	
5160		9261		41.02	45.58	
8620	4542			164.38	182.64	198.89
8620	4548	9225	152G	164.65	182.95	199.23
8620(M)		9253		164.14	182.38	198.61
100Cr6	5621		803 J/N/P	61.30	68.11	74.18
15B41 MOD		4689 VDG		39.70	44.11	48.03
15B41 MOD	5497			39.70	44.11	48.03
SB27M12CB		9660		31.02	34.47	37.54
SB33M15CB		4679		35.83	39.81	43.36
SB43M14B		4678		74.01	82.23	89.55
16MnCr5	4316	9218		46.48	51.64	
16MnCr5	4306			46.48	51.64	
17Cr3	5502			36.33	40.37	43.96
17MnV6	7252	9875		46.50	51.67	56.27
18CrNiMo7-6	4761			60.61	67.34	73.33
20MnCr5	4324			57.95	64.39	
20MnCr5	4334			57.95	64.39	
20MnB5+Cr+HH		4642		24.10	26.78	
20NiCrMo2	4532			158.14	175.71	
23MnNiMoCr54So		4209		350.57	389.52	
23MnNiMoCr54		4219		361.59	401.77	
27MnCrB5	5465			30.28	33.64	
31CrMoV9	6140			205.42	228.24	
33MnCrB5/MPS 16		4648 VDG		169.01	187.78	
33MnCrB5/MPS 16		9648		169.01	187.78	
MPS16		4648		169.01	187.78	
34CrNiMo6	6499	9205		364.24	404.71	
36CrB4 (MPS10)		4646 VDG				

36CrB4 (MPS10)		9646				
36CrB4		4646		86.17	95.74	
38MnSiV6	7221			54.63	60.70	
38MnVs6		4873		46.55	51.73	
40CrMo4	6077			121.27	134.75	146.74
42CrMo4	6082	9288 (42CrMo4)		121.07	134.53	
42CrMO4	1252			117.58	130.65	142.28
42CrMo4		4288		103.39	114.88	125.10
42CrMo4 MOD	6103			156.65	174.06	189.55
42CrMoS4+HH		9287		121.07	134.53	146.50
42CD4	1279			102.86	114.29	124.46
42MnV5		9859		101.38	112.64	122.67
49MnVs3		4850		36.22	40.24	43.83
50CrV4		9282		92.21	102.46	111.58
50CrMo4	6136			120.68	134.08	146.02
51CrV4		4282		96.61	107.35	116.90
51CrV4		4254		129.90	144.33	157.18
51CrV4		9212		83.92	93.24	101.54
51CrV4		4292		98.41	109.34	119.08
51CrV4 Type 1		4291		92.32	102.58	111.71
51CrMoV4		9296		146.84	163.16	177.68
52CrMoV4		4283		153.10	170.11	185.25
52CrMoV4		4296		149.93	166.59	181.42
51CrV4m4		4290		98.17	109.08	118.79
56SiCr7		9072		40.78	45.32	49.35
56SiCr7		9084		36.61	40.68	
56SiCr7 Mod		9071		38.95	43.28	
61SiCr7(32-45 mm)		4077		43.28	48.09	
92506 ( 320/380)	4540			162.99	181.10	
92520	4738			272.78	303.08	
92520	4739			271.01	301.12	
92523	4741			243.11	270.12	
92523	4743			229.38	254.87	
92245H	5515			73.42	81.58	88.84
3M		9885		93.10	103.44	
3M Issue 19		4885		71.95	79.95	
Ovako 482 (10M)		9857		54.43	60.48	
14M		4857		60.04	66.71	
17M/18M		9858		29.26	32.52	
17M		9891		29.26	32.52	
S460NL		9856		29.26	32.52	
A193 B7	6093			110.54	122.82	
A193 B16	6098			312.06	346.73	
A320 L7	1281			110.54	122.82	
A320 L7	6137			110.54	122.82	
A320 L7	6135			150.99	167.77	
ASTM A 320L	1281			139.74	155.26	169.08
ASTM A 350 LF2	2735			11.59	12.88	14.02
EN11		9262		32.99	36.65	
SMO215(HYTUFF)	4803			416.96	463.29	504.52
TB1398	4740			244.30	271.44	
V2525-75 (146S)	4757		146S	226.05	251.16	273.52
V2142	7256			47.06	52.28	56.94
V2158	4326			59.37	65.96	
V2158		4222		80.24	89.15	
V2244-75	1266			121.83	135.36	
V2244-00	6129			121.83	135.36	
V2250	6112			111.69	124.10	
V2527-70	4701			266.95	296.61	
453C (SS142534)			453C	539.50	599.44	652.79
SB500		9816		44.22	49.14	
V2906	7216	9850		34.83	38.70	
V2908		4108		24.79	27.54	
Cromobolt	6116			146.61	162.90	177.39
047A			047A	9.23	10.26	11.17
143A			143A	48.97	54.41	59.25
146S (V2525-75)	4757		146S	226.05	251.16	273.52
152G (8620)	4548	9225	152G	164.65	182.95	199.23
157C (4320)			157C	347.40	386.00	420.35

157F			157F	315.18	350.20	381.37
157Q			157Q	231.68	257.42	280.33
158Q			158Q	533.90	593.22	646.02
159B			159B	373.52	415.02	451.95
159X			159X	381.39	423.77	461.48
215B			215B	16.89	18.76	20.43
234K (16MnCr5)			234K	50.42	56.02	61.01
236F			236F	59.82	66.47	72.39
248D			248D	333.55	370.61	403.59
253A			253A	517.90	575.44	626.66
253F			253F	479.12	532.36	579.74
253L	4722		253L	522.31	580.35	632.00
253S			253S	518.51	576.12	627.40
255G			255G	580.68	645.20	702.63
256G			256G	647.02	718.91	782.90
258D			258D	669.07	743.41	809.57
275A			275A	469.46		568.04
277L			277L (X200)	375.06	416.74	453.83
TS280M-LX		9880		47.18	52.42	57.09
280M			280M	55.89		67.63
280T (19MnVS6)			280T	55.89		67.63
280X (19MnVS6)			280X	47.90		57.95
322D (25CrMo4)			322D	113.91		137.83
322Y			322Y	87.31	97.01	105.64
326C (4140)			326C	113.12		136.87
327A			327A	160.17		193.81
327A	1233		327A	156.06	173.40	188.83
327A	1291		327A	156.06	173.40	188.83
327B			327B	140.09		169.51
355B			355B	357.23		432.25
356D (34CrNiMo6)			356D	331.98		401.70
368.6		9620		130.93		158.43
398Q			398Q	524.47		634.61
420G			420G	297.59		360.08
495B	6521		495B	454.61		550.08
497Q			497Q (X300)	435.25		526.65
510N			510N	16.84		20.38
513Y			513Y	41.02	45.58	49.63
520M	2721			28.81	32.01	34.86
520-S355J2	2723			27.96	31.07	33.83
528A/E (50CrMo4)			528A/E (X500)	113.36	125.96	137.17
593B			593B	143.51	159.45	173.65
593Q			593Q	143.51	159.45	173.65
594Y			594Y	101.73	113.03	123.09
596Y			596Y	161.54	179.49	195.46
667L			677L/Q/T (X600)	151.71		183.57
803J/N/P (100Cr6)	5621		803 J/N/P	61.30	68.11	74.18
803F/Q (100Cr6)			803F/Q (X800)	62.48		75.60
802F	5620		802F	61.26	68.07	74.13
100Cr6		4268		61.26		74.13
824B (100CrMo7)			824B	137.64		166.55
825B (100CrMo7 3)			825B	165.18		199.87
826B (100CrMo7 4)			826B	221.10		267.53
825T			825T	174.32		210.93
827B			827B	262.80		317.98
837N/R (100CrMn6)			837N/R	74.15		89.72
15MA27	7245			83.74	93.05	101.33
1130	5616			113.71	126.34	
2725	4734			472.72	525.24	
3350	8312			249.42	277.13	
L435-2				518.03	575.59	
1500	7302			323.83	359.81	391.84
Hybrid 55				1348.51	1498.35	1631.70
Hybrid 60				1348.51	1498.35	1631.70
Imanite	6130			374.25	415.83	452.84
IMACRO	8302			190.44	211.60	230.44
S355	2714			36.77	40.86	44.50