



## Ovako UK scrap & alloy surcharges

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
304.50	338.33	368

**Sep-21**

Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.159

### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
525A61/CCr3		9265		85.43	94.92	103.37
525A61/CCr3		4265 VDG		85.43	94.92	103.37
605M36/605A37	5905			103.12	114.58	
635M15/637M17	4712			159.47	177.18	
655M13	4715			512.87	569.86	
665M17	4801			332.39	369.32	
704A60/CrMo1		4234 VDG		110.56	122.85	133.78
704A60/CrMo1		9234		110.56	122.85	133.78
708M40/708A42	6126	9288 (708M40/708A42)		116.19	129.10	
709M40	6107			148.09	164.55	
722M24	8310			312.42	347.13	
735A51	7402	9282		95.66	106.29	
805H60		9280		180.03	200.03	
817M40	6506	9205		353.79	393.10	
817M40	6510			353.79	393.10	
826M40	6518			565.97	628.86	
945M38	6201			204.54	227.27	
4130	6037	9226		170.65	189.61	
4140	6080	9288 (4140)		115.80	128.67	140.12
4140 Ni .2/25	1272			144.23	160.25	
SAE 4140 Ni .35/50	6139			180.17	200.19	218.01
4140 Mod (MPS 14)		9240		127.40	141.56	
4140H	6115			113.75	126.39	
4145	6097			112.76	125.29	
4150	6112	9286 (4150)		112.76	125.29	
4340	6514			366.69	407.43	
5160		9261		43.02	47.80	
8620	4542			171.12	190.14	207.06
8620	4548	9225	152G	171.42	190.46	207.41
8620(M)		9253		170.88	189.87	206.77
100Cr6	5621		803 J/N/P	64.81	72.01	78.41
15B41 MOD		4689 VDG		41.21	45.79	49.87
15B41 MOD	5497			41.21	45.79	49.87
SB27M12CB		9660		32.25	35.84	39.03
SB33M15CB		4679		37.20	41.34	45.01
SB43M14B		4678		76.20	84.67	92.20
16MnCr5	4316	9218		48.66	54.07	
16MnCr5	4306			48.66	54.07	
17Cr3	5502			38.22	42.47	46.25
17MnV6	7252	9875		47.39	52.66	57.35
18CrNiMo7-6	4761			64.05	71.17	77.50
20MnCr5	4324			60.77	67.53	
20MnCr5	4334			60.77	67.53	
20MnB5+Cr+HH		4642		24.93	27.70	
20NiCrMo2	4532			169.15	187.94	
23MnNiMoCr54So		4209		362.00	402.22	
23MnNiMoCr54		4219		373.04	414.49	
27MnCrB5	5465			31.45	34.94	
31CrMoV9	6140			211.56	235.07	
33MnCrB5/MPS 16		4648 VDG		180.83	200.92	
33MnCrB5/MPS 16		9648		180.83	200.92	
MPS16		4648		180.83	200.92	
34CrNiMo6	6499	9205		383.35	425.95	
36CrB4 (MPS10)		4646 VDG				

36CrB4 (MPS10)		9646				
36CrB4		4646		89.71	99.68	
38MnSiV6	7221			55.77	61.97	
38MnVs6		4873		47.45	52.72	
40CrMo4	6077			123.69	137.43	149.66
42CrMo4	6082	9288 (42CrMo4)		123.50	137.23	
42CrMO4	1252			120.17	133.52	145.41
42CrMo4		4288		105.70	117.45	127.90
42CrMo4 MOD	6103			159.21	176.90	192.64
42CrMoS4+HH		9287		123.50	137.23	149.44
42CD4	1279			105.23	116.92	127.33
42MnV5		9859		105.55	117.28	127.72
49MnVs3		4850		36.97	41.08	44.73
50CrV4		9282		95.66	106.29	115.75
50CrMo4	6136			123.13	136.82	148.99
51CrV4		4282		100.03	111.15	121.04
51CrV4		4254		133.61	148.46	161.67
51CrV4		9212		87.12	96.80	105.41
51CrV4		4292		102.13	113.48	123.58
51CrV4 Type 1		4291		95.70	106.34	115.80
51CrMoV4		9296		149.98	166.65	181.48
52CrMoV4		4283		156.70	174.11	189.61
52CrMoV4		4296		153.32	170.36	185.52
51CrV4m4		4290		101.89	113.21	123.29
56SiCr7		9072		42.06	46.74	50.90
56SiCr7		9084		38.46	42.73	
56SiCr7 Mod		9071		40.81	45.34	
61SiCr7(32-45 mm)		4077		45.32	50.35	
92506 ( 320/380)	4540			169.66	188.51	
92520	4738			288.45	320.50	
92520	4739			286.98	318.87	
92523	4741			257.58	286.20	
92523	4743			242.95	269.94	
92245H	5515			75.95	84.39	91.90
3M		9885		95.99	106.65	
3M Issue 19		4885		74.69	82.99	
Ovako 482 (10M)		9857		55.55	61.72	
14M		4857		61.49	68.33	
17M/18M		9858		29.88	33.20	
17M		9891		29.88	33.20	
S460NL		9856		29.88	33.20	
A193 B7	6093			112.76	125.29	
A193 B16	6098			315.87	350.97	
A320 L7	1281			112.76	125.29	
A320 L7	6137			112.76	125.29	
A320 L7	6135			155.69	172.99	
ASTM A 320L	1281			144.23	160.25	174.52
ASTM A 350 LF2	2735			11.79	13.10	14.27
EN11		9262		34.63	38.47	
SMO215(HYTUFF)	4803			437.16	485.73	528.96
TB1398	4740			258.77	287.53	
V2525-75 (146S)	4757		146S	239.17	265.75	289.40
V2142	7256			47.98	53.31	58.06
V2158	4326			62.24	69.16	
V2158		4222		84.92	94.35	
V2244-75	1266			124.28	138.09	
V2244-00	6129			124.28	138.09	
V2250	6112			114.03	126.70	
V2527-70	4701			286.22	318.02	
453C (SS142534)			453C	574.20	638.00	694.79
SB500		9816		44.94	49.93	
V2906	7216	9850		35.55	39.50	
V2908		4108		25.56	28.40	
Cromobolt	6116			150.04	166.71	181.54
047A			047A	9.45	10.50	11.43
143A			143A	51.30	57.00	62.08
146S (V2525-75)	4757		146S	239.17	265.75	289.40
152G (8620)	4548	9225	152G	171.42	190.46	207.41
157C (4320)			157C	367.05	407.83	444.12

157F			157F	325.28	361.42	393.58
157Q			157Q	248.35	275.94	300.50
158Q			158Q	557.52	619.46	674.59
159B			159B	393.35	437.06	475.96
159X			159X	401.40	446.00	485.70
215B			215B	17.16	19.06	20.76
234K (16MnCr5)			234K	52.83	58.70	63.92
236F			236F	62.76	69.73	75.94
248D			248D	357.72	397.47	432.84
253A			253A	550.57	611.75	666.19
253F			253F	509.26	565.84	616.20
253L	4722		253L	555.49	617.21	672.14
253S			253S	551.21	612.45	666.96
255G			255G	619.24	688.04	749.28
256G			256G	687.58	763.98	831.98
258D			258D	692.66	769.63	838.12
275A			275A	490.57		593.60
277L			277L (X200)	385.98	428.87	467.03
TS280M-LX		9880		48.10	53.44	58.20
280M			280M	57.36		69.40
280T (19MnVS6)			280T	57.36		69.40
280X (19MnVS6)			280X	48.82		59.07
322D (25CrMo4)			322D	116.23		140.64
322Y			322Y	88.52	98.35	107.10
326C (4140)			326C	115.46		139.71
327A			327A	164.98		199.63
327A	1233		327A	160.86	178.73	194.64
327A	1291		327A	160.86	178.73	194.64
327B			327B	143.72		173.90
355B			355B	377.50		456.77
356D (34CrNiMo6)			356D	349.88		423.35
368.6		9620		137.47		166.34
398Q			398Q	532.68		644.54
420G			420G	304.79		368.79
495B	6521		495B	462.19		559.24
497Q			497Q (X300)	456.85		552.78
510N			510N	17.41		21.07
513Y			513Y	43.02	47.80	52.05
520M	2721			29.35	32.61	35.51
520-S355J2	2723			28.47	31.64	34.45
528A/E (50CrMo4)			528A/E (X500)	115.82	128.69	140.15
593B			593B	148.97	165.53	180.26
593Q			593Q	148.97	165.53	180.26
594Y			594Y	105.42	117.14	127.56
596Y			596Y	164.69	182.99	199.28
667L			677L/Q/T (X600)	155.12		187.69
803J/N/P (100Cr6)	5621		803 J/N/P	64.81	72.01	78.41
803F/Q (100Cr6)			803F/Q (X800)	66.04		79.90
802F	5620		802F	64.75	71.95	78.35
100Cr6		4268		64.75		78.35
824B (100CrMo7)			824B	141.78		171.55
825B (100CrMo7 3)			825B	169.29		204.84
826B (100CrMo7 4)			826B	225.12		272.39
825T			825T	178.45		215.93
827B			827B	267.19		323.30
837N/R (100CrMn6)			837N/R	78.02		94.40
15MA27	7245			85.51	95.01	103.47
1130	5616			115.93	128.81	
2725	4734			501.95	557.72	
3350	8312			256.70	285.22	
L435-2				550.73	611.92	
1500	7302			337.34	374.82	408.18
Hybrid 55				1423.63	1581.81	1722.59
Hybrid 60				1423.63	1581.81	1722.59
Imanite	6130			378.82	420.91	458.37
IMACRO	8302			199.75	221.95	241.70
S355	2714			37.47	41.63	45.34