

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
332.50	369.44	402

Ovako UK scrap & alloy surcharges

Jun-23

Please note for customers buying in Euros the Q2 exchange rate is £1 = €1.145

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		25.11	27.89	30.38
NV A		8352		7.78	8.64	9.41
525A61/CCr3		9265		125.21	139.12	151.50
525A61/CCr3		4265 VDG		125.21	139.12	151.50
605M36/605A37	5905			132.77	147.52	
635M15/637M17	4712			227.87	253.19	
655M13	4715			733.25	814.72	
665M17	4801			463.84	515.38	
704A60/CrMo1		4234 VDG		159.42	177.14	192.90
704A60/CrMo1		9234		159.42	177.14	192.90
708M40/708A42	6126	9288 (708M40/708A42)		170.45	189.39	
709M40	6107			214.80	238.66	
722M24	8310			476.97	529.97	
735A51	7402	9282		120.90	134.33	
805H60		9280		247.39	274.88	
817M40	6506	9205		509.81	566.46	
817M40	6510			509.81	566.46	
817M40 + S		4205		509.34	565.93	
826M40	6518			800.63	889.59	
945M38	6201			284.30	315.89	
SAE 1046		8673		57.14	63.49	
4130	6037	9226		240.66	267.40	
4140	6080	9288 (4140)		171.34	190.37	207.32
4140 Ni .2/.25	1272			208.51	231.68	
SAE 4140 Ni .35/.50	6139			259.18	287.98	313.61
SAE1117 ASTM A29		9133		12.30	13.67	14.89
4140 Mod (MPS 14)		9240		189.92	211.02	
4140H	6115			165.72	184.14	
4145	6097			163.98	182.20	
4150	6112	9286 (4150)		163.98	182.20	
4340	6514			527.75	586.39	
5160		9261		64.85	72.05	
8620	4542			241.00	267.77	291.61
8620	4548	9225	152G	241.32	268.14	292.00
8620(M)		9253		240.83	267.59	291.40
100Cr6	5621		803 J/N/P	108.46	120.51	131.23
CHAP031		9663		32.90	36.56	39.81
15B35Hm		9667		39.71	44.12	48.04
15B41 MOD		4689 VDG		53.69	59.65	64.96
15B41 MOD	5497			53.69	59.65	64.96
SB24M13B		9643		25.61	28.46	
SB27M12CB		9660		42.67	47.41	51.63
SB30M13B	9662			25.26	28.07	30.57
27M12B		9654		25.26	28.07	30.57
SB30M10B		9651		9.66	10.73	11.68
SB30M12CB		9661		46.82	52.03	56.66
SB33M15CB		4679		48.06	53.40	58.15
SB43M14B		4678		96.62	107.35	116.91
SB600		9823		47.43	52.70	57.39
16MnCr5	4316	9218		73.89	82.10	
16MnCr5	4306	9661		73.89	82.10	
17Cr3	5502			59.50	66.11	71.99
17MnV6	7252	9875		40.66	45.18	49.20
18CrNiMo7-6	4761			106.89	118.76	129.33
20MnCr5	4324			92.07	102.30	
20MnCr5	4334			92.07	102.30	

20MnB5+Cr+HH		4642		30.09	33.44	
20NiCrMo2	4532			242.09	268.99	
23MnNiMoCr54So		4209		505.45	561.61	
23MnNiMoCr54		4219		520.13	577.92	
27MnCrB5	5465			40.85	45.39	
31CrMoV9	6140			307.34	341.49	
33MnCrB5/MPS 16		4648 VDG		251.81	279.79	
MPS16		4648		251.81	279.79	
34CrNiMo6	6499	9205		555.67	617.41	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		134.15	149.05	
38MnSiV6	7221			49.05	54.50	
38MnVs6		4873		40.90	45.45	
40CrMo4	6077			181.20	201.33	219.25
42CrMo4	6082	9288 (42CrMo4)		181.19	201.32	
42CrMO4	1252			176.79	196.43	213.91
42CrMo4		4288		155.39	172.65	188.02
42CrMo4 MOD	6103			232.02	257.81	280.75
42CrMoS4+HH		9287		181.19	201.32	219.24
42CD4	1279			154.31	171.46	186.72
42MnV5		9859		119.83	133.15	145.00
49MnVs3		4850		32.40	36.00	39.21
50CrV4		9282		120.90	134.33	146.29
50CrMo4	6136			181.16	201.29	219.21
51CrV4		4282		124.08	137.86	150.13
51CrV4		4254		173.74	193.05	210.23
51CrV4		9212		111.53	123.92	134.95
51CrV4		4292		129.86	144.29	157.13
51CrV4 Type 1		4291		119.08	132.31	144.09
51CrMoV4		9296		200.95	223.28	243.15
52CrMoV4		4283		206.47	229.41	249.83
52CrMoV4		4296		200.21	222.46	242.26
51CrV4m4		4290		129.69	144.10	156.93
251A58		9073		46.11	51.24	55.80
56SiCr7		9072		30.79	34.21	37.25
56SiCr7		9084		48.47	53.86	
56SiCr7 Mod		9071		48.19	53.54	
61SiCr7(32-45 mm)		4077		56.46	62.73	
92506 (320/380)	4540			239.37	265.97	
92520	4738			415.67	461.85	
92520	4739			412.28	458.08	
92523	4741			369.97	411.08	
92506 'A Level'	1280			234.51	260.57	
92523	4743			349.20	388.00	
92245H	5515			114.99	127.77	139.14
3M		9885		120.70	134.11	
3M Issue 19		4885		95.26	105.84	
Ovako 482 (10M)		9857		48.61	54.01	
14M		4857		59.05	65.61	
17M/18M		9858		26.95	29.94	
17M		9891		26.95	29.94	
S460NL		9856		26.95	29.94	
A193 B7	6093			163.98	182.20	
A193 B16	6098			406.98	452.20	
A320 L7	1281			163.98	182.20	
A320 L7	6137			163.98	182.20	
A320 L7	6135			226.22	251.36	
ASTM A 320L	1281			208.51	231.68	252.30
ASTM A 350 LF2	2735			9.40	10.44	11.37
EN11		9262		52.56	58.40	
SMO215(HYTUFF)	4803			604.61	671.79	731.58
TB1398	4740			370.81	412.01	
V2525-75 (146S)	4757		146S	343.16	381.29	415.22
V2142	7256			41.31	45.90	49.99
V2158	4326			94.14	104.60	
V2158		4222		128.27	142.52	
V2244-75	1266			181.85	202.05	
V2244-00	6129			181.85	202.05	
V2250	6112			166.96	185.51	
V2527-70	4701			421.62	468.47	
453C (SS142534)			453C	822.10	913.45	994.75

SB500		9816		37.83	42.04	
V2906	7216	9850		31.12	34.58	
V2908		4108		26.87	29.85	
Cromobolt	6116			224.11	249.01	271.17
047A			047A	7.96	8.84	9.63
047R			047R	4.38	4.87	5.30
143A			143A	76.82	85.35	92.95
146S (V2525-75)	4757		146S	343.16	381.29	415.22
152G (8620)	4548	9225	152G	241.32	268.14	292.00
157C (4320)			157C	519.86	577.62	629.03
157F			157F	457.39	508.21	553.44
157Q			157Q	359.30	399.22	434.75
158Q			158Q	786.82	874.25	952.06
159B			159B	571.85	635.39	691.94
159X			159X	584.05	648.94	706.70
215B			215B	13.51	15.01	16.34
234K (16MnCr5)			234K	79.05	87.84	95.65
236F			236F	95.55	106.16	115.61
248D			248D	528.31	587.01	639.25
253A			253A	789.07	876.74	954.77
253F			253F	732.81	814.23	886.70
253L	4722		253L	796.41	884.90	963.65
253S			253S	789.93	877.70	955.82
255G			255G	889.61	988.46	1076.43
256G			256G	981.61	1090.68	1187.75
258D			258D	993.94	1104.38	1202.67
275A			275A	650.99		787.70
277L			277L (X200)	533.94	593.26	646.06
TS280M-LX		9880		41.44	46.04	50.14
280M			280M	58.22		70.45
280T (19MnVS6)			280T	58.22		70.45
280X (19MnVS6)			280X	41.95		50.75
316A			316A	15.71		19.01
322D (25CrMo4)			322D	171.91		208.01
322Y			322Y	122.43	136.04	148.14
326C (4140)			326C	167.97		203.24
327A			327A	240.44		290.93
327A	1233		327A	234.14	260.15	283.31
327A	1291		327A	234.14	260.15	283.31
327B			327B	209.06		252.96
355B			355B	537.04		649.82
356D (34CrNiMo6)			356D	506.92		613.38
368.6		9620		193.52		234.16
398Q			398Q	739.08		894.29
420G			420G	466.37		564.30
495B	6521		495B	637.73		771.65
497Q			497Q (X300)	631.97		764.68
510N			510N	20.12		24.35
513Y			513Y	64.85	72.05	78.46
520M	2721			24.95	27.72	30.19
S355J2(M)		9864		27.00	30.00	32.67
MPS2B ISSUE 2 (S355J2C)		9820		28.97	32.19	35.05
520-S355J2	2723			23.89	26.54	28.90
528A/E (50CrMo4)			528A/E (X500)	170.43	189.36	206.22
593B			593B	195.66	217.40	236.75
593Q			593Q	195.66	217.40	236.75
594Y			594Y	131.15	145.72	158.69
596Y			596Y	217.44	241.60	263.10
667L			677L/Q/T (X600)	217.06		262.64
803J/N/P (100Cr6)	5621		803 J/N/P	108.46	120.51	131.23
803F/Q (100Cr6)			803F/Q (X800)	110.37		133.54
802F	5620		802F	108.30	120.33	131.04
100Cr6		4268		108.30		131.04
824B (100CrMo7)			824B	220.10		266.32
825B (100CrMo7 3)			825B	255.89		309.63
826B (100CrMo7 4)			826B	333.49		403.53
825T			825T	267.91		324.17
827B			827B	391.17		473.31
837N/R (100CrMn6)			837N/R	121.39		146.88
15MA27	7245			86.38	95.98	104.52
1130	5616			172.61	191.79	
2725	4734			721.75	801.95	

3350	8312			399.68	444.09	
L435-2				789.59	877.33	
1500	7302			456.78	507.53	552.70
Hybrid 55				1996.15	2217.95	2415.35
Hybrid 60				1996.15	2217.95	2415.35
Imanite	6130			499.78	555.31	604.73
IMACRO	8302			329.52	366.13	398.72
IMACRO EL 700	9259			288.47	320.53	349.05
S355	2714			32.07	35.64	38.81