

OVAKO UK scrap & alloy surcharges

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
327.50	363.89	396

Oct-23 Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.161

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		20.98	23.31	25.39
NV A		8352		5.09	5.65	6.15
525A61/CCr3		9265		112.97	125.52	136.69
525A61/CCr3		4265 VDG		112.97	125.52	136.69
605M36/605A37	5905			138.68	154.08	
635M15/637M17	4712			189.43	210.48	
655M13	4714			656.42	729.35	
655M13	4715			617.28	685.86	
665M17	4801			418.31	464.79	
704A60/CrMo1		4234 VDG		151.12	167.91	182.86
704A60/CrMo1		9234		151.12	167.91	182.86
708M40/708A42	6126	9288 (708M40/708A42)		160.06	177.84	
709M40	6107			208.20	231.34	
722M24	8310			448.98	498.87	
735A51	7402	9282		99.32	110.35	
805H60		9280		226.23	251.37	
817M40	6506	9205		455.28	505.87	
817M40	6510			455.28	505.87	
817M40 + S		4205		451.66	501.84	
826M40	6518			733.04	814.49	
945M38	6201			258.01	286.68	
SAE 1046		8673		45.81	50.90	
4130	6037	9226		221.66	246.29	
4140	6080	9288 (4140)		160.84	178.71	194.61
4140 Ni .2/.25	1272			192.60	213.99	
SAE 4140 Ni .35/.50	6139			238.19	264.65	288.21
SAE1117 ASTM A29		9133		8.07	8.97	9.76
4140 Mod (MPS 14)		9240		158.03	175.58	
4140H	6115			156.23	173.58	
4145	6097			154.84	172.05	
4150	6112	9286 (4150)		154.84	172.05	
4340	6514			470.82	523.14	
5160		9261		50.26	55.84	
8620	4542			221.89	246.55	268.49
8620	4548	9225	152G	222.09	246.77	268.73
8620(M)		9253		221.78	246.42	268.35
100Cr6	5621		803 J/N/P	85.26	94.73	103.17
CHAP031		9663		24.56	27.29	29.72
15B35Hm		9667		30.01	33.34	36.31
15B41 MOD		4689 VDG		40.75	45.27	49.30
15B41 MOD	5497			40.75	45.27	49.30
SB24M13B		9643		18.83	20.92	
SB27M12CB		9660		32.39	35.99	39.20
SB30M13B	9662			18.57	20.63	22.47
27M12B		9654		18.57	20.63	22.47
SB30M10B		9651		6.36	7.06	7.69
SB30M12CB		9661		35.62	39.58	43.10
SB33M15CB		4679		36.34	40.38	43.97
SB43M14B		4678		90.13	100.14	109.05
SB600		9823		41.31	45.90	49.99
16MnCr5	4316	9218		57.83	64.26	
16MnCr5	4306	9661		57.83	64.26	
17Cr3	5502			46.20	51.33	55.90
17MnV6	7252	9875		33.34	37.04	40.34
18CrNiMo7-6	4761			500.97	556.64	606.18
20MnCr5	4324			71.54	79.49	

20MnCr5	4334			71.54	79.49	
20MnB5+Cr+HH		4642		22.47	24.97	
20NiCrMo2	4532			199.57	221.75	
23MnNiMoCr54So		4209		484.51	538.34	
23MnNiMoCr54		4219		500.24	555.83	
27MnCrB5	5465			30.92	34.35	
30CrNiMo8	6507			659.50	732.78	
31CrMoV9	6140			276.45	307.17	
33MnCrB5/MPS 16		4648 VDG		209.46	232.74	
MPS16		4648		209.46	232.74	
34CrNiMo6	6499	9205		495.41	550.46	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		115.55	128.39	
38MnSiV6	7221			41.38	45.98	
38MnVs6		4873		34.17	37.96	
40CrMo4	6077			171.87	190.96	207.96
42CrMo4	6082	9288 (42CrMo4)		171.83	190.93	
42CrMO4	1252			165.60	184.00	200.37
42CrMo4		4288		144.95	161.05	175.38
42CrMo4 MOD	6103			225.26	250.29	272.56
42CrMoS4+HH		9287		171.83	190.93	207.92
42CD4	1279			143.25	159.16	173.33
42MnV5		9859		100.28	111.42	121.34
49MnVs3		4850		27.18	30.20	32.89
50CrV4		9282		99.32	110.35	120.17
50CrMo4	6136			171.77	190.86	207.84
51CrV4		4282		103.22	114.69	124.90
51CrV4		4254		153.31	170.35	185.51
51CrV4		9212		91.10	101.23	110.23
51CrV4		4292		106.16	117.96	128.46
51CrV4 Type 1		4291		97.64	108.49	118.14
51CrMoV4		9296		187.63	208.48	227.04
52CrMoV4		4283		189.76	210.84	229.61
52CrMoV4		4296		184.81	205.35	223.62
51CrV4m4		4290		106.05	117.83	128.32
251A58		9073		31.44	34.93	38.04
56SiCr7		9072		19.23	21.36	23.26
56SiCr7		9084		34.07	37.85	
56SiCr7 Mod		9071		33.05	36.73	
61SiCr7(32-45 mm)		4077		40.09	44.55	
92506 (320/380)	4540			220.90	245.44	
92520	4738			364.04	404.49	
92520	4739			359.87	399.86	
92523	4741			320.75	356.39	
92506 'A Level'	1280			219.56	243.95	
92523	4743			301.83	335.37	
92245H	5515			99.82	110.91	120.78
3M		9885		103.88	115.42	
3M Issue 19		4885		77.59	86.22	
Ovako 482 (10M)		9857		40.79	45.32	
14M		4857		49.08	54.54	
17M/18M		9858		24.60	27.34	
17M		9891		24.60	27.34	
S460NL		9856		24.60	27.34	
A193 B7	6093			154.84	172.05	
A193 B16	6098			405.68	450.75	
A320 L7	1281			154.84	172.05	
A320 L7	6137			154.84	172.05	
A320 L7	6135			209.93	233.26	
ASTM A 320L	1281			192.60	213.99	233.04
ASTM A 350 LF2	2735			6.20	6.88	7.50
EN11		9262		40.73	45.25	
SMO215(HYTUFF)	4803			549.34	610.38	664.70
TB1398	4740			321.33	357.03	
V2525-75 (146S)	4757		146S	299.46	332.74	362.35
V2142	7256			33.74	37.49	40.82
V2158	4326			73.15	81.28	
V2158		4222		103.17	114.63	
V2244-75	1266			172.26	191.40	
V2244-00	6129			172.26	191.40	
V2250	6112			157.26	174.74	

V2527-70	4701			350.29	389.21	
453C (SS142534)			453C	717.02	796.69	867.60
SB500		9816		32.33	35.92	
V2906	7216	9850		26.01	28.90	
V2908		4108		18.99	21.10	
Cromobolt	6116			209.11	232.34	253.02
047A			047A	5.17	5.75	6.26
047R			047R	2.99	3.32	3.62
143A			143A	59.62	66.25	72.14
146S (V2525-75)	4757		146S	299.46	332.74	362.35
152G (8620)	4548	9225	152G	222.09	246.77	268.73
157C (4320)			157C	464.15	515.72	561.62
157F			157F	439.05	487.83	531.25
157Q			157Q	298.93	332.14	361.70
158Q			158Q	737.64	819.60	892.55
159B			159B	508.87	565.41	615.73
159X			159X	520.44	578.27	629.73
215B			215B	8.94	9.93	10.81
234K (16MnCr5)			234K	61.32	68.13	74.19
236F			236F	74.31	82.56	89.91
248D			248D	439.33	488.14	531.59
253A			253A	687.83	764.26	832.28
253F			253F	639.49	710.55	773.79
253L	4722		253L	693.58	770.65	839.24
253S			253S	688.50	765.00	833.09
255G			255G	768.47	853.85	929.84
256G			256G	860.22	955.80	1040.87
258D			258D	944.84	1049.82	1143.26
275A			275A	592.01		716.33
277L			277L (X200)	499.14	554.60	603.96
TS280M-LX		9880		34.17	37.96	41.34
280M			280M	47.25		57.17
280T (19MnVS6)			280T	47.25		57.17
280X (19MnVS6)			280X	34.51		41.76
316A			316A	10.46		12.66
322D (25CrMo4)			322D	163.30		197.60
322Y			322Y	118.56	131.73	143.45
326C (4140)			326C	157.95		191.12
327A			327A	224.47		271.61
327A	1233		327A	217.51	241.68	263.19
327A	1291		327A	217.51	241.68	263.19
327B			327B	197.46		238.93
355B			355B	477.10		577.29
356D (34CrNiMo6)			356D	449.18		543.50
368.6		9620		169.86		205.53
398Q			398Q	724.52		876.66
420G			420G	437.23		529.04
495B	6521		495B	638.62		772.73
497Q			497Q (X300)	567.68		686.90
510N			510N	14.74		17.84
513Y			513Y	50.26	55.84	60.81
520M	2721			20.05	22.27	24.26
S355J2(M)		9864		22.01	24.46	26.64
MPS2B ISSUE 2 (S355J2C)		9820		23.68	26.31	28.65
520-S355J2	2723			18.71	20.79	22.64
528A/E (50CrMo4)			528A/E (X500)	160.00	177.77	193.60
593B			593B	170.51	189.46	206.32
593Q			593Q	170.51	189.46	206.32
594Y			594Y	108.20	120.22	130.92
596Y			596Y	205.69	228.54	248.88
667L			677L/Q/T (X600)	199.98		241.98
803J/N/P (100Cr6)	5621		803 J/N/P	85.26	94.73	103.17
803F/Q (100Cr6)			803F/Q (X800)	86.76		104.98
802F	5620		802F	85.18	94.64	103.06
100Cr6		4268		85.18		103.06
824B (100CrMo7)			824B	199.72		241.66
825B (100CrMo7 3)			825B	237.56		287.44
826B (100CrMo7 4)			826B	321.81		389.39
825T			825T	250.13		302.66
827B			827B	379.83		459.60
837N/R (100CrMn6)			837N/R	94.17		113.95
15MA27	7245			75.56	83.95	91.42

1130	5616			165.42	183.80	
2725	4734			631.55	701.72	
3350	8312			364.90	405.44	
L435-2				688.27	764.75	
1500	7302			414.97	461.07	502.11
Hybrid 55				1750.94	1945.49	2118.64
Hybrid 60				1750.94	1945.49	2118.64
Imanite	6130			498.75	554.17	603.49
IMACRO	8302			270.77	300.85	327.63
IMACRO EL 700	9259			227.83	253.14	275.67
S355	2714			26.39	29.32	31.93