

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
342.50	380.56	414

Ovako UK scrap & alloy surcharges

Jan-24

Please note for customers buying in Euros the Q1 exchange rate is £1 = €1.153

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		17.85	19.83	21.59
NV A		8352		5.67	6.30	6.86
525A61/CCr3		9265		97.78	108.64	118.31
525A61/CCr3		4265 VDG		97.78	108.64	118.31
605M36/605A37	5905			102.21	113.56	
635M15/637M17	4712			155.33	172.59	
655M13	4714			513.60	570.66	
655M13	4715			487.62	541.79	
665M17	4801			316.70	351.89	
704A60/CrMo1		4234 VDG		124.16	137.95	150.23
704A60/CrMo1		9234		124.16	137.95	150.23
708M40/708A42	6126	9288 (708M40/708A42)		133.01	147.78	
709M40	6107			167.30	185.89	
722M24	8310			373.34	414.83	
735A51	7402	9282		91.49	101.66	
805H60		9280		178.40	198.23	
817M40	6506	9205		359.93	399.93	
817M40	6510			359.93	399.93	
817M40 + S		4205		359.78	399.76	
826M40	6518			559.05	621.16	
945M38	6201			202.28	224.76	
SAE 1046		8673		40.66	45.17	
4130	6037	9226		173.38	192.64	
4140	6080	9288 (4140)		133.73	148.59	161.82
4140 Ni .2/.25	1272			156.90	174.34	
SAE 4140 Ni .35/.50	6139			191.32	212.58	231.50
SAE1117 ASTM A29		9133		8.99	9.98	10.87
4140 Mod (MPS 14)		9240		138.80	154.22	
4140H	6115			129.21	143.57	
4145	6097			127.83	142.03	
4150	6112	9286 (4150)		127.83	142.03	
4340	6514			365.83	406.48	
5160		9261		50.94	56.61	
8620	4542			173.63	192.92	210.09
8620	4548	9225	152G	173.86	193.18	210.37
8620(M)		9253		173.50	192.78	209.94
100Cr6	5621		803 J/N/P	85.74	95.26	103.74
CHAP031		9663		25.43	28.26	30.77
15B35Hm		9667		30.86	34.29	37.34
15B41 MOD		4689 VDG		41.81	46.45	50.59
15B41 MOD	5497			41.81	46.45	50.59
SB24M13B		9643		19.67	21.86	
SB27M12CB		9660		33.22	36.92	40.20
SB30M13B	9662			19.39	21.55	23.47
27M12B		9654		19.39	21.55	23.47
SB30M10B		9651		7.07	7.85	8.55
SB30M12CB		9661		36.50	40.55	44.16
SB33M15CB		4679		37.36	41.51	45.20
SB43M14B		4678		69.48	77.20	84.07
SB600		9823		33.08	36.76	40.03
16MnCr5	4316	9218		58.36	64.85	
16MnCr5	4306	9661		58.36	64.85	
17Cr3	5502			46.76	51.96	56.59
17MnV6	7252	9875		28.75	31.94	34.79
18CrNiMo7-6	4761			400.27	444.74	484.32
20MnCr5	4324			72.43	80.48	
20MnCr5	4334			72.43	80.48	
20MnB5+Cr+HH		4642		23.27	25.85	
20NiCrMo2	4532			166.87	185.41	

23MnNiMoCr54So		4209		366.86	407.62	
23MnNiMoCr54		4219		378.08	420.09	
27MnCrB5	5465			31.77	35.30	
30CrNiMo8	6507			524.24	582.49	
31CrMoV9	6140			238.36	264.84	
33MnCrB5/MPS 16		4648 VDG		169.90	188.78	
MPS16		4648		169.90	188.78	
34CrNiMo6	6499	9205		394.71	438.56	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		102.62	114.02	
38MnSiV6	7221			34.41	38.23	
38MnVs6		4873		28.83	32.04	
40CrMo4	6077			141.33	157.03	171.00
42CrMo4	6082	9288 (42CrMo4)		141.30	157.00	
42CrMO4	1252			137.91	153.24	166.88
42CrMo4		4288		121.31	134.79	146.79
42CrMo4 MOD	6103			180.82	200.91	218.79
42CrMoS4+HH		9287		141.30	157.00	170.97
42CD4	1279			120.41	133.78	145.69
42MnV5		9859		83.88	93.20	101.49
49MnVs3		4850		22.76	25.29	27.54
50CrV4		9282		91.49	101.66	110.70
50CrMo4	6136			141.25	156.94	170.91
51CrV4		4282		93.68	104.09	113.36
51CrV4		4254		132.47	147.19	160.29
51CrV4		9212		84.71	94.12	102.50
51CrV4		4292		98.49	109.43	119.17
51CrV4 Type 1		4291		89.94	99.93	108.82
51CrMoV4		9296		154.12	171.24	186.48
52CrMoV4		4283		157.77	175.30	190.90
52CrMoV4		4296		152.81	169.79	184.90
51CrV4m4		4290		98.36	109.29	119.02
251A58		9073		33.99	37.77	41.13
56SiCr7		9072		21.80	24.22	26.37
56SiCr7		9084		36.24	40.27	
56SiCr7 Mod		9071		35.63	39.59	
61SiCr7(32-45 mm)		4077		42.46	47.18	
92506 (320/380)	4540			172.50	191.66	
92520	4738			291.72	324.13	
92520	4739			287.73	319.70	
92523	4741			258.59	287.32	
92506 'A Level'	1280			171.00	189.99	
92523	4743			244.95	272.17	
92245H	5515			90.09	100.10	109.01
3M		9885		91.36	101.51	
3M Issue 19		4885		72.32	80.35	
Ovako 482 (10M)		9857		34.15	37.95	
14M		4857		42.45	47.17	
17M/18M		9858		18.63	20.70	
17M		9891		18.63	20.70	
S460NL		9856		18.63	20.70	
A193 B7	6093			127.83	142.03	
A193 B16	6098			309.52	343.91	
A320 L7	1281			127.83	142.03	
A320 L7	6137			127.83	142.03	
A320 L7	6135			170.76	189.73	
ASTM A 350 LF2	2735			6.89	7.65	8.33
EN11		9262		41.28	45.87	
SMO215(HYTUFF)	4803			422.22	469.14	510.89
TB1398	4740			259.22	288.02	
V2525-75 (146S)	4757		146S	240.26	266.95	290.71
V2142	7256			29.20	32.45	35.34
V2158	4326			74.06	82.29	
V2158		4222		95.98	106.64	
V2244-75	1266			141.78	157.53	
V2244-00	6129			141.78	157.53	
V2250	6112			130.21	144.68	
V2527-70	4701			291.07	323.42	
453C (SS142534)			453C	560.85	623.17	678.63
SB500		9816		26.71	29.68	
V2906	7216	9850		21.87	24.30	

V2908		4108		20.24	22.48	
Cromobolt	6116			175.15	194.61	211.93
047A			047A	5.78	6.42	6.99
047R			047R	3.28	3.65	3.97
143A			143A	60.40	67.12	73.09
146S (V2525-75)	4757		146S	240.26	266.95	290.71
152G (8620)	4548	9225	152G	173.86	193.18	210.37
157C (4320)			157C	359.02	398.91	434.41
157F			157F	333.32	370.35	403.31
157Q			157Q	245.65	272.94	297.23
158Q			158Q	554.19	615.76	670.57
159B			159B	406.20	451.33	491.50
159X			159X	415.72	461.91	503.02
215B			215B	9.92	11.02	12.00
234K (16MnCr5)			234K	62.14	69.05	75.19
236F			236F	75.19	83.55	90.98
248D			248D	364.67	405.19	441.25
253A			253A	541.48	601.64	655.19
253F			253F	504.00	560.00	609.84
253L	4722		253L	545.97	606.64	660.63
253S			253S	542.16	602.40	656.01
255G			255G	606.38	673.75	733.72
256G			256G	671.24	745.83	812.20
258D			258D	724.73	805.26	876.93
275A			275A	454.48		549.92
277L			277L (X200)	399.83	444.26	483.80
TS280M-LX		9880		29.26	32.51	35.40
280M			280M	42.68		51.64
280T (19MnVS6)			280T	42.68		51.64
280X (19MnVS6)			280X	29.64		35.86
316A			316A	11.59		14.02
322D (25CrMo4)			322D	134.07		162.22
322Y			322Y	95.04	105.60	115.00
326C (4140)			326C	130.97		158.48
327A			327A	181.82		220.00
327A	1233		327A	176.95	196.61	214.11
327A	1291		327A	176.95	196.61	214.11
327B			327B	159.41		192.89
355B			355B	372.53		450.77
356D (34CrNiMo6)			356D	359.26		434.70
368.6		9620		138.21		167.23
398Q			398Q	569.45		689.03
420G			420G	365.10		441.77
495B	6521		495B	480.85		581.83
497Q			497Q (X300)	443.04		536.08
510N			510N	15.41		18.65
513Y			513Y	50.94	56.61	61.64
520M	2721			17.71	19.68	21.43
S355J2(M)		9864		19.08	21.20	23.09
MPS2B ISSUE 2 (S355J2C)		9820		20.50	22.78	24.80
520-S355J2	2723			17.05	18.94	20.63
528A/E (50CrMo4)			528A/E (X500)	132.95	147.73	160.87
593B			593B	144.59	160.66	174.96
593Q			593Q	144.59	160.66	174.96
594Y			594Y	98.97	109.97	119.76
596Y			596Y	166.40	184.89	201.35
667L			677L/Q/T (X600)	167.75		202.98
803J/N/P (100Cr6)	5621		803 J/N/P	85.74	95.26	103.74
803F/Q (100Cr6)			803F/Q (X800)	87.24		105.57
802F	5620		802F	85.63	95.15	103.62
100Cr6		4268		85.63		103.62
824B (100CrMo7)			824B	172.53		208.76
825B (100CrMo7 3)			825B	200.14		242.17
826B (100CrMo7 4)			826B	260.15		314.78
825T			825T	209.35		253.32
827B			827B	304.69		368.67
837N/R (100CrMn6)			837N/R	95.37		115.39
15MA27	7245			62.70	69.67	75.87
1130	5616			134.65	149.61	
2725	4734			497.59	552.88	
3350	8312			313.53	348.37	
L435-2				541.90	602.12	

1500	7302		326.39	362.65	394.93
Hybrid 55			1396.11	1551.23	1689.29
Hybrid 60			1396.11	1551.23	1689.29
Imanite	6130		381.83	424.26	462.02
IMACRO	8302		260.46	289.40	315.16
IMACRO EL 700	9259		228.60	254.00	276.61
S355	2714		22.68	25.20	27.44
368.6	5478		134.17	149.08	162.35