

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
352.50	391.67	427

Ovako UK scrap & alloy surcharges

Mar-24

Please note for customers buying in Euros the Q1 exchange rate is £1 = €1.153

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		21.25	23.61	25.71
NV A		8352		6.41	7.12	7.75
525A61/CCr3		9265		110.58	122.87	133.80
525A61/CCr3		4265 VDG		110.58	122.87	133.80
605M36/605A37	5905			124.46	138.29	
635M15/637M17	4712			166.36	184.85	
655M13	4714			557.03	618.92	
655M13	4715			522.24	580.26	
665M17	4801			352.97	392.19	
704A60/CrMo1		4234 VDG		143.40	159.33	173.51
704A60/CrMo1		9234		143.40	159.33	173.51
708M40/708A42	6126	9288 (708M40/708A42)		152.70	169.66	
709M40	6107			194.75	216.38	
709M40	6134			186.47	207.19	
722M24	8310			426.98	474.42	
735A51	7402	9282		101.46	112.73	
805H60		9280		202.12	224.58	
817M40	6506	9205		399.70	444.11	
817M40	6510			399.70	444.11	
817M40 + S		4205		398.11	442.34	
817M40			356B	399.20	443.56	483.03
826M40	6518			628.11	697.89	
945M38	6201			227.59	252.88	
SAE 1046		8673		43.71	48.57	
4130	6037	9226		196.38	218.20	
4140	6080	9288 (4140)		153.40	170.44	185.61
4140 Ni .2/.25	1272			178.41	198.23	
SAE 4140 Ni .35/.50	6139			216.63	240.70	262.12
SAE1117 ASTM A29		9133		10.16	11.29	12.30
4140 Mod (MPS 14)		9240		149.91	166.57	
4140H	6115			148.71	165.23	
4145	6097			147.24	163.60	
4150	6112	9286 (4150)		147.24	163.60	
4340	6514			404.72	449.69	
5160		9261		54.37	60.41	
8620	4542			196.67	218.52	237.97
8620	4548	9225	152G	196.92	218.80	238.28
8620(M)		9253		196.53	218.36	237.80
100Cr6	5621		803 J/N/P	90.93	101.03	110.02
CHAP031		9663		27.58	30.64	33.37
15B35Hm		9667		33.32	37.02	40.32
15B41 MOD		4689 VDG		45.06	50.07	54.52
15B41 MOD	5497			45.06	50.07	54.52
SB24M13B		9643		21.48	23.86	
SB27M12CB		9660		35.77	39.75	43.29
SB30M13B	9662			21.15	23.50	25.59
27M12B		9654		21.15	23.50	25.59
SB30M10B		9651		8.00	8.89	9.68
SB30M12CB		9661		39.28	43.64	47.52
SB33M15CB		4679		40.29	44.77	48.75
SB43M14B		4678		80.36	89.29	97.23
SB600		9823		39.44	43.83	47.73
16MnCr5	4316	9218		62.22	69.14	
16MnCr5	4306	9661		62.22	69.14	
17Cr3	5502			49.82	55.35	60.28
17MnV6	7252	9875		34.05	37.83	41.20
18CrNiMo7-6	4761			443.94	493.26	537.16
20MnCr5	4324			77.26	85.85	
20MnCr5	4334			77.26	85.85	

20MnB5+Cr+HH		4642		25.23	28.03	
20NiCrMo2	4532			178.73	198.59	
23MnNiMoCr54So		4209		423.51	470.56	
23MnNiMoCr54		4219		437.27	485.86	
27MnCrB5	5465			34.25	38.06	
30CrNiMo8	6507			582.28	646.98	
31CrMoV9	6140			269.12	299.03	
33MnCrB5/MPS 16		4648 VDG		182.34	202.60	
MPS16		4648		182.34	202.60	
34CrNiMo6	6499	9205		438.05	486.72	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		113.24	125.82	
38MnSiV6	7221			41.01	45.57	
38MnVs6		4873		34.30	38.11	
40CrMo4	6077			162.92	181.02	197.13
42CrMo4	6082	9288 (42CrMo4)		162.88	180.98	
42CrMO4	1252			158.19	175.77	191.41
42CrMo4		4288		138.86	154.29	168.03
42CrMo4 MOD	6103			210.46	233.85	254.66
42CrMoS4+HH		9287		162.88	180.98	197.09
42CD4	1279			137.66	152.96	166.57
42MnV5		9859		94.27	104.74	114.06
49MnVs3		4850		27.09	30.10	32.78
50CrV4		9282		101.46	112.73	122.77
50CrMo4	6136			162.81	180.90	197.00
51CrV4		4282		104.38	115.98	126.30
51CrV4		4254		150.42	167.13	182.00
51CrV4		9212		93.60	104.00	113.26
51CrV4		4292		108.97	121.08	131.85
51CrV4 Type 1		4291		99.90	111.00	120.88
51CrMoV4		9296		178.30	198.11	215.74
52CrMoV4		4283		181.72	201.92	219.89
52CrMoV4		4296		176.50	196.11	213.56
51CrV4m4		4290		108.82	120.92	131.68
251A58		9073		37.17	41.30	44.98
56SiCr7		9072		24.30	27.00	29.40
56SiCr7		9084		39.35	43.72	
56SiCr7 Mod		9071		38.92	43.25	
61SiCr7(32-45 mm)		4077		46.10	51.22	
92506 (320/380)	4540			195.41	217.13	
92520	4738			320.91	356.56	
92520	4739			315.93	351.03	
92523	4741			283.15	314.61	
92506 'A Level'	1280			195.43	217.15	
92523	4743			268.01	297.79	
92245H	5515			100.06	111.18	121.07
3M		9885		103.20	114.67	
3M Issue 19		4885		79.91	88.79	
Ovako 482 (10M)		9857		40.66	45.17	
14M		4857		49.43	54.92	
17M/18M		9858		22.65	25.17	
17M		9891		22.65	25.17	
S460NL		9856		22.65	25.17	
A193 B7	6093			147.24	163.60	
A193 B16	6098			369.37	410.41	
A320 L7	1281			147.24	163.60	
A320 L7	6137			147.24	163.60	
A320 L7	6135			194.48	216.09	
ASTM A 350 LF2	2735			7.80	8.67	9.44
EN11		9262		44.04	48.94	
SMO215(HYTUFF)	4803			475.55	528.39	575.42
TB1398	4740			283.87	315.41	
V2525-75 (146S)	4757		146S	263.79	293.10	319.19
V2142	7256			34.55	38.39	41.81
V2158	4326			79.02	87.79	
V2158		4222		102.36	113.73	
V2244-75	1266			163.42	181.58	
V2244-00	6129			163.42	181.58	
V2250	6112			149.73	166.37	
V2527-70	4701			311.03	345.59	
453C (SS142534)			453C	613.21	681.35	741.99

SB500		9816		31.97	35.52	
V2906	7216	9850		26.01	28.90	
V2908		4108		22.25	24.72	
Cromobolt	6116			200.15	222.39	242.19
047A			047A	6.52	7.25	7.89
047R			047R	3.76	4.17	4.55
143A			143A	64.48	71.65	78.02
146S (V2525-75)	4757		146S	263.79	293.10	319.19
152G (8620)	4548	9225	152G	196.92	218.80	238.28
157C (4320)			157C	398.18	442.42	481.80
157F			157F	384.99	427.77	465.84
157Q			157Q	262.85	292.05	318.05
158Q			158Q	630.07	700.08	762.39
159B			159B	450.25	500.27	544.80
159X			159X	461.19	512.44	558.04
215B			215B	11.25	12.50	13.61
234K (16MnCr5)			234K	66.34	73.71	80.27
236F			236F	80.19	89.10	97.03
248D			248D	389.59	432.88	471.41
253A			253A	592.41	658.23	716.82
253F			253F	551.59	612.88	667.43
253L	4722		253L	596.95	663.27	722.30
253S			253S	593.14	659.05	717.70
255G			255G	659.69	732.98	798.22
256G			256G	736.04	817.83	890.61
258D			258D	831.11	923.45	1005.64
275A			275A	515.23		623.43
277L			277L (X200)	458.86	509.85	555.22
TS280M-LX		9880		34.69	38.55	41.98
280M			280M	48.78		59.02
280T (19MnVS6)			280T	48.78		59.02
280X (19MnVS6)			280X	35.13		42.50
316A			316A	13.17		15.93
322D (25CrMo4)			322D	154.56		187.02
322Y			322Y	111.20	123.56	134.56
326C (4140)			326C	150.60		182.23
327A			327A	207.59		251.19
327A	1233		327A	201.61	224.01	243.95
327A	1291		327A	201.61	224.01	243.95
327B			327B	183.13		221.58
355B			355B	412.26		498.84
356D (34CrNiMo6)			356D	397.50		480.98
368.6		9620		153.18		185.34
398Q			398Q	668.78		809.23
420G			420G	416.83		504.36
495B	6521		495B	569.02		688.51
497Q			497Q (X300)	496.92		601.27
510N			510N	16.79		20.31
513Y			513Y	54.37	60.41	65.79
520M	2721			20.88	23.20	25.26
S355J2(M)		9864		22.57	25.07	27.30
MPS2B ISSUE 2 (S355J2C)		9820		24.26	26.96	29.35
520-S355J2	2723			19.99	22.21	24.18
528A/E (50CrMo4)			528A/E (X500)	152.62	169.58	184.67
593B			593B	162.35	180.38	196.44
593Q			593Q	162.35	180.38	196.44
594Y			594Y	110.10	122.34	133.23
596Y			596Y	193.60	215.11	234.25
667L			677L/Q/T (X600)	193.18		233.75
803J/N/P (100Cr6)	5621		803 J/N/P	90.93	101.03	110.02
803F/Q (100Cr6)			803F/Q (X800)	92.54		111.97
802F	5620		802F	90.82	100.91	109.90
100Cr6		4268		90.82		109.90
824B (100CrMo7)			824B	194.29		235.09
825B (100CrMo7 3)			825B	228.00		275.87
826B (100CrMo7 4)			826B	301.58		364.91
825T			825T	239.24		289.49
827B			827B	354.69		429.17
837N/R (100CrMn6)			837N/R	101.60		122.94
15MA27	7245			73.89	82.10	89.41
1130	5616			155.64	172.94	
2725	4734			545.25	605.84	

3350	8312			353.61	392.90	
L435-2				592.85	658.72	
1500	7302			370.36	411.51	448.13
Hybrid 55				1542.88	1714.31	1866.89
Hybrid 60				1542.88	1714.31	1866.89
Imanite	6130			454.53	505.03	549.98
IMACRO	8302			280.61	311.79	339.54
IMACRO EL 700	9259			242.29	269.21	293.17
S355	2714			26.88	29.87	32.52
368.6	5478			148.81	165.34	180.06