

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
292.50	325.00	354

Ovako UK scrap & alloy surcharges

jan-25 Please note for customers buying in Euros the Q1 exchange rate is £1 = €1.197

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		17.59	19.55	21.29
NV A		8352		5.22	5.80	6.32
525A61/CCr3		9265		91.96	102.18	111.27
525A61/CCr3		4265 VDG		91.96	102.18	111.27
605M36/605A37	5905			122.15	135.72	
635M15/637M17	4712			138.59	153.99	
655M13	4714			484.79	538.66	
655M13	4715			447.22	496.91	
665M17	4801			321.14	356.82	
704A60/CrMo1		4234 VDG		125.54	139.48	151.90
704A60/CrMo1		9234		125.54	139.48	151.90
708M40/708A42	6126	9288 (708M40/708A42)		131.83	146.47	
709M40	6107			173.69	192.99	
709M40	6134			165.40	183.78	
722M24	8310			365.42	406.02	
735A51	7402	9282		74.75	83.06	
805H60		9280		180.96	201.07	
817M40	6506	9205		350.05	388.94	
817M40	6510			350.05	388.94	
817M40 + S		4205		345.73	384.15	
817M40			356B	349.67	388.53	423.11
826M40	6518			569.93	633.26	
945M38	6201			203.34	225.93	
SAE 1046		8673		34.81	38.68	
4130	6037	9226		176.06	195.62	
4140	6080	9288 (4140)		132.15	146.83	159.90
4140 Ni .2/.25	1272			155.38	172.65	
SAE 4140 Ni .35/.50	6139			190.09	211.21	230.01
SAE1117 ASTM A29		9133		8.31	9.23	10.05
4140 Mod (MPS 14)		9240		118.66	131.84	
4140H	6115			129.12	143.47	
4145	6097			128.12	142.35	
4150	6112	9286 (4150)		128.12	142.35	
4340	6514			357.99	397.77	
5160		9261		38.36	42.62	
8620	4542			176.31	195.90	213.33
8620	4548	9225	152G	176.49	196.10	213.56
8620(M)		9253		176.18	195.76	213.18
100Cr6	5621		803 J/N/P	62.95	69.95	76.17
CHAP031		9663		20.37	22.64	24.65
15B35Hm		9667		24.33	27.03	29.44
15B41 MOD		4689 VDG		32.75	36.39	39.63
15B41 MOD	5497			32.75	36.39	39.63
SB24M13B		9643		16.17	17.96	
SB27M12CB		9660		25.91	28.78	31.35
SB30M13B	9662			15.86	17.62	19.18
27M12B		9654		15.86	17.62	19.18
SB30M10B		9651		6.57	7.30	7.95
SB30M12CB		9661		28.41	31.57	34.38
SB33M15CB		4679		29.33	32.58	35.48
SB43M14B		4678		74.91	83.23	90.64
SB600		9823		32.51	36.12	39.34
16MnCr5	4316	9218		43.90	48.78	
16MnCr5	4306	9661		43.90	48.78	
17Cr3	5502			34.92	38.80	42.26

17MnV6	7252	9875		27.81	30.90	33.65
18CrNiMo7-6	4761			385.10	427.89	465.97
20MnCr5	4324			54.48	60.53	
20MnCr5	4334			54.48	60.53	
20MnB5+Cr+HH		4642		18.64	20.71	
20NiCrMo2	4532			146.76	163.06	
23MnNiMoCr54So		4209		393.01	436.68	
23MnNiMoCr54		4219		406.49	451.66	
27MnCrB5	5465			24.90	27.66	
30CrNiMo8	6507			507.30	563.67	
31CrMoV9	6140			218.75	243.05	
33MnCrB5/MPS 16		4648 VDG		154.09	171.21	
MPS16		4648		154.09	171.21	
34CrNiMo6	6499	9205		381.01	423.35	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		90.48	100.54	
38MnSiV6	7221			33.33	37.03	
38MnVs6		4873		28.01	31.13	
40CrMo4	6077			142.04	157.83	171.87
42CrMo4	6082	9288 (42CrMo4)		141.98	157.76	
42CrMO4	1252			136.24	151.38	164.85
42CrMo4		4288		119.04	132.27	144.04
42CrMo4 MOD	6103			187.68	208.53	227.09
42CrMoS4+HH		9287		141.98	157.76	171.80
42CD4	1279			117.63	130.70	142.33
42MnV5		9859		76.40	84.89	92.45
49MnVs3		4850		22.03	24.48	26.65
50CrV4		9282		74.75	83.06	90.45
50CrMo4	6136			141.86	157.62	171.65
51CrV4		4282		77.34	85.93	93.58
51CrV4		4254		120.97	134.41	146.38
51CrV4		9212		68.72	76.36	83.16
51CrV4		4292		80.13	89.04	96.96
51CrV4 Type 1		4291		73.86	82.06	89.37
51CrMoV4		9296		152.59	169.55	184.64
52CrMoV4		4283		152.71	169.68	184.78
52CrMoV4		4296		149.16	165.73	180.48
51CrV4m4		4290		80.01	88.90	96.81
251A58		9073		27.37	30.41	33.12
56SiCr7		9072		18.57	20.64	22.47
56SiCr7		9084		28.54	31.71	
56SiCr7 Mod		9071		28.62	31.80	
61SiCr7(32-45 mm)		4077		33.58	37.31	
92506 (320/380)	4540			175.38	194.87	
92520	4738			276.61	307.34	
92520	4739			272.55	302.84	
92523	4741			242.38	269.31	
92506 'A Level'	1280			176.75	196.39	
92523	4743			228.18	253.53	
92245H	5515			79.37	88.19	96.04
3M		9885		80.70	89.67	
3M Issue 19		4885		58.70	65.23	
Ovako 482 (10M)		9857		33.07	36.75	
14M		4857		39.10	43.45	
17M/18M		9858		18.39	20.44	
17M		9891		18.39	20.44	
S460NL		9856		18.39	20.44	
A193 B7	6093			128.12	142.35	
A193 B16	6098			337.17	374.63	
A320 L7	1281			128.12	142.35	
A320 L7	6137			128.12	142.35	
A320 L7	6135			169.62	188.47	
ASTM A 350 LF2	2735			6.42	7.14	7.77
EN11		9262		31.03	34.48	
SMO215(HYTUFF)	4803			431.55	479.50	522.17
TB1398	4740			243.00	270.00	
V2525-75 (146S)	4757		146S	227.03	252.26	274.71

V2142	7256			28.18	31.32	34.10
V2158	4326			55.73	61.93	
V2158		4222		76.66	85.18	
V2244-75	1266			142.42	158.24	
V2244-00	6129			142.42	158.24	
V2250	6112			129.75	144.17	
V2527-70	4701			254.68	282.98	
453C (SS142534)			453C	536.22	595.80	648.83
SB500		9816		26.35	29.27	
V2906	7216	9850		21.15	23.50	
V2908		4108		16.94	18.82	
Cromobolt	6116			170.91	189.90	206.80
047A			047A	5.27	5.85	6.38
047R			047R	3.23	3.59	3.91
143A			143A	45.57	50.64	55.14
146S (V2525-75)	4757		146S	227.03	252.26	274.71
152G (8620)	4548	9225	152G	176.49	196.10	213.56
157C (4320)			157C	354.87	394.30	429.39
157F			157F	356.39	395.98	431.23
157Q			157Q	217.95	242.17	263.73
158Q			158Q	581.86	646.51	704.05
159B			159B	390.60	434.00	472.62
159X			159X	400.08	444.53	484.09
215B			215B	9.30	10.34	11.26
234K (16MnCr5)			234K	46.89	52.10	56.73
236F			236F	56.49	62.77	68.35
248D			248D	319.05	354.51	386.06
253A			253A	515.76	573.07	624.07
253F			253F	479.60	532.89	580.32
253L	4722		253L	519.48	577.20	628.57
253S			253S	516.29	573.65	624.71
255G			255G	570.96	634.40	690.86
256G			256G	646.29	718.10	782.01
258D			258D	758.60	842.89	917.91
275A			275A	463.55		560.90
277L			277L (X200)	399.84	444.27	483.81
TS280M-LX		9880		28.32	31.46	34.26
280M			280M	37.92		45.89
280T (19MnVS6)			280T	37.92		45.89
280X (19MnVS6)			280X	28.69		34.71
316A			316A	10.98		13.29
322D (25CrMo4)			322D	134.73		163.02
322Y			322Y	100.31	111.45	121.37
326C (4140)			326C	130.50		157.90
327A			327A	181.79		219.96
327A	1233		327A	175.82	195.35	212.74
327A	1291		327A	175.82	195.35	212.74
327B			327B	161.40		195.29
355B			355B	364.18		440.65
356D (34CrNiMo6)			356D	344.13		416.40
368.6		9620		131.80		159.48
398Q			398Q	597.94		723.51
420G			420G	355.20		429.80
495B	6521		495B	532.40		644.20
497Q			497Q (X300)	441.31		533.98
510N			510N	12.51		15.14
513Y			513Y	38.36	42.62	46.42
520M	2721			17.08	18.97	20.66
S355J2(M)		9864		18.39	20.44	22.26
MPS2B ISSUE 2 (S355J2C)		9820		19.83	22.03	23.99
520-S355J2	2723			16.38	18.20	19.82
528A/E (50CrMo4)			528A/E (X500)	131.70	146.34	159.36
593B			593B	131.58	146.20	159.21
593Q			593Q	131.58	146.20	159.21
594Y			594Y	81.45	90.50	98.56
596Y			596Y	167.15	185.72	202.25
667L			677L/Q/T (X600)	167.40		202.55
803J/N/P (100Cr6)	5621		803 J/N/P	62.95	69.95	76.17

803F/Q (100Cr6)			803F/Q (X800)	64.08		77.54
802F	5620		802F	62.89	69.88	76.10
100Cr6		4268		62.89		76.10
824B (100CrMo7)			824B	159.93		193.51
825B (100CrMo7 3)			825B	193.19		233.76
826B (100CrMo7 4)			826B	266.45		322.40
825T			825T	204.26		247.15
827B			827B	316.31		382.73
837N/R (100CrMn6)			837N/R	71.22		86.18
15MA27	7245			61.55	68.39	74.47
1130	5616			136.55	151.72	
2725	4734			474.61	527.34	
3350	8312			292.29	324.76	
L435-2				516.04	573.38	
1500	7302			327.60	364.00	396.39
Hybrid 55				1321.58	1468.43	1599.12
Hybrid 60				1321.58	1468.43	1599.12
Imanite	6130			415.16	461.29	502.34
IMACRO	8302			204.34	227.04	247.25
IMACRO EL 700	9259			167.63	186.25	202.83
S355	2714			21.98	24.42	26.59
368.6	5478			127.71	141.90	154.53