

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
287.50	319.44	348

Ovako UK scrap & alloy surcharges

feb-25

Please note for customers buying in Euros
the Q1 exchange rate is £1 = €1.197

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		17.81	19.78	21.54
NV A		8352		5.41	6.01	6.55
525A61/CCr3		9265		94.46	104.95	114.29
525A61/CCr3		4265 VDG		94.46	104.95	114.29
605M36/605A37	5905			124.37	138.19	
635M15/637M17	4712			139.75	155.28	
655M13	4714			487.18	541.31	
655M13	4715			448.77	498.63	
665M17	4801			323.07	358.97	
704A60/CrMo1		4234 VDG		128.54	142.82	155.54
704A60/CrMo1		9234		128.54	142.82	155.54
708M40/708A42	6126	9288 (708M40/708A42)		135.08	150.09	
709M40	6107			177.64	197.38	
709M40	6134			169.22	188.02	
722M24	8310			374.50	416.12	
735A51	7402	9282		76.53	85.04	
805H60		9280		183.55	203.95	
817M40	6506	9205		354.04	393.38	
817M40	6510			354.04	393.38	
817M40 + S		4205		349.80	388.67	
817M40			356B	353.66	392.96	427.93
826M40	6518			574.99	638.88	
945M38	6201			205.86	228.73	
SAE 1046		8673		35.45	39.39	
4130	6037	9226		178.45	198.28	
4140	6080	9288 (4140)		135.41	150.46	163.85
4140 Ni .2/.25	1272			158.50	176.11	
SAE 4140 Ni .35/.50	6139			193.38	214.87	233.99
SAE1117 ASTM A29		9133		8.62	9.57	10.43
4140 Mod (MPS 14)		9240		121.09	134.55	
4140H	6115			132.27	146.97	
4145	6097			131.23	145.81	
4150	6112	9286 (4150)		131.23	145.81	
4340	6514			361.02	401.13	
5160		9261		39.85	44.28	
8620	4542			178.71	198.56	216.24
8620	4548	9225	152G	178.90	198.78	216.47
8620(M)		9253		178.58	198.42	216.08
100Cr6	5621		803 J/N/P	65.39	72.66	79.12
CHAP031		9663		21.16	23.51	25.60
15B35Hm		9667		25.27	28.08	30.58
15B41 MOD		4689 VDG		34.02	37.80	41.16
15B41 MOD	5497			34.02	37.80	41.16
SB24M13B		9643		16.79	18.66	
SB27M12CB		9660		26.91	29.90	32.56
SB30M13B	9662			16.47	18.29	19.92
27M12B		9654		16.47	18.29	19.92
SB30M10B		9651		6.82	7.58	8.25
SB30M12CB		9661		29.51	32.79	35.71
SB33M15CB		4679		30.46	33.84	36.86
SB43M14B		4678		75.94	84.38	91.89
SB600		9823		32.65	36.27	39.50
16MnCr5	4316	9218		45.63	50.70	
16MnCr5	4306	9661		45.63	50.70	
17Cr3	5502			36.27	40.30	43.89

17MnV6	7252	9875		28.14	31.26	34.04
18CrNiMo7-6	4761			390.00	433.33	471.90
20MnCr5	4324			56.60	62.89	
20MnCr5	4334			56.60	62.89	
20MnB5+Cr+HH		4642		19.36	21.51	
20NiCrMo2	4532			148.33	164.81	
23MnNiMoCr54So		4209		398.16	442.40	
23MnNiMoCr54		4219		411.85	457.61	
27MnCrB5	5465			25.86	28.74	
30CrNiMo8	6507			513.58	570.64	
31CrMoV9	6140			224.21	249.12	
33MnCrB5/MPS 16		4648 VDG		155.15	172.39	
MPS16		4648		155.15	172.39	
34CrNiMo6	6499	9205		385.75	428.61	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		92.88	103.20	
38MnSiV6	7221			33.56	37.29	
38MnVs6		4873		28.27	31.42	
40CrMo4	6077			145.46	161.63	176.01
42CrMo4	6082	9288 (42CrMo4)		145.40	161.55	
42CrMO4	1252			139.61	155.13	168.93
42CrMo4		4288		122.04	135.59	147.66
42CrMo4 MOD	6103			191.94	213.27	232.25
42CrMoS4+HH		9287		145.40	161.55	175.93
42CD4	1279			120.61	134.01	145.94
42MnV5		9859		77.15	85.72	93.35
49MnVs3		4850		22.20	24.67	26.86
50CrV4		9282		76.53	85.04	92.60
50CrMo4	6136			145.26	161.40	175.77
51CrV4		4282		79.05	87.84	95.66
51CrV4		4254		123.66	137.40	149.63
51CrV4		9212		70.46	78.29	85.25
51CrV4		4292		82.12	91.25	99.37
51CrV4 Type 1		4291		75.60	84.00	91.48
51CrMoV4		9296		155.79	173.10	188.51
52CrMoV4		4283		155.89	173.21	188.63
52CrMoV4		4296		152.20	169.11	184.16
51CrV4m4		4290		81.99	91.11	99.21
251A58		9073		28.29	31.44	34.24
56SiCr7		9072		19.15	21.28	23.18
56SiCr7		9084		29.53	32.81	
56SiCr7 Mod		9071		29.60	32.89	
61SiCr7(32-45 mm)		4077		34.77	38.63	
92506 (320/380)	4540			177.75	197.50	
92520	4738			279.72	310.80	
92520	4739			275.41	306.01	
92523	4741			245.04	272.27	
92506 'A Level'	1280			179.35	199.28	
92523	4743			230.86	256.51	
92245H	5515			81.75	90.84	98.92
3M		9885		82.45	91.61	
3M Issue 19		4885		60.19	66.88	
Ovako 482 (10M)		9857		33.33	37.04	
14M		4857		39.60	44.00	
17M/18M		9858		18.33	20.36	
17M		9891		18.33	20.36	
S460NL		9856		18.33	20.36	
A193 B7	6093			131.23	145.81	
A193 B16	6098			342.66	380.73	
A320 L7	1281			131.23	145.81	
A320 L7	6137			131.23	145.81	
A320 L7	6135			173.06	192.28	
ASTM A 350 LF2	2735			6.67	7.41	8.07
EN11		9262		32.23	35.81	
SMO215(HYTUFF)	4803			435.62	484.02	527.10
TB1398	4740			245.69	272.99	
V2525-75 (146S)	4757		146S	229.54	255.04	277.74

V2142	7256			28.52	31.69	34.51
V2158	4326			57.90	64.33	
V2158		4222		78.72	87.47	
V2244-75	1266			145.85	162.05	
V2244-00	6129			145.85	162.05	
V2250	6112			132.93	147.70	
V2527-70	4701			257.31	285.90	
453C (SS142534)			453C	539.81	599.79	653.17
SB500		9816		26.56	29.51	
V2906	7216	9850		21.33	23.70	
V2908		4108		17.57	19.52	
Cromobolt	6116			175.22	194.69	212.02
047A			047A	5.46	6.07	6.61
047R			047R	3.36	3.73	4.07
143A			143A	47.34	52.61	57.29
146S (V2525-75)	4757		146S	229.54	255.04	277.74
152G (8620)	4548	9225	152G	178.90	198.78	216.47
157C (4320)			157C	357.71	397.46	432.83
157F			157F	361.23	401.36	437.08
157Q			157Q	219.85	244.28	266.02
158Q			158Q	587.30	652.56	710.64
159B			159B	395.47	439.41	478.52
159X			159X	405.18	450.20	490.27
215B			215B	9.66	10.73	11.68
234K (16MnCr5)			234K	48.71	54.12	58.94
236F			236F	58.69	65.21	71.01
248D			248D	322.31	358.12	390.00
253A			253A	519.73	577.48	628.87
253F			253F	483.43	537.15	584.95
253L	4722		253L	523.41	581.56	633.32
253S			253S	520.28	578.09	629.54
255G			255G	574.87	638.74	695.59
256G			256G	650.79	723.09	787.45
258D			258D	769.15	854.61	930.67
275A			275A	467.49		565.67
277L			277L (X200)	406.91	452.12	492.36
TS280M-LX		9880		28.62	31.80	34.63
280M			280M	38.64		46.75
280T (19MnVS6)			280T	38.64		46.75
280X (19MnVS6)			280X	29.01		35.10
316A			316A	11.40		13.80
322D (25CrMo4)			322D	137.95		166.92
322Y			322Y	102.57	113.97	124.11
326C (4140)			326C	133.70		161.78
327A			327A	185.46		224.40
327A	1233		327A	179.40	199.33	217.07
327A	1291		327A	179.40	199.33	217.07
327B			327B	164.77		199.37
355B			355B	367.41		444.57
356D (34CrNiMo6)			356D	348.37		421.53
368.6		9620		133.69		161.77
398Q			398Q	609.62		737.64
420G			420G	364.12		440.58
495B	6521		495B	541.01		654.62
497Q			497Q (X300)	445.69		539.29
510N			510N	12.99		15.71
513Y			513Y	39.85	44.28	48.22
520M	2721			17.32	19.25	20.96
S355J2(M)		9864		18.61	20.68	22.52
MPS2B ISSUE 2 (S355J2C)		9820		20.07	22.30	24.28
520-S355J2	2723			16.67	18.52	20.17
528A/E (50CrMo4)			528A/E (X500)	134.95	149.94	163.29
593B			593B	133.93	148.81	162.06
593Q			593Q	133.93	148.81	162.06
594Y			594Y	83.31	92.57	100.80
596Y			596Y	170.44	189.38	206.23
667L			677L/Q/T (X600)	171.47		207.48
803J/N/P (100Cr6)	5621		803 J/N/P	65.39	72.66	79.12

803F/Q (100Cr6)			803F/Q (X800)	66.57		80.54
802F	5620		802F	65.33	72.59	79.05
100Cr6		4268		65.33		79.05
824B (100CrMo7)			824B	164.27		198.77
825B (100CrMo7 3)			825B	198.13		239.73
826B (100CrMo7 4)			826B	272.60		329.84
825T			825T	209.39		253.36
827B			827B	323.45		391.38
837N/R (100CrMn6)			837N/R	73.97		89.50
15MA27	7245			62.35	69.28	75.45
1130	5616			139.75	155.27	
2725	4734			478.55	531.72	
3350	8312			300.16	333.51	
L435-2				520.02	577.80	
1500	7302			331.57	368.41	401.20
Hybrid 55				1334.48	1482.75	1614.72
Hybrid 60				1334.48	1482.75	1614.72
Imanite	6130			422.29	469.21	510.97
IMACRO	8302			211.55	235.06	255.98
IMACRO EL 700	9259			174.16	193.52	210.74
S355	2714			22.23	24.70	26.90
368.6	5478			129.63	144.03	156.85