

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
287.50	319.44	348

Ovako UK scrap & alloy surcharges

mar-25

Please note for customers buying in Euros
the Q1 exchange rate is £1 = €1.197

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		18.21	20.23	22.03
NV A		8352		6.18	6.86	7.48
525A61/CCr3		9265		95.17	105.75	115.16
525A61/CCr3		4265 VDG		95.17	105.75	115.16
605M36/605A37	5905			124.50	138.33	
635M15/637M17	4712			140.02	155.58	
655M13	4714			484.73	538.59	
655M13	4715			446.85	496.50	
665M17	4801			320.99	356.65	
704A60/CrMo1		4234 VDG		128.80	143.11	155.85
704A60/CrMo1		9234		128.80	143.11	155.85
708M40/708A42	6126	9288 (708M40/708A42)		135.31	150.34	
709M40	6107			177.35	197.06	
709M40	6134			169.02	187.80	
722M24	8310			373.41	414.90	
735A51	7402	9282		76.03	84.48	
805H60		9280		183.97	204.41	
817M40	6506	9205		352.48	391.64	
817M40	6510			352.48	391.64	
817M40 + S		4205		348.44	387.15	
817M40			356B	352.07	391.19	426.01
826M40	6518			570.96	634.39	
945M38	6201			205.81	228.68	
SAE 1046		8673		36.24	40.27	
4130	6037	9226		177.96	197.74	
4140	6080	9288 (4140)		135.49	150.55	163.95
4140 Ni .2/.25	1272			158.54	176.16	
SAE 4140 Ni .35/.50	6139			193.13	214.59	233.69
SAE1117 ASTM A29		9133		9.86	10.95	11.93
4140 Mod (MPS 14)		9240		121.97	135.52	
4140H	6115			132.51	147.23	
4145	6097			131.45	146.06	
4150	6112	9286 (4150)		131.45	146.06	
4340	6514			358.52	398.35	
5160		9261		41.05	45.61	
8620	4542			178.27	198.07	215.70
8620	4548	9225	152G	178.47	198.30	215.95
8620(M)		9253		178.11	197.91	215.52
100Cr6	5621		803 J/N/P	66.31	73.68	80.24
CHAP031		9663		22.59	25.10	27.34
15B35Hm		9667		26.75	29.73	32.37
15B41 MOD		4689 VDG		35.88	39.87	43.41
15B41 MOD	5497			35.88	39.87	43.41
SB24M13B		9643		18.18	20.20	
SB27M12CB		9660		28.30	31.44	34.24
SB30M13B	9662			17.77	19.75	21.50
27M12B		9654		17.77	19.75	21.50
SB30M10B		9651		7.83	8.70	9.47
SB30M12CB		9661		31.01	34.46	37.53
SB33M15CB		4679		32.16	35.73	38.91
SB43M14B		4678		76.70	85.22	92.80
SB600		9823		32.02	35.58	38.75
16MnCr5	4316	9218		47.02	52.24	
16MnCr5	4306	9661		47.02	52.24	
17Cr3	5502			37.16	41.29	44.97

17MnV6	7252	9875		28.57	31.74	34.57
18CrNiMo7-6	4761			388.52	431.68	470.10
20MnCr5	4324			58.28	64.75	
20MnCr5	4334			58.28	64.75	
20MnB5+Cr+HH		4642		20.67	22.96	
20NiCrMo2	4532			148.98	165.53	
23MnNiMoCr54So		4209		395.92	439.92	
23MnNiMoCr54		4219		409.36	454.85	
27MnCrB5	5465			27.28	30.31	
30CrNiMo8	6507			511.13	567.92	
31CrMoV9	6140			223.11	247.90	
33MnCrB5/MPS 16		4648 VDG		155.83	173.15	
MPS16		4648		155.83	173.15	
34CrNiMo6	6499	9205		384.20	426.89	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		93.72	104.14	
38MnSiV6	7221			33.19	36.88	
38MnVs6		4873		28.37	31.52	
40CrMo4	6077			145.51	161.68	176.07
42CrMo4	6082	9288 (42CrMo4)		145.41	161.57	
42CrMO4	1252			139.82	155.35	169.18
42CrMo4		4288		122.34	135.93	148.03
42CrMo4 MOD	6103			191.52	212.79	231.73
42CrMoS4+HH		9287		145.41	161.57	175.95
42CD4	1279			120.99	134.44	146.40
42MnV5		9859		76.73	85.25	92.84
49MnVs3		4850		22.06	24.51	26.69
50CrV4		9282		76.03	84.48	91.99
50CrMo4	6136			145.21	161.34	175.70
51CrV4		4282		78.17	86.86	94.59
51CrV4		4254		122.96	136.62	148.78
51CrV4		9212		70.28	78.09	85.04
51CrV4		4292		81.87	90.96	99.06
51CrV4 Type 1		4291		75.24	83.61	91.05
51CrMoV4		9296		154.73	171.92	187.22
52CrMoV4		4283		154.63	171.81	187.10
52CrMoV4		4296		150.94	167.71	182.64
51CrV4m4		4290		81.71	90.79	98.87
251A58		9073		30.05	33.39	36.37
56SiCr7		9072		20.89	23.21	25.27
56SiCr7		9084		31.02	34.46	
56SiCr7 Mod		9071		31.41	34.90	
61SiCr7(32-45 mm)		4077		36.66	40.73	
92506 (320/380)	4540			177.25	196.95	
92520	4738			279.01	310.01	
92520	4739			274.71	305.24	
92523	4741			244.75	271.95	
92506 'A Level'	1280			178.84	198.71	
92523	4743			230.81	256.45	
92245H	5515			82.55	91.72	99.88
3M		9885		81.83	90.93	
3M Issue 19		4885		60.13	66.82	
Ovako 482 (10M)		9857		33.14	36.82	
14M		4857		39.46	43.84	
17M/18M		9858		17.08	18.98	
17M		9891		17.08	18.98	
S460NL		9856		17.08	18.98	
A193 B7	6093			131.45	146.06	
A193 B16	6098			337.15	374.61	
A320 L7	1281			131.45	146.06	
A320 L7	6137			131.45	146.06	
A320 L7	6135			172.96	192.18	
ASTM A 350 LF2	2735			7.66	8.52	9.27
EN11		9262		33.16	36.84	
SMO215(HYTUFF)	4803			434.11	482.34	525.27
TB1398	4740			245.52	272.80	
V2525-75 (146S)	4757		146S	229.19	254.66	277.32

V2142	7256			28.97	32.19	35.06
V2158	4326			59.64	66.26	
V2158		4222		80.00	88.89	
V2244-75	1266			145.92	162.13	
V2244-00	6129			145.92	162.13	
V2250	6112			133.10	147.89	
V2527-70	4701			257.16	285.73	
453C (SS142534)			453C	536.81	596.45	649.53
SB500		9816		26.60	29.55	
V2906	7216	9850		21.25	23.61	
V2908		4108		19.17	21.30	
Cromobolt	6116			175.33	194.81	212.14
047A			047A	6.20	6.89	7.50
047R			047R	3.97	4.41	4.80
143A			143A	48.84	54.27	59.10
146S (V2525-75)	4757		146S	229.19	254.66	277.32
152G (8620)	4548	9225	152G	178.47	198.30	215.95
157C (4320)			157C	355.78	395.31	430.50
157F			157F	358.96	398.84	434.34
157Q			157Q	219.93	244.36	266.11
158Q			158Q	582.29	646.99	704.57
159B			159B	393.82	437.58	476.52
159X			159X	403.49	448.32	488.22
215B			215B	11.13	12.37	13.47
234K (16MnCr5)			234K	50.25	55.83	60.80
236F			236F	60.38	67.09	73.06
248D			248D	321.95	357.73	389.56
253A			253A	517.31	574.79	625.95
253F			253F	480.97	534.42	581.98
253L	4722		253L	520.93	578.81	630.32
253S			253S	517.89	575.43	626.64
255G			255G	572.11	635.68	692.26
256G			256G	647.26	719.18	783.19
258D			258D	763.41	848.24	923.73
275A			275A	463.64		561.00
277L			277L (X200)	403.52	448.35	488.26
TS280M-LX		9880		28.92	32.14	35.00
280M			280M	39.14		47.36
280T (19MnVS6)			280T	39.14		47.36
280X (19MnVS6)			280X	29.38		35.55
316A			316A	13.22		15.99
322D (25CrMo4)			322D	137.78		166.71
322Y			322Y	102.96	114.41	124.59
326C (4140)			326C	134.02		162.16
327A			327A	185.17		224.05
327A	1233		327A	179.27	199.19	216.91
327A	1291		327A	179.27	199.19	216.91
327B			327B	164.50		199.04
355B			355B	365.72		442.53
356D (34CrNiMo6)			356D	347.19		420.10
368.6		9620		134.14		162.31
398Q			398Q	602.53		729.07
420G			420G	363.15		439.41
495B	6521		495B	535.51		647.96
497Q			497Q (X300)	443.09		536.13
510N			510N	13.95		16.88
513Y			513Y	41.05	45.61	49.67
520M	2721			17.84	19.82	21.59
S355J2(M)		9864		18.91	21.01	22.88
MPS2B ISSUE 2 (S355J2C)		9820		20.44	22.71	24.73
520-S355J2	2723			17.49	19.43	21.16
528A/E (50CrMo4)			528A/E (X500)	135.10	150.11	163.47
593B			593B	132.95	147.72	160.87
593Q			593Q	132.95	147.72	160.87
594Y			594Y	82.61	91.79	99.96
596Y			596Y	168.71	187.45	204.13
667L			677L/Q/T (X600)	172.63		208.88
803J/N/P (100Cr6)	5621		803 J/N/P	66.31	73.68	80.24

803F/Q (100Cr6)			803F/Q (X800)	67.52		81.70
802F	5620		802F	66.26	73.63	80.18
100Cr6		4268		66.26		80.18
824B (100CrMo7)			824B	164.29		198.79
825B (100CrMo7 3)			825B	198.11		239.71
826B (100CrMo7 4)			826B	271.69		328.74
825T			825T	209.33		253.29
827B			827B	322.44		390.16
837N/R (100CrMn6)			837N/R	75.78		91.70
15MA27	7245			61.94	68.83	74.95
1130	5616			139.30	154.78	
2725	4734			476.25	529.17	
3350	8312			299.93	333.26	
L435-2				517.58	575.09	
1500	7302			329.35	365.94	398.51
Hybrid 55				1322.74	1469.71	1600.51
Hybrid 60				1322.74	1469.71	1600.51
Imanite	6130			416.15	462.39	503.54
IMACRO	8302			213.54	237.27	258.39
IMACRO EL 700	9259			176.54	196.15	213.61
S355	2714			22.55	25.06	27.29
368.6	5478			130.07	144.53	157.39