

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
292.50	325.00	354

Ovako UK scrap & alloy surcharges

apr-25

Please note for customers buying in Euros
the Q2 exchange rate is £1 = €1.200

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		18.24	20.26	22.07
NV A		8352		6.55	7.28	7.93
525A61/CCr3		9265		93.79	104.21	113.48
525A61/CCr3		4265 VDG		93.79	104.21	113.48
605M36/605A37	5905			121.65	135.16	
635M15/637M17	4712			141.30	157.00	
655M13	4714			487.14	541.27	
655M13	4715			451.06	501.18	
665M17	4801			320.28	355.86	
704A60/CrMo1		4234 VDG		126.34	140.38	152.87
704A60/CrMo1		9234		126.34	140.38	152.87
708M40/708A42	6126	9288 (708M40/708A42)		132.72	147.47	
709M40	6107			173.47	192.74	
709M40	6134			165.41	183.79	
722M24	8310			365.32	405.91	
735A51	7402	9282		75.14	83.49	
805H60		9280		182.61	202.90	
817M40	6506	9205		350.69	389.65	
817M40	6510			350.69	389.65	
817M40 + S		4205		346.92	385.46	
817M40			356B	350.25	389.17	423.81
826M40	6518			567.12	630.14	
945M38	6201			204.58	227.31	
SAE 1046		8673		36.72	40.80	
4130	6037	9226		176.27	195.85	
4140	6080	9288 (4140)		132.85	147.61	160.75
4140 Ni .2/.25	1272			156.30	173.67	
SAE 4140 Ni .35/.50	6139			190.82	212.02	230.89
SAE1117 ASTM A29		9133		10.45	11.61	12.65
4140 Mod (MPS 14)		9240		122.01	135.56	
4140H	6115			129.97	144.41	
4145	6097			128.93	143.25	
4150	6112	9286 (4150)		128.93	143.25	
4340	6514			357.27	396.96	
5160		9261		41.17	45.75	
8620	4542			176.59	196.21	213.67
8620	4548	9225	152G	176.81	196.45	213.94
8620(M)		9253		176.43	196.03	213.48
100Cr6	5621		803 J/N/P	65.99	73.33	79.85
CHAP031		9663		23.06	25.62	27.91
15B35Hm		9667		27.18	30.20	32.88
15B41 MOD		4689 VDG		36.38	40.42	44.02
15B41 MOD	5497			36.38	40.42	44.02
SB24M13B		9643		18.68	20.75	
SB27M12CB		9660		28.67	31.86	34.69
SB30M13B	9662			18.25	20.27	22.08
27M12B		9654		18.25	20.27	22.08
SB30M10B		9651		8.29	9.22	10.04
SB30M12CB		9661		31.40	34.89	38.00
SB33M15CB		4679		32.64	36.27	39.50
SB43M14B		4678		76.28	84.75	92.30
SB600		9823		31.58	35.08	38.21
16MnCr5	4316	9218		47.03	52.26	
16MnCr5	4306	9661		47.03	52.26	
17Cr3	5502			37.21	41.34	45.02

17MnV6	7252	9875		28.69	31.88	34.71
18CrNiMo7-6	4761			386.31	429.24	467.44
20MnCr5	4324			58.40	64.89	
20MnCr5	4334			58.40	64.89	
20MnB5+Cr+HH		4642		21.09	23.44	
20NiCrMo2	4532			150.39	167.10	
23MnNiMoCr54So		4209		390.19	433.54	
23MnNiMoCr54		4219		403.19	447.99	
27MnCrB5	5465			27.68	30.76	
30CrNiMo8	6507			507.94	564.38	
31CrMoV9	6140			218.80	243.11	
33MnCrB5/MPS 16		4648 VDG		157.60	175.11	
MPS16		4648		157.60	175.11	
34CrNiMo6	6499	9205		382.04	424.49	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		92.93	103.26	
38MnSiV6	7221			32.97	36.63	
38MnVs6		4873		28.31	31.46	
40CrMo4	6077			142.59	158.43	172.53
42CrMo4	6082	9288 (42CrMo4)		142.48	158.31	
42CrMO4	1252			137.17	152.41	165.98
42CrMo4		4288		120.07	133.41	145.28
42CrMo4 MOD	6103			187.23	208.04	226.55
42CrMoS4+HH		9287		142.48	158.31	172.40
42CD4	1279			118.84	132.05	143.80
42MnV5		9859		76.65	85.17	92.75
49MnVs3		4850		21.96	24.40	26.57
50CrV4		9282		75.14	83.49	90.92
50CrMo4	6136			142.27	158.08	172.14
51CrV4		4282		76.99	85.55	93.16
51CrV4		4254		120.89	134.33	146.28
51CrV4		9212		69.57	77.30	84.18
51CrV4		4292		81.03	90.04	98.05
51CrV4 Type 1		4291		74.46	82.73	90.09
51CrMoV4		9296		151.48	168.31	183.29
52CrMoV4		4283		151.48	168.32	183.30
52CrMoV4		4296		147.84	164.26	178.88
51CrV4m4		4290		80.87	89.86	97.86
251A58		9073		31.34	34.83	37.93
56SiCr7		9072		22.28	24.76	26.96
56SiCr7		9084		32.06	35.62	
56SiCr7 Mod		9071		32.71	36.34	
61SiCr7(32-45 mm)		4077		37.81	42.01	
92506 (320/380)	4540			175.51	195.01	
92520	4738			278.49	309.43	
92520	4739			274.51	305.01	
92523	4741			244.78	271.98	
92506 'A Level'	1280			176.65	196.28	
92523	4743			230.86	256.51	
92245H	5515			81.57	90.64	98.70
3M		9885		80.59	89.54	
3M Issue 19		4885		59.59	66.21	
Ovako 482 (10M)		9857		32.99	36.66	
14M		4857		39.25	43.61	
17M/18M		9858		16.44	18.27	
17M		9891		16.44	18.27	
S460NL		9856		16.44	18.27	
A193 B7	6093			128.93	143.25	
A193 B16	6098			327.82	364.24	
A320 L7	1281			128.93	143.25	
A320 L7	6137			128.93	143.25	
A320 L7	6135			170.34	189.26	
ASTM A 350 LF2	2735			8.12	9.02	9.83
EN11		9262		33.25	36.94	
SMO215(HYTUFF)	4803			432.24	480.27	523.02
TB1398	4740			245.59	272.88	
V2525-75 (146S)	4757		146S	228.97	254.41	277.05

V2142	7256			29.12	32.36	35.24
V2158	4326			59.77	66.41	
V2158		4222		80.17	89.08	
V2244-75	1266			143.02	158.91	
V2244-00	6129			143.02	158.91	
V2250	6112			130.53	145.03	
V2527-70	4701			258.82	287.58	
453C (SS142534)			453C	537.57	597.30	650.46
SB500		9816		26.41	29.35	
V2906	7216	9850		21.18	23.53	
V2908		4108		19.89	22.10	
Cromobolt	6116			171.92	191.02	208.02
047A			047A	6.58	7.31	7.96
047R			047R	4.19	4.66	5.07
143A			143A	48.99	54.43	59.27
146S (V2525-75)	4757		146S	228.97	254.41	277.05
152G (8620)	4548	9225	152G	176.81	196.45	213.94
157C (4320)			157C	354.92	394.35	429.45
157F			157F	353.49	392.77	427.73
157Q			157Q	221.71	246.35	268.27
158Q			158Q	576.27	640.30	697.28
159B			159B	391.65	435.16	473.89
159X			159X	401.10	445.67	485.34
215B			215B	11.79	13.10	14.27
234K (16MnCr5)			234K	50.41	56.01	60.99
236F			236F	60.49	67.21	73.19
248D			248D	323.95	359.94	391.98
253A			253A	517.81	575.34	626.55
253F			253F	481.17	534.63	582.21
253L	4722		253L	521.53	579.48	631.05
253S			253S	518.39	575.99	627.25
255G			255G	573.71	637.46	694.19
256G			256G	647.69	719.65	783.70
258D			258D	751.82	835.36	909.70
275A			275A	460.52		557.23
277L			277L (X200)	396.02	440.03	479.19
TS280M-LX		9880		28.99	32.21	35.08
280M			280M	39.17		47.40
280T (19MnVS6)			280T	39.17		47.40
280X (19MnVS6)			280X	29.47		35.66
316A			316A	13.99		16.93
322D (25CrMo4)			322D	134.92		163.26
322Y			322Y	100.99	112.21	122.20
326C (4140)			326C	131.50		159.11
327A			327A	182.18		220.44
327A	1233		327A	176.50	196.11	213.56
327A	1291		327A	176.50	196.11	213.56
327B			327B	161.55		195.48
355B			355B	364.88		441.50
356D (34CrNiMo6)			356D	345.59		418.17
368.6		9620		133.83		161.93
398Q			398Q	586.84		710.07
420G			420G	355.40		430.04
495B	6521		495B	522.84		632.63
497Q			497Q (X300)	440.92		533.51
510N			510N	14.32		17.33
513Y			513Y	41.17	45.75	49.82
520M	2721			18.03	20.04	21.82
S355J2(M)		9864		19.01	21.12	23.00
MPS2B ISSUE 2 (S355J2C)		9820		20.54	22.83	24.86
520-S355J2	2723			17.81	19.79	21.56
528A/E (50CrMo4)			528A/E (X500)	132.51	147.23	160.34
593B			593B	131.34	145.94	158.93
593Q			593Q	131.34	145.94	158.93
594Y			594Y	81.57	90.63	98.70
596Y			596Y	164.76	183.07	199.37
667L			677L/Q/T (X600)	170.32		206.09
803J/N/P (100Cr6)	5621		803 J/N/P	65.99	73.33	79.85

803F/Q (100Cr6)			803F/Q (X800)	67.20		81.31
802F	5620		802F	65.94	73.26	79.78
100Cr6		4268		65.94		79.78
824B (100CrMo7)			824B	161.26		195.13
825B (100CrMo7 3)			825B	194.24		235.03
826B (100CrMo7 4)			826B	265.55		321.32
825T			825T	205.20		248.30
827B			827B	315.19		381.38
837N/R (100CrMn6)			837N/R	75.89		91.83
15MA27	7245			61.29	68.09	74.15
1130	5616			136.23	151.37	
2725	4734			476.16	529.06	
3350	8312			294.12	326.80	
L435-2				518.07	575.63	
1500	7302			326.46	362.73	395.01
Hybrid 55				1317.17	1463.52	1593.78
Hybrid 60				1317.17	1463.52	1593.78
Imanite	6130			404.74	449.72	489.74
IMACRO	8302			211.36	234.85	255.75
IMACRO EL 700	9259			175.43	194.92	212.27
S355	2714			22.63	25.14	27.38
368.6	5478			129.68	144.09	156.91