

| Black bar<br>Scrap<br>Surcharge<br>GBP | Imatra Bright bar<br>Scrap<br>Surcharge<br>GBP | HoHE Bright bar<br>& Tube Scrap<br>Surcharge<br>GBP |
|----------------------------------------|------------------------------------------------|-----------------------------------------------------|
| 292.50                                 | 325.00                                         | 354                                                 |

## Ovako UK scrap & alloy surcharges

**May-25**

Please note for customers buying in Euros  
the Q2 exchange rate is £1 = €1.200

### Alloy Surcharges

| Specification       | Imatra<br>Grade | Smebox<br>Grade      | HoHe<br>Grade | Black bar<br>Surcharge | Imatra<br>Bright Bar<br>Surcharge | HoHe<br>Bright Bar & Tube<br>Surcharge |
|---------------------|-----------------|----------------------|---------------|------------------------|-----------------------------------|----------------------------------------|
| DH36                |                 | 9837                 |               | 18.15                  | 20.16                             | 21.96                                  |
| NV A                |                 | 8352                 |               | 6.60                   | 7.33                              | 7.98                                   |
| 525A61/CCr3         |                 | 9265                 |               | 91.24                  | 101.38                            | 110.41                                 |
| 525A61/CCr3         |                 | 4265 VDG             |               | 91.24                  | 101.38                            | 110.41                                 |
| 605M36/605A37       | 5905            |                      |               | 116.75                 | 129.72                            |                                        |
| 635M15/637M17       | 4712            |                      |               | 134.57                 | 149.53                            |                                        |
| 655M13              | 4714            |                      |               | 460.99                 | 512.21                            |                                        |
| 655M13              | 4715            |                      |               | 426.39                 | 473.77                            |                                        |
| 665M17              | 4801            |                      |               | 303.09                 | 336.77                            |                                        |
| 704A60/CrMo1        |                 | 4234 VDG             |               | 122.25                 | 135.83                            | 147.92                                 |
| 704A60/CrMo1        |                 | 9234                 |               | 122.25                 | 135.83                            | 147.92                                 |
| 708M40/708A42       | 6126            | 9288 (708M40/708A42) |               | 128.53                 | 142.81                            |                                        |
| 709M40              | 6107            |                      |               | 167.43                 | 186.03                            |                                        |
| 709M40              | 6134            |                      |               | 159.73                 | 177.48                            |                                        |
| 722M24              | 8310            |                      |               | 353.49                 | 392.77                            |                                        |
| 735A51              | 7402            | 9282                 |               | 74.22                  | 82.47                             |                                        |
| 805H60              |                 | 9280                 |               | 174.82                 | 194.24                            |                                        |
| 817M40              | 6506            | 9205                 |               | 334.22                 | 371.36                            |                                        |
| 817M40              | 6510            |                      |               | 334.22                 | 371.36                            |                                        |
| 817M40 + S          |                 | 4205                 |               | 330.84                 | 367.60                            |                                        |
| 817M40              |                 |                      | 356B          | 333.79                 | 370.88                            | 403.89                                 |
| 826M40              | 6518            |                      |               | 538.29                 | 598.10                            |                                        |
| 945M38              | 6201            |                      |               | 195.32                 | 217.02                            |                                        |
| SAE 1046            |                 | 8673                 |               | 35.55                  | 39.50                             |                                        |
| 4130                | 6037            | 9226                 |               | 168.40                 | 187.11                            |                                        |
| 4140                | 6080            | 9288 (4140)          |               | 128.64                 | 142.93                            | 155.65                                 |
| 4140 Ni .2/.25      | 1272            |                      |               | 150.55                 | 167.28                            |                                        |
| SAE 4140 Ni .35/.50 | 6139            |                      |               | 183.17                 | 203.52                            | 221.63                                 |
| SAE1117 ASTM A29    |                 | 9133                 |               | 10.53                  | 11.70                             | 12.74                                  |
| 4140 Mod (MPS 14)   |                 | 9240                 |               | 117.95                 | 131.06                            |                                        |
| 4140H               | 6115            |                      |               | 125.82                 | 139.80                            |                                        |
| 4145                | 6097            |                      |               | 124.79                 | 138.66                            |                                        |
| 4150                | 6112            | 9286 (4150)          |               | 124.79                 | 138.66                            |                                        |
| 4340                | 6514            |                      |               | 339.10                 | 376.78                            |                                        |
| 5160                |                 | 9261                 |               | 40.82                  | 45.36                             |                                        |
| 8620                | 4542            |                      |               | 168.72                 | 187.47                            | 204.16                                 |
| 8620                | 4548            | 9225                 | 152G          | 168.94                 | 187.71                            | 204.42                                 |
| 8620(M)             |                 | 9253                 |               | 168.56                 | 187.29                            | 203.96                                 |
| 100Cr6              | 5621            |                      | 803 J/N/P     | 65.25                  | 72.50                             | 78.96                                  |
| CHAP031             |                 | 9663                 |               | 23.00                  | 25.56                             | 27.83                                  |
| 15B35Hm             |                 | 9667                 |               | 27.07                  | 30.08                             | 32.75                                  |
| 15B41 MOD           |                 | 4689 VDG             |               | 36.21                  | 40.23                             | 43.82                                  |
| 15B41 MOD           | 5497            |                      |               | 36.21                  | 40.23                             | 43.82                                  |
| SB24M13B            |                 | 9643                 |               | 18.67                  | 20.74                             |                                        |
| SB27M12CB           |                 | 9660                 |               | 28.53                  | 31.70                             | 34.52                                  |
| SB30M13B            | 9662            |                      |               | 18.23                  | 20.25                             | 22.06                                  |
| 27M12B              |                 | 9654                 |               | 18.23                  | 20.25                             | 22.06                                  |
| SB30M10B            |                 | 9651                 |               | 8.36                   | 9.29                              | 10.11                                  |
| SB30M12CB           |                 | 9661                 |               | 31.24                  | 34.71                             | 37.80                                  |
| SB33M15CB           |                 | 4679                 |               | 32.50                  | 36.11                             | 39.32                                  |
| SB43M14B            |                 | 4678                 |               | 73.09                  | 81.21                             | 88.43                                  |
| SB600               |                 | 9823                 |               | 31.11                  | 34.57                             | 37.64                                  |
| 16MnCr5             | 4316            | 9218                 |               | 46.64                  | 51.82                             |                                        |
| 16MnCr5             | 4306            | 9661                 |               | 46.64                  | 51.82                             |                                        |
| 17Cr3               | 5502            |                      |               | 36.86                  | 40.95                             | 44.60                                  |

|                   |      |                |      |        |        |        |
|-------------------|------|----------------|------|--------|--------|--------|
| 17MnV6            | 7252 | 9875           |      | 28.50  | 31.67  | 34.49  |
| 18CrNiMo7-6       | 4761 |                |      | 368.81 | 409.79 | 446.26 |
| 20MnCr5           | 4324 |                |      | 57.90  | 64.34  |        |
| 20MnCr5           | 4334 |                |      | 57.90  | 64.34  |        |
| 20MnB5+Cr+HH      |      | 4642           |      | 21.04  | 23.37  |        |
| 20NiCrMo2         | 4532 |                |      | 143.74 | 159.71 |        |
| 23MnNiMoCr54So    |      | 4209           |      | 372.07 | 413.41 |        |
| 23MnNiMoCr54      |      | 4219           |      | 384.49 | 427.21 |        |
| 27MnCrB5          | 5465 |                |      | 27.55  | 30.61  |        |
| 30CrNiMo8         | 6507 |                |      | 484.58 | 538.43 |        |
| 31CrMoV9          | 6140 |                |      | 213.00 | 236.66 |        |
| 33MnCrB5/MPS 16   |      | 4648 VDG       |      | 149.91 | 166.57 |        |
| MPS16             |      | 4648           |      | 149.91 | 166.57 |        |
| 34CrNiMo6         | 6499 | 9205           |      | 364.58 | 405.09 |        |
| 36CrB4 (MPS10)    |      | 4646 VDG       |      |        |        |        |
| 36CrB4 (MPS10)    |      | 9646           |      |        |        |        |
| 36CrB4            |      | 4646           |      | 90.43  | 100.47 |        |
| 38MnSiV6          | 7221 |                |      | 32.63  | 36.26  |        |
| 38MnVs6           |      | 4873           |      | 28.09  | 31.21  |        |
| 40CrMo4           | 6077 |                |      | 137.93 | 153.26 | 166.90 |
| 42CrMo4           | 6082 | 9288 (42CrMo4) |      | 137.82 | 153.13 |        |
| 42CrMO4           | 1252 |                |      | 132.86 | 147.62 | 160.76 |
| 42CrMo4           |      | 4288           |      | 116.37 | 129.30 | 140.81 |
| 42CrMo4 MOD       | 6103 |                |      | 180.68 | 200.75 | 218.62 |
| 42CrMoS4+HH       |      | 9287           |      | 137.82 | 153.13 | 166.76 |
| 42CD4             | 1279 |                |      | 115.24 | 128.04 | 139.44 |
| 42MnV5            |      | 9859           |      | 74.52  | 82.80  | 90.17  |
| 49MnVs3           |      | 4850           |      | 21.75  | 24.17  | 26.32  |
| 50CrV4            |      | 9282           |      | 74.22  | 82.47  | 89.81  |
| 50CrMo4           | 6136 |                |      | 137.60 | 152.89 | 166.49 |
| 51CrV4            |      | 4282           |      | 76.02  | 84.46  | 91.98  |
| 51CrV4            |      | 4254           |      | 118.17 | 131.30 | 142.98 |
| 51CrV4            |      | 9212           |      | 68.76  | 76.40  | 83.19  |
| 51CrV4            |      | 4292           |      | 80.08  | 88.98  | 96.89  |
| 51CrV4 Type 1     |      | 4291           |      | 73.57  | 81.75  | 89.02  |
| 51CrMoV4          |      | 9296           |      | 146.96 | 163.29 | 177.82 |
| 52CrMoV4          |      | 4283           |      | 147.28 | 163.64 | 178.20 |
| 52CrMoV4          |      | 4296           |      | 143.68 | 159.64 | 173.85 |
| 51CrV4m4          |      | 4290           |      | 79.91  | 88.79  | 96.70  |
| 251A58            |      | 9073           |      | 31.22  | 34.68  | 37.77  |
| 56SiCr7           |      | 9072           |      | 22.27  | 24.75  | 26.95  |
| 56SiCr7           |      | 9084           |      | 31.87  | 35.41  |        |
| 56SiCr7 Mod       |      | 9071           |      | 32.57  | 36.19  |        |
| 61SiCr7(32-45 mm) |      | 4077           |      | 37.62  | 41.79  |        |
| 92506 ( 320/380)  | 4540 |                |      | 167.65 | 186.27 |        |
| 92520             | 4738 |                |      | 265.57 | 295.08 |        |
| 92520             | 4739 |                |      | 261.55 | 290.61 |        |
| 92523             | 4741 |                |      | 233.48 | 259.42 |        |
| 92506 'A Level'   | 1280 |                |      | 168.95 | 187.72 |        |
| 92523             | 4743 |                |      | 220.44 | 244.94 |        |
| 92245H            | 5515 |                |      | 79.69  | 88.55  | 96.43  |
| 3M                |      | 9885           |      | 79.07  | 87.86  |        |
| 3M Issue 19       |      | 4885           |      | 58.91  | 65.45  |        |
| Ovako 482 (10M)   |      | 9857           |      | 32.68  | 36.31  |        |
| 14M               |      | 4857           |      | 38.86  | 43.18  |        |
| 17M/18M           |      | 9858           |      | 16.13  | 17.93  |        |
| 17M               |      | 9891           |      | 16.13  | 17.93  |        |
| S460NL            |      | 9856           |      | 16.13  | 17.93  |        |
| A193 B7           | 6093 |                |      | 124.79 | 138.66 |        |
| A193 B16          | 6098 |                |      | 315.82 | 350.91 |        |
| A320 L7           | 1281 |                |      | 124.79 | 138.66 |        |
| A320 L7           | 6137 |                |      | 124.79 | 138.66 |        |
| A320 L7           | 6135 |                |      | 164.06 | 182.29 |        |
| ASTM A 350 LF2    | 2735 |                |      | 8.19   | 9.10   | 9.91   |
| EN11              |      | 9262           |      | 32.96  | 36.62  |        |
| SMO215(HYTUFF)    | 4803 |                |      | 411.03 | 456.70 | 497.35 |
| TB1398            | 4740 |                |      | 234.29 | 260.33 |        |
| V2525-75 (146S)   | 4757 |                | 146S | 218.35 | 242.61 | 264.20 |

|                         |      |      |                 |        |        |        |
|-------------------------|------|------|-----------------|--------|--------|--------|
| V2142                   | 7256 |      |                 | 28.94  | 32.15  | 35.01  |
| V2158                   | 4326 |      |                 | 59.26  | 65.84  |        |
| V2158                   |      | 4222 |                 | 78.23  | 86.92  |        |
| V2244-75                | 1266 |      |                 | 138.36 | 153.74 |        |
| V2244-00                | 6129 |      |                 | 138.36 | 153.74 |        |
| V2250                   | 6112 |      |                 | 126.36 | 140.40 |        |
| V2527-70                | 4701 |      |                 | 246.91 | 274.35 |        |
| 453C (SS142534)         |      |      | 453C            | 509.57 | 566.19 | 616.58 |
| SB500                   |      | 9816 |                 | 26.20  | 29.11  |        |
| V2906                   | 7216 | 9850 |                 | 20.98  | 23.31  |        |
| V2908                   |      | 4108 |                 | 19.90  | 22.11  |        |
| Cromobolt               | 6116 |      |                 | 166.57 | 185.08 | 201.55 |
| 047A                    |      |      | 047A            | 6.62   | 7.35   | 8.01   |
| 047R                    |      |      | 047R            | 4.24   | 4.71   | 5.13   |
| 143A                    |      |      | 143A            | 48.58  | 53.98  | 58.78  |
| 146S (V2525-75)         | 4757 |      | 146S            | 218.35 | 242.61 | 264.20 |
| 152G (8620)             | 4548 | 9225 | 152G            | 168.94 | 187.71 | 204.42 |
| 157C (4320)             |      |      | 157C            | 336.82 | 374.24 | 407.55 |
| 157F                    |      |      | 157F            | 337.21 | 374.68 | 408.03 |
| 157Q                    |      |      | 157Q            | 211.16 | 234.62 | 255.50 |
| 158Q                    |      |      | 158Q            | 546.86 | 607.62 | 661.70 |
| 159B                    |      |      | 159B            | 373.77 | 415.30 | 452.26 |
| 159X                    |      |      | 159X            | 382.91 | 425.45 | 463.32 |
| 215B                    |      |      | 215B            | 11.89  | 13.21  | 14.39  |
| 234K (16MnCr5)          |      |      | 234K            | 49.99  | 55.54  | 60.49  |
| 236F                    |      |      | 236F            | 59.96  | 66.63  | 72.56  |
| 248D                    |      |      | 248D            | 308.96 | 343.29 | 373.84 |
| 253A                    |      |      | 253A            | 491.53 | 546.14 | 594.75 |
| 253F                    |      |      | 253F            | 456.84 | 507.61 | 552.78 |
| 253L                    | 4722 |      | 253L            | 494.98 | 549.98 | 598.92 |
| 253S                    |      |      | 253S            | 492.10 | 546.78 | 595.44 |
| 255G                    |      |      | 255G            | 544.12 | 604.58 | 658.39 |
| 256G                    |      |      | 256G            | 614.10 | 682.34 | 743.06 |
| 258D                    |      |      | 258D            | 717.36 | 797.07 | 868.01 |
| 275A                    |      |      | 275A            | 438.90 |        | 531.07 |
| 277L                    |      |      | 277L (X200)     | 381.55 | 423.95 | 461.68 |
| TS280M-LX               |      | 9880 |                 | 28.78  | 31.98  | 34.83  |
| 280M                    |      |      | 280M            | 38.85  |        | 47.01  |
| 280T (19MnVS6)          |      |      | 280T            | 38.85  |        | 47.01  |
| 280X (19MnVS6)          |      |      | 280X            | 29.27  |        | 35.42  |
| 316A                    |      |      | 316A            | 14.12  |        | 17.09  |
| 322D (25CrMo4)          |      |      | 322D            | 130.45 |        | 157.85 |
| 322Y                    |      |      | 322Y            | 97.57  | 108.41 | 118.06 |
| 326C (4140)             |      |      | 326C            | 127.34 |        | 154.08 |
| 327A                    |      |      | 327A            | 175.41 |        | 212.25 |
| 327A                    | 1233 |      | 327A            | 170.01 | 188.90 | 205.72 |
| 327A                    | 1291 |      | 327A            | 170.01 | 188.90 | 205.72 |
| 327B                    |      |      | 327B            | 155.65 |        | 188.33 |
| 355B                    |      |      | 355B            | 346.72 |        | 419.54 |
| 356D (34CrNiMo6)        |      |      | 356D            | 329.84 |        | 399.10 |
| 368.6                   |      | 9620 |                 | 128.24 |        | 155.17 |
| 398Q                    |      |      | 398Q            | 565.89 |        | 684.73 |
| 420G                    |      |      | 420G            | 344.04 |        | 416.29 |
| 495B                    | 6521 |      | 495B            | 500.73 |        | 605.88 |
| 497Q                    |      |      | 497Q (X300)     | 420.18 |        | 508.41 |
| 510N                    |      |      | 510N            | 14.30  |        | 17.30  |
| 513Y                    |      |      | 513Y            | 40.82  | 45.36  | 49.40  |
| 520M                    | 2721 |      |                 | 17.95  | 19.95  | 21.72  |
| S355J2(M)               |      | 9864 |                 | 18.89  | 20.99  | 22.85  |
| MPS2B ISSUE 2 (S355J2C) |      | 9820 |                 | 20.42  | 22.69  | 24.71  |
| 520-S355J2              | 2723 |      |                 | 17.77  | 19.75  | 21.51  |
| 528A/E (50CrMo4)        |      |      | 528A/E (X500)   | 128.31 | 142.57 | 155.26 |
| 593B                    |      |      | 593B            | 127.59 | 141.77 | 154.38 |
| 593Q                    |      |      | 593Q            | 127.59 | 141.77 | 154.38 |
| 594Y                    |      |      | 594Y            | 80.56  | 89.51  | 97.48  |
| 596Y                    |      |      | 596Y            | 159.69 | 177.43 | 193.22 |
| 667L                    |      |      | 677L/Q/T (X600) | 165.18 |        | 199.86 |
| 803J/N/P (100Cr6)       | 5621 |      | 803 J/N/P       | 65.25  | 72.50  | 78.96  |

|                   |      |      |               |         |         |         |
|-------------------|------|------|---------------|---------|---------|---------|
| 803F/Q (100Cr6)   |      |      | 803F/Q (X800) | 66.45   |         | 80.40   |
| 802F              | 5620 |      | 802F          | 65.20   | 72.45   | 78.89   |
| 100Cr6            |      | 4268 |               | 65.20   |         | 78.89   |
| 824B (100CrMo7)   |      |      | 824B          | 156.65  |         | 189.54  |
| 825B (100CrMo7 3) |      |      | 825B          | 188.27  |         | 227.80  |
| 826B (100CrMo7 4) |      |      | 826B          | 256.33  |         | 310.16  |
| 825T              |      |      | 825T          | 198.77  |         | 240.51  |
| 827B              |      |      | 827B          | 304.06  |         | 367.92  |
| 837N/R (100CrMn6) |      |      | 837N/R        | 75.18   |         | 90.96   |
| 15MA27            | 7245 |      |               | 60.17   | 66.85   | 72.80   |
| 1130              | 5616 |      |               | 131.58  | 146.20  |         |
| 2725              | 4734 |      |               | 452.24  | 502.49  |         |
| 3350              | 8312 |      |               | 285.53  | 317.26  |         |
| L435-2            |      |      |               | 491.77  | 546.42  |         |
| 1500              | 7302 |      |               | 312.45  | 347.17  | 378.07  |
| Hybrid 55         |      |      |               | 1256.99 | 1396.66 | 1520.96 |
| Hybrid 60         |      |      |               | 1256.99 | 1396.66 | 1520.96 |
| Imanite           | 6130 |      |               | 389.77  | 433.08  | 471.62  |
| IMACRO            | 8302 |      |               | 207.86  | 230.96  | 251.52  |
| IMACRO EL 700     | 9259 |      |               | 173.45  | 192.73  | 209.88  |
| S355              | 2714 |      |               | 22.48   | 24.98   | 27.20   |
| 368.6             | 5478 |      |               | 124.36  | 138.18  | 150.48  |