

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
247.50	275.00	299

Ovako UK scrap & alloy surcharges

Jun-25

Please note for customers buying in Euros
the Q2 exchange rate is £1 = €1.200

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		17.82	19.80	21.56
NV A		8352		6.47	7.19	7.83
525A61/CCr3		9265		87.70	97.45	106.12
525A61/CCr3		4265 VDG		87.70	97.45	106.12
605M36/605A37	5905			111.81	124.23	
635M15/637M17	4712			130.67	145.19	
655M13	4714			446.90	496.56	
655M13	4715			414.14	460.15	
665M17	4801			292.90	325.44	
704A60/CrMo1		4234 VDG		117.27	130.30	141.90
704A60/CrMo1		9234		117.27	130.30	141.90
708M40/708A42	6126	9288 (708M40/708A42)		123.33	137.03	
709M40	6107			160.45	178.28	
709M40	6134			153.10	170.11	
722M24	8310			338.88	376.54	
735A51	7402	9282		71.90	79.89	
805H60		9280		168.58	187.31	
817M40	6506	9205		322.62	358.46	
817M40	6510			322.62	358.46	
817M40 + S		4205		319.46	354.95	
817M40			356B	322.21	358.01	389.87
826M40	6518			519.25	576.94	
945M38	6201			188.47	209.41	
SAE 1046		8673		34.53	38.37	
4130	6037	9226		162.21	180.24	
4140	6080	9288 (4140)		123.39	137.10	149.30
4140 Ni .2/.25	1272			144.75	160.83	
SAE 4140 Ni .35/.50	6139			176.28	195.86	213.30
SAE1117 ASTM A29		9133		10.33	11.48	12.50
4140 Mod (MPS 14)		9240		114.12	126.80	
4140H	6115			120.71	134.13	
4145	6097			119.72	133.02	
4150	6112	9286 (4150)		119.72	133.02	
4340	6514			327.61	364.01	
5160		9261		39.51	43.90	
8620	4542			162.54	180.60	196.67
8620	4548	9225	152G	162.74	180.83	196.92
8620(M)		9253		162.38	180.42	196.47
100Cr6	5621		803 J/N/P	62.97	69.97	76.20
CHAP031		9663		22.40	24.89	27.11
15B35Hm		9667		26.33	29.26	31.86
15B41 MOD		4689 VDG		35.21	39.12	42.60
15B41 MOD	5497			35.21	39.12	42.60
SB24M13B		9643		18.23	20.25	
SB27M12CB		9660		27.72	30.79	33.54
SB30M13B	9662			17.78	19.76	21.52
27M12B		9654		17.78	19.76	21.52
SB30M10B		9651		8.22	9.13	9.94
SB30M12CB		9661		30.35	33.72	36.72
SB33M15CB		4679		31.60	35.11	38.23
SB43M14B		4678		70.50	78.34	85.31
SB600		9823		30.40	33.78	36.79
16MnCr5	4316	9218		45.20	50.22	
16MnCr5	4306	9661		45.20	50.22	
17Cr3	5502			35.63	39.58	43.11

17MnV6	7252	9875		27.87	30.97	33.72
18CrNiMo7-6	4761			355.94	395.49	430.69
20MnCr5	4324			56.06	62.28	
20MnCr5	4334			56.06	62.28	
20MnB5+Cr+HH		4642		20.49	22.77	
20NiCrMo2	4532			139.48	154.98	
23MnNiMoCr54So		4209		357.71	397.46	
23MnNiMoCr54		4219		369.58	410.65	
27MnCrB5	5465			26.78	29.76	
30CrNiMo8	6507			467.57	519.52	
31CrMoV9	6140			204.77	227.53	
33MnCrB5/MPS 16		4648 VDG		145.70	161.88	
MPS16		4648		145.70	161.88	
34CrNiMo6	6499	9205		351.85	390.95	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		87.18	96.86	
38MnSiV6	7221			31.82	35.36	
38MnVs6		4873		27.45	30.50	
40CrMo4	6077			132.28	146.98	160.06
42CrMo4	6082	9288 (42CrMo4)		132.16	146.85	
42CrMO4	1252			127.46	141.62	154.23
42CrMo4		4288		111.69	124.10	135.15
42CrMo4 MOD	6103			173.13	192.37	209.49
42CrMoS4+HH		9287		132.16	146.85	159.92
42CD4	1279			110.61	122.90	133.84
42MnV5		9859		72.47	80.53	87.69
49MnVs3		4850		21.22	23.58	25.68
50CrV4		9282		71.90	79.89	87.00
50CrMo4	6136			131.93	146.59	159.63
51CrV4		4282		73.70	81.89	89.17
51CrV4		4254		113.96	126.62	137.89
51CrV4		9212		66.61	74.01	80.60
51CrV4		4292		77.58	86.20	93.87
51CrV4 Type 1		4291		71.30	79.22	86.27
51CrMoV4		9296		141.24	156.94	170.90
52CrMoV4		4283		141.69	157.44	171.45
52CrMoV4		4296		138.24	153.60	167.27
51CrV4m4		4290		77.42	86.02	93.68
251A58		9073		30.08	33.42	36.39
56SiCr7		9072		21.46	23.85	25.97
56SiCr7		9084		30.70	34.11	
56SiCr7 Mod		9071		31.39	34.88	
61SiCr7(32-45 mm)		4077		36.31	40.35	
92506 (320/380)	4540			161.51	179.45	
92520	4738			256.69	285.22	
92520	4739			252.92	281.02	
92523	4741			225.86	250.96	
92506 'A Level'	1280			162.55	180.61	
92523	4743			213.27	236.96	
92245H	5515			76.68	85.20	92.79
3M		9885		76.40	84.89	
3M Issue 19		4885		57.07	63.41	
Ovako 482 (10M)		9857		31.89	35.43	
14M		4857		37.85	42.05	
17M/18M		9858		15.69	17.43	
17M		9891		15.69	17.43	
S460NL		9856		15.69	17.43	
A193 B7	6093			119.72	133.02	
A193 B16	6098			302.80	336.45	
A320 L7	1281			119.72	133.02	
A320 L7	6137			119.72	133.02	
A320 L7	6135			157.68	175.20	
ASTM A 350 LF2	2735			8.05	8.95	9.74
EN11		9262		31.89	35.43	
SMO215(HYTUFF)	4803			396.45	440.50	479.71
TB1398	4740			226.67	251.86	
V2525-75 (146S)	4757		146S	211.18	234.65	255.53

V2142	7256			28.28	31.42	34.22
V2158	4326			57.37	63.75	
V2158		4222		75.83	84.25	
V2244-75	1266			132.69	147.44	
V2244-00	6129			132.69	147.44	
V2250	6112			121.22	134.69	
V2527-70	4701			239.51	266.12	
453C (SS142534)			453C	493.26	548.06	596.84
SB500		9816		25.67	28.53	
V2906	7216	9850		20.47	22.75	
V2908		4108		19.40	21.55	
Cromobolt	6116			159.81	177.57	193.37
047A			047A	6.48	7.20	7.84
047R			047R	4.21	4.68	5.10
143A			143A	47.05	52.28	56.93
146S (V2525-75)	4757		146S	211.18	234.65	255.53
152G (8620)	4548	9225	152G	162.74	180.83	196.92
157C (4320)			157C	325.48	361.64	393.83
157F			157F	324.05	360.06	392.10
157Q			157Q	204.95	227.72	247.98
158Q			158Q	526.73	585.26	637.35
159B			159B	360.74	400.82	436.49
159X			159X	369.49	410.55	447.09
215B			215B	11.71	13.01	14.16
234K (16MnCr5)			234K	48.41	53.79	58.58
236F			236F	58.04	64.49	70.23
248D			248D	299.69	332.99	362.63
253A			253A	475.71	528.56	575.60
253F			253F	442.03	491.15	534.86
253L	4722		253L	479.09	532.32	579.69
253S			253S	476.26	529.18	576.28
255G			255G	527.02	585.58	637.70
256G			256G	594.27	660.30	719.06
258D			258D	689.49	766.10	834.28
275A			275A	423.55		512.50
277L			277L (X200)	366.95	407.73	444.01
TS280M-LX		9880		28.13	31.25	34.04
280M			280M	37.84		45.79
280T (19MnVS6)			280T	37.84		45.79
280X (19MnVS6)			280X	28.62		34.62
316A			316A	13.93		16.86
322D (25CrMo4)			322D	125.05		151.31
322Y			322Y	93.61	104.01	113.27
326C (4140)			326C	122.19		147.85
327A			327A	168.50		203.89
327A	1233		327A	163.38	181.53	197.69
327A	1291		327A	163.38	181.53	197.69
327B			327B	149.40		180.78
355B			355B	335.08		405.45
356D (34CrNiMo6)			356D	318.47		385.35
368.6		9620		123.91		149.94
398Q			398Q	542.33		656.22
420G			420G	329.85		399.12
495B	6521		495B	479.84		580.60
497Q			497Q (X300)	405.39		490.52
510N			510N	13.92		16.85
513Y			513Y	39.51	43.90	47.81
520M	2721			17.57	19.52	21.26
S355J2(M)		9864		18.46	20.51	22.33
MPS2B ISSUE 2 (S355J2C)		9820		19.97	22.19	24.16
520-S355J2	2723			17.41	19.35	21.07
528A/E (50CrMo4)			528A/E (X500)	123.09	136.76	148.94
593B			593B	123.27	136.96	149.15
593Q			593Q	123.27	136.96	149.15
594Y			594Y	78.06	86.74	94.46
596Y			596Y	153.49	170.55	185.72
667L			677L/Q/T (X600)	158.46		191.73
803J/N/P (100Cr6)	5621		803 J/N/P	62.97	69.97	76.20

803F/Q (100Cr6)			803F/Q (X800)	64.13		77.59
802F	5620		802F	62.93	69.92	76.14
100Cr6		4268		62.93		76.14
824B (100CrMo7)			824B	150.34		181.91
825B (100CrMo7 3)			825B	180.61		218.54
826B (100CrMo7 4)			826B	245.58		297.15
825T			825T	190.65		230.68
827B			827B	291.26		352.42
837N/R (100CrMn6)			837N/R	72.66		87.91
15MA27	7245			58.31	64.79	70.55
1130	5616			126.06	140.07	
2725	4734			437.57	486.18	
3350	8312			274.00	304.45	
L435-2				475.94	528.82	
1500	7302			301.07	334.53	364.30
Hybrid 55				1215.15	1350.17	1470.33
Hybrid 60				1215.15	1350.17	1470.33
Imanite	6130			373.55	415.06	452.00
IMACRO	8302			200.34	222.60	242.41
IMACRO EL 700	9259			167.46	186.07	202.63
S355	2714			21.98	24.43	26.60
368.6	5478			120.13	133.48	145.36