

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
257.50	286.11	312

Ovako UK scrap & alloy surcharges

Jul-25

Please note for customers buying in Euros
the Q3 exchange rate is £1 = €1.181

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		16.54	18.38	20.01
NV A		8352		5.67	6.30	6.86
525A61/CCr3		9265		88.71	98.56	107.33
525A61/CCr3		4265 VDG		88.71	98.56	107.33
605M36/605A37	5905			115.53	128.36	
635M15/637M17	4712			125.07	138.96	
655M13	4714			431.99	479.99	
655M13	4715			396.07	440.08	
665M17	4801			288.20	320.23	
704A60/CrMo1		4234 VDG		119.96	133.29	145.15
704A60/CrMo1		9234		119.96	133.29	145.15
708M40/708A42	6126	9288 (708M40/708A42)		126.07	140.08	
709M40	6107			165.16	183.51	
709M40	6134			157.43	174.92	
722M24	8310			348.28	386.97	
735A51	7402	9282		70.64	78.49	
805H60		9280		167.76	186.40	
817M40	6506	9205		319.37	354.86	
817M40	6510			319.37	354.86	
817M40 + S		4205		315.66	350.73	
817M40			356B	318.98	354.42	385.97
826M40	6518			516.18	573.54	
945M38	6201			186.95	207.72	
SAE 1046		8673		32.84	36.49	
4130	6037	9226		162.36	180.40	
4140	6080	9288 (4140)		126.29	140.33	152.82
4140 Ni .2/.25	1272			146.33	162.59	
SAE 4140 Ni .35/.50	6139			177.32	197.03	214.56
SAE1117 ASTM A29		9133		9.04	10.04	10.93
4140 Mod (MPS 14)		9240		111.40	123.78	
4140H	6115			123.44	137.16	
4145	6097			122.45	136.06	
4150	6112	9286 (4150)		122.45	136.06	
4340	6514			322.99	358.88	
5160		9261		38.34	42.60	
8620	4542			162.63	180.70	196.78
8620	4548	9225	152G	162.83	180.92	197.02
8620(M)		9253		162.50	180.55	196.62
100Cr6	5621		803 J/N/P	62.18	69.09	75.24
CHAP031		9663		20.92	23.25	25.32
15B35Hm		9667		24.81	27.57	30.03
15B41 MOD		4689 VDG		33.30	37.01	40.30
15B41 MOD	5497			33.30	37.01	40.30
SB24M13B		9643		16.78	18.64	
SB27M12CB		9660		26.30	29.22	31.82
SB30M13B	9662			16.43	18.25	19.88
27M12B		9654		16.43	18.25	19.88
SB30M10B		9651		7.16	7.95	8.66
SB30M12CB		9661		28.82	32.02	34.88
SB33M15CB		4679		29.86	33.18	36.13
SB43M14B		4678		69.94	77.71	84.63
SB600		9823		29.13	32.37	35.25
16MnCr5	4316	9218		43.82	48.69	
16MnCr5	4306	9661		43.82	48.69	
17Cr3	5502			34.78	38.65	42.09

17MnV6	7252	9875		26.14	29.04	31.63
18CrNiMo7-6	4761			352.71	391.90	426.78
20MnCr5	4324			54.42	60.46	
20MnCr5	4334			54.42	60.46	
20MnB5+Cr+HH		4642		19.14	21.26	
20NiCrMo2	4532			133.68	148.53	
23MnNiMoCr54So		4209		362.14	402.38	
23MnNiMoCr54		4219		374.63	416.25	
27MnCrB5	5465			25.33	28.15	
30CrNiMo8	6507			463.98	515.53	
31CrMoV9	6140			207.97	231.08	
33MnCrB5/MPS 16		4648 VDG		138.74	154.15	
MPS16		4648		138.74	154.15	
34CrNiMo6	6499	9205		348.68	387.43	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		86.81	96.45	
38MnSiV6	7221			30.44	33.82	
38MnVs6		4873		25.95	28.83	
40CrMo4	6077			135.57	150.63	164.04
42CrMo4	6082	9288 (42CrMo4)		135.49	150.54	
42CrMO4	1252			130.31	144.79	157.68
42CrMo4		4288		113.99	126.65	137.93
42CrMo4 MOD	6103			178.36	198.17	215.81
42CrMoS4+HH		9287		135.49	150.54	163.94
42CD4	1279			112.76	125.29	136.44
42MnV5		9859		69.63	77.37	84.26
49MnVs3		4850		20.23	22.47	24.47
50CrV4		9282		70.64	78.49	85.48
50CrMo4	6136			135.33	150.37	163.75
51CrV4		4282		72.50	80.55	87.72
51CrV4		4254		114.28	126.98	138.28
51CrV4		9212		65.32	72.58	79.04
51CrV4		4292		76.08	84.53	92.05
51CrV4 Type 1		4291		69.88	77.64	84.56
51CrMoV4		9296		143.88	159.87	174.10
52CrMoV4		4283		143.75	159.72	173.93
52CrMoV4		4296		140.27	155.86	169.73
51CrV4m4		4290		75.94	84.38	91.89
251A58		9073		28.39	31.55	34.35
56SiCr7		9072		19.78	21.98	23.93
56SiCr7		9084		29.29	32.55	
56SiCr7 Mod		9071		29.65	32.95	
61SiCr7(32-45 mm)		4077		34.48	38.32	
92506 (320/380)	4540			161.66	179.62	
92520	4738			252.15	280.17	
92520	4739			247.84	275.38	
92523	4741			220.82	245.36	
92506 'A Level'	1280			163.75	181.94	
92523	4743			208.43	231.59	
92245H	5515			77.05	85.61	93.23
3M		9885		76.01	84.45	
3M Issue 19		4885		55.90	62.11	
Ovako 482 (10M)		9857		30.38	33.75	
14M		4857		36.30	40.34	
17M/18M		9858		15.66	17.40	
17M		9891		15.66	17.40	
S460NL		9856		15.66	17.40	
A193 B7	6093			122.45	136.06	
A193 B16	6098			313.13	347.92	
A320 L7	1281			122.45	136.06	
A320 L7	6137			122.45	136.06	
A320 L7	6135			159.78	177.53	
ASTM A 350 LF2	2735			7.00	7.78	8.47
EN11		9262		30.99	34.43	
SMO215(HYTUFF)	4803			393.12	436.80	475.68
TB1398	4740			221.51	246.12	
V2525-75 (146S)	4757		146S	206.85	229.83	250.29

V2142	7256			26.53	29.48	32.10
V2158	4326			55.68	61.86	
V2158		4222		73.40	81.55	
V2244-75	1266			135.96	151.07	
V2244-00	6129			135.96	151.07	
V2250	6112			124.02	137.80	
V2527-70	4701			230.58	256.20	
453C (SS142534)			453C	480.84	534.27	581.82
SB500		9816		24.21	26.90	
V2906	7216	9850		19.48	21.64	
V2908		4108		17.75	19.73	
Cromobolt	6116			163.45	181.61	197.77
047A			047A	5.71	6.34	6.91
047R			047R	3.56	3.96	4.31
143A			143A	45.58	50.64	55.15
146S (V2525-75)	4757		146S	206.85	229.83	250.29
152G (8620)	4548	9225	152G	162.83	180.92	197.02
157C (4320)			157C	320.31	355.90	387.57
157F			157F	328.78	365.32	397.83
157Q			157Q	196.62	218.47	237.91
158Q			158Q	528.08	586.76	638.98
159B			159B	357.39	397.10	432.44
159X			159X	366.41	407.12	443.36
215B			215B	10.15	11.28	12.28
234K (16MnCr5)			234K	46.90	52.11	56.75
236F			236F	56.39	62.66	68.23
248D			248D	288.63	320.70	349.24
253A			253A	464.19	515.77	561.67
253F			253F	431.91	479.90	522.61
253L	4722		253L	467.27	519.18	565.39
253S			253S	464.72	516.36	562.31
255G			255G	512.02	568.91	619.54
256G			256G	580.34	644.82	702.21
258D			258D	699.11	776.78	845.92
275A			275A	420.29		508.55
277L			277L (X200)	372.35	413.73	450.55
277Q			277Q	372.35	413.73	450.55
TS280M-LX		9880		26.47	29.41	32.03
280M			280M	36.07		43.64
280T (19MnVS6)			280T	36.07		43.64
280X (19MnVS6)			280X	26.88		32.53
316A			316A	12.01		14.53
322D (25CrMo4)			322D	128.43		155.40
322Y			322Y	95.75	106.39	115.86
326C (4140)			326C	124.84		151.05
327A			327A	171.17		207.12
327A	1233		327A	165.66	184.07	200.45
327A	1291		327A	165.66	184.07	200.45
327B			327B	152.40		184.41
355B			355B	329.58		398.79
356D (34CrNiMo6)			356D	314.79		380.90
368.6		9620		121.87		147.47
398Q			398Q	560.62		678.35
420G			420G	338.76		409.90
495B	6521		495B	495.25		599.25
497Q			497Q (X300)	401.77		486.15
510N			510N	12.93		15.64
513Y			513Y	38.34	42.60	46.39
520M	2721			16.32	18.13	19.74
S355J2(M)		9864		17.32	19.24	20.96
MPS2B ISSUE 2 (S355J2C)		9820		18.69	20.77	22.62
520-S355J2	2723			15.98	17.76	19.34
528A/E (50CrMo4)			528A/E (X500)	125.91	139.90	152.35
593B			593B	122.39	135.99	148.09
593Q			593Q	122.39	135.99	148.09
594Y			594Y	76.70	85.22	92.80
596Y			596Y	156.73	174.14	189.64
667L			677L/Q/T (X600)	161.04		194.86

803J/N/P (100Cr6)	5621		803 J/N/P	62.18	69.09	75.24
803F/Q (100Cr6)			803F/Q (X800)	63.31		76.60
802F	5620		802F	62.13	69.03	75.17
100Cr6		4268		62.13		75.17
824B (100CrMo7)			824B	153.40		185.61
825B (100CrMo7 3)			825B	184.77		223.58
826B (100CrMo7 4)			826B	253.19		306.36
825T			825T	195.21		236.21
827B			827B	300.42		363.51
837N/R (100CrMn6)			837N/R	70.94		85.84
15MA27	7245			57.18	63.53	69.18
1130	5616			129.87	144.30	
2725	4734			427.87	475.41	
3350	8312			279.98	311.09	
L435-2				464.45	516.05	
1500	7302			300.69	334.10	363.83
Hybrid 55				1195.93	1328.82	1447.08
Hybrid 60				1195.93	1328.82	1447.08
Imanite	6130			386.72	429.68	467.93
IMACRO	8302			199.84	222.05	241.81
IMACRO EL 700	9259			165.41	183.79	200.15
S355	2714			20.62	22.91	24.95
368.6	5478			118.34	131.49	143.19