

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
252.50	280.56	306

Ovako UK scrap & alloy surcharges

Aug-25

Please note for customers buying in Euros
the Q3 exchange rate is £1 = €1.181

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		15.57	17.30	18.84
NV A		8352		5.22	5.80	6.31
525A61/CCr3		9265		89.79	99.77	108.65
525A61/CCr3		4265 VDG		89.79	99.77	108.65
605M36/605A37	5905			117.45	130.49	
635M15/637M17	4712			122.93	136.59	
655M13	4714			426.18	473.53	
655M13	4715			388.72	431.91	
665M17	4801			286.49	318.32	
704A60/CrMo1		4234 VDG		121.88	135.43	147.48
704A60/CrMo1		9234		121.88	135.43	147.48
708M40/708A42	6126	9288 (708M40/708A42)		128.15	142.39	
709M40	6107			168.26	186.95	
709M40	6134			160.32	178.13	
722M24	8310			355.23	394.69	
735A51	7402	9282		69.75	77.50	
805H60		9280		167.90	186.56	
817M40	6506	9205		319.07	354.52	
817M40	6510			319.07	354.52	
817M40 + S		4205		315.18	350.19	
817M40			356B	318.71	354.12	385.64
826M40	6518			516.07	573.42	
945M38	6201			186.81	207.57	
SAE 1046		8673		32.17	35.75	
4130	6037	9226		162.95	181.06	
4140	6080	9288 (4140)		128.45	142.73	155.43
4140 Ni .2/.25	1272			147.83	164.26	
SAE 4140 Ni .35/.50	6139			178.64	198.49	216.15
SAE1117 ASTM A29		9133		8.31	9.23	10.06
4140 Mod (MPS 14)		9240		110.97	123.30	
4140H	6115			125.45	139.39	
4145	6097			124.45	138.28	
4150	6112	9286 (4150)		124.45	138.28	
4340	6514			321.92	357.68	
5160		9261		38.24	42.48	
8620	4542			163.21	181.34	197.48
8620	4548	9225	152G	163.39	181.54	197.70
8620(M)		9253		163.08	181.20	197.33
100Cr6	5621		803 J/N/P	62.68	69.65	75.85
CHAP031		9663		20.35	22.61	24.62
15B35Hm		9667		24.30	27.00	29.40
15B41 MOD		4689 VDG		32.70	36.33	39.56
15B41 MOD	5497			32.70	36.33	39.56
SB24M13B		9643		16.16	17.96	
SB27M12CB		9660		25.85	28.73	31.28
SB30M13B	9662			15.84	17.60	19.17
27M12B		9654		15.84	17.60	19.17
SB30M10B		9651		6.58	7.31	7.96
SB30M12CB		9661		28.36	31.51	34.31
SB33M15CB		4679		29.27	32.53	35.42
SB43M14B		4678		69.73	77.47	84.37
SB600		9823		27.72	30.80	33.54
16MnCr5	4316	9218		43.81	48.67	
16MnCr5	4306	9661		43.81	48.67	
17Cr3	5502			34.78	38.65	42.09

17MnV6	7252	9875		24.62	27.35	29.79
18CrNiMo7-6	4761			352.76	391.95	426.83
20MnCr5	4324			54.31	60.35	
20MnCr5	4334			54.31	60.35	
20MnB5+Cr+HH		4642		18.61	20.68	
20NiCrMo2	4532			131.45	146.06	
23MnNiMoCr54So		4209		365.22	405.80	
23MnNiMoCr54		4219		377.99	419.99	
27MnCrB5	5465			24.85	27.61	
30CrNiMo8	6507			464.30	515.89	
31CrMoV9	6140			210.45	233.83	
33MnCrB5/MPS 16		4648 VDG		135.88	150.98	
MPS16		4648		135.88	150.98	
34CrNiMo6	6499	9205		348.68	387.42	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		87.36	97.07	
38MnSiV6	7221			28.82	32.02	
38MnVs6		4873		24.50	27.22	
40CrMo4	6077			137.93	153.25	166.89
42CrMo4	6082	9288 (42CrMo4)		137.86	153.17	
42CrMO4	1252			132.45	147.17	160.27
42CrMo4		4288		115.81	128.68	140.14
42CrMo4 MOD	6103			181.80	202.00	219.98
42CrMoS4+HH		9287		137.86	153.17	166.81
42CD4	1279			114.48	127.20	138.52
42MnV5		9859		67.48	74.98	81.65
49MnVs3		4850		19.13	21.26	23.15
50CrV4		9282		69.75	77.50	84.40
50CrMo4	6136			137.72	153.02	166.64
51CrV4		4282		71.58	79.54	86.61
51CrV4		4254		114.29	126.99	138.30
51CrV4		9212		64.54	71.71	78.10
51CrV4		4292		75.12	83.47	90.90
51CrV4 Type 1		4291		68.87	76.52	83.33
51CrMoV4		9296		145.21	161.34	175.70
52CrMoV4		4283		144.62	160.69	175.00
52CrMoV4		4296		141.09	156.77	170.72
51CrV4m4		4290		75.00	83.33	90.75
251A58		9073		27.07	30.08	32.75
56SiCr7		9072		18.31	20.35	22.16
56SiCr7		9084		28.25	31.39	
56SiCr7 Mod		9071		28.32	31.47	
61SiCr7(32-45 mm)		4077		33.30	37.00	
92506 (320/380)	4540			162.30	180.33	
92520	4738			251.05	278.94	
92520	4739			246.41	273.78	
92523	4741			219.36	243.73	
92506 'A Level'	1280			164.85	183.16	
92523	4743			207.06	230.07	
92245H	5515			77.88	86.53	94.23
3M		9885		75.52	83.91	
3M Issue 19		4885		55.18	61.32	
Ovako 482 (10M)		9857		28.73	31.92	
14M		4857		34.74	38.60	
17M/18M		9858		15.02	16.68	
17M		9891		15.02	16.68	
S460NL		9856		15.02	16.68	
A193 B7	6093			124.45	138.28	
A193 B16	6098			317.25	352.50	
A320 L7	1281			124.45	138.28	
A320 L7	6137			124.45	138.28	
A320 L7	6135			161.61	179.57	
ASTM A 350 LF2	2735			6.44	7.15	7.79
EN11		9262		30.92	34.36	
SMO215(HYTUFF)	4803			391.95	435.50	474.26
TB1398	4740			219.99	244.43	
V2525-75 (146S)	4757		146S	205.70	228.56	248.90

V2142	7256			24.98	27.76	30.23
V2158	4326			55.56	61.74	
V2158		4222		73.07	81.19	
V2244-75	1266			138.29	153.65	
V2244-00	6129			138.29	153.65	
V2250	6112			126.08	140.09	
V2527-70	4701			227.61	252.90	
453C (SS142534)			453C	476.48	529.42	576.54
SB500		9816		22.88	25.42	
V2906	7216	9850		18.42	20.46	
V2908		4108		16.90	18.78	
Cromobolt	6116			166.28	184.75	201.19
047A			047A	5.26	5.84	6.36
047R			047R	3.26	3.62	3.95
143A			143A	45.44	50.49	54.98
146S (V2525-75)	4757		146S	205.70	228.56	248.90
152G (8620)	4548	9225	152G	163.39	181.54	197.70
157C (4320)			157C	318.74	354.15	385.67
157F			157F	331.94	368.82	401.64
157Q			157Q	193.57	215.08	234.22
158Q			158Q	530.02	588.91	641.32
159B			159B	357.38	397.09	432.43
159X			159X	366.58	407.31	443.56
215B			215B	9.33	10.36	11.29
234K (16MnCr5)			234K	46.75	51.94	56.56
236F			236F	56.31	62.57	68.14
248D			248D	285.01	316.67	344.86
253A			253A	460.32	511.47	556.99
253F			253F	428.65	476.28	518.67
253L	4722		253L	463.26	514.73	560.55
253S			253S	460.85	512.05	557.63
255G			255G	506.68	562.98	613.08
256G			256G	575.53	639.48	696.39
258D			258D	706.12	784.58	854.40
275A			275A	417.96		505.73
277L			277L (X200)	375.69	417.43	454.58
277Q			277Q	375.69	417.43	454.58
TS280M-LX		9880		24.96	27.73	30.20
280M			280M	34.68		41.97
280T (19MnVS6)			280T	34.68		41.97
280X (19MnVS6)			280X	25.33		30.65
316A			316A	11.03		13.34
322D (25CrMo4)			322D	130.77		158.23
322Y			322Y	97.18	107.97	117.58
326C (4140)			326C	126.83		153.47
327A			327A	173.32		209.72
327A	1233		327A	167.62	186.25	202.82
327A	1291		327A	167.62	186.25	202.82
327B			327B	154.60		187.07
355B			355B	328.01		396.90
356D (34CrNiMo6)			356D	314.43		380.46
368.6		9620		121.41		146.90
398Q			398Q	570.22		689.97
420G			420G	345.44		417.98
495B	6521		495B	503.37		609.08
497Q			497Q (X300)	400.23		484.28
510N			510N	12.49		15.11
513Y			513Y	38.24	42.48	46.27
520M	2721			15.32	17.03	18.54
S355J2(M)		9864		16.31	18.12	19.73
MPS2B ISSUE 2 (S355J2C)		9820		17.60	19.55	21.29
520-S355J2	2723			14.95	16.62	18.09
528A/E (50CrMo4)			528A/E (X500)	128.01	142.24	154.89
593B			593B	121.81	135.34	147.39
593Q			593Q	121.81	135.34	147.39
594Y			594Y	75.65	84.06	91.54
596Y			596Y	158.24	175.83	191.48
667L			677L/Q/T (X600)	162.65		196.81

803J/N/P (100Cr6)	5621		803 J/N/P	62.68	69.65	75.85
803F/Q (100Cr6)			803F/Q (X800)	63.81		77.21
802F	5620		802F	62.63	69.59	75.78
100Cr6		4268		62.63		75.78
824B (100CrMo7)			824B	156.09		188.87
825B (100CrMo7 3)			825B	188.05		227.54
826B (100CrMo7 4)			826B	258.24		312.47
825T			825T	198.67		240.40
827B			827B	306.30		370.63
837N/R (100CrMn6)			837N/R	70.93		85.83
15MA27	7245			55.58	61.75	67.25
1130	5616			132.41	147.13	
2725	4734			424.91	472.13	
3350	8312			285.15	316.84	
L435-2				460.60	511.77	
1500	7302			300.24	333.60	363.29
Hybrid 55				1188.42	1320.47	1437.99
Hybrid 60				1188.42	1320.47	1437.99
Imanite	6130			392.55	436.16	474.98
IMACRO	8302			202.27	224.75	244.75
IMACRO EL 700	9259			166.99	185.54	202.05
S355	2714			19.43	21.59	23.51
368.6	5478			118.00	131.11	142.78