

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
252.50	280.56	306

Ovako UK scrap & alloy surcharges

Sep-25

Please note for customers buying in Euros
the Q3 exchange rate is £1 = €1.181

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		15.97	17.75	19.33
NV A		8352		5.82	6.47	7.04
525A61/CCr3		9265		94.53	105.04	114.38
525A61/CCr3		4265 VDG		94.53	105.04	114.38
605M36/605A37	5905			126.58	140.64	
635M15/637M17	4712			125.80	139.78	
655M13	4714			438.02	486.69	
655M13	4715			396.89	440.99	
665M17	4801			298.32	331.46	
704A60/CrMo1		4234 VDG		129.17	143.52	156.29
704A60/CrMo1		9234		129.17	143.52	156.29
708M40/708A42	6126	9288 (708M40/708A42)		135.43	150.48	
709M40	6107			178.57	198.41	
709M40	6134			170.04	188.93	
722M24	8310			374.17	415.75	
735A51	7402	9282		70.65	78.50	
805H60		9280		176.52	196.13	
817M40	6506	9205		331.85	368.72	
817M40	6510			331.85	368.72	
817M40 + S		4205		327.29	363.66	
817M40			356B	331.43	368.25	401.03
826M40	6518			539.06	598.96	
945M38	6201			195.66	217.40	
SAE 1046		8673		33.29	36.99	
4130	6037	9226		171.10	190.11	
4140	6080	9288 (4140)		135.70	150.78	164.20
4140 Ni .2/.25	1272			155.58	172.87	
SAE 4140 Ni .35/.50	6139			187.57	208.42	226.97
SAE1117 ASTM A29		9133		9.26	10.29	11.20
4140 Mod (MPS 14)		9240		114.21	126.90	
4140H	6115			132.74	147.49	
4145	6097			131.72	146.36	
4150	6112	9286 (4150)		131.72	146.36	
4340	6514			333.82	370.91	
5160		9261		39.37	43.75	
8620	4542			171.37	190.41	207.36
8620	4548	9225	152G	171.58	190.65	207.62
8620(M)		9253		171.24	190.26	207.20
100Cr6	5621		803 J/N/P	63.96	71.07	77.40
CHAP031		9663		21.41	23.79	25.91
15B35Hm		9667		25.39	28.22	30.73
15B41 MOD		4689 VDG		34.09	37.88	41.25
15B41 MOD	5497			34.09	37.88	41.25
SB24M13B		9643		17.14	19.05	
SB27M12CB		9660		26.95	29.94	32.61
SB30M13B	9662			16.80	18.67	20.33
27M12B		9654		16.80	18.67	20.33
SB30M10B		9651		7.32	8.13	8.85
SB30M12CB		9661		29.53	32.81	35.73
SB33M15CB		4679		30.58	33.98	37.01
SB43M14B		4678		74.12	82.36	89.69
SB600		9823		27.91	31.01	33.77
16MnCr5	4316	9218		44.86	49.84	
16MnCr5	4306	9661		44.86	49.84	
17Cr3	5502			35.77	39.75	43.29

17MnV6	7252	9875		25.49	28.32	30.84
18CrNiMo7-6	4761			366.67	407.41	443.67
20MnCr5	4324			55.84	62.05	
20MnCr5	4334			55.84	62.05	
20MnB5+Cr+HH		4642		19.58	21.76	
20NiCrMo2	4532			134.83	149.81	
23MnNiMoCr54So		4209		385.81	428.68	
23MnNiMoCr54		4219		399.46	443.84	
27MnCrB5	5465			25.95	28.84	
30CrNiMo8	6507			482.80	536.45	
31CrMoV9	6140			218.99	243.32	
33MnCrB5/MPS 16		4648 VDG		139.33	154.81	
MPS16		4648		139.33	154.81	
34CrNiMo6	6499	9205		362.55	402.83	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		90.92	101.02	
38MnSiV6	7221			29.47	32.74	
38MnVs6		4873		25.16	27.96	
40CrMo4	6077			145.94	162.16	176.59
42CrMo4	6082	9288 (42CrMo4)		145.88	162.09	
42CrMO4	1252			139.98	155.53	169.38
42CrMo4		4288		122.27	135.86	147.95
42CrMo4 MOD	6103			192.85	214.28	233.35
42CrMoS4+HH		9287		145.88	162.09	176.52
42CD4	1279			120.89	134.32	146.27
42MnV5		9859		68.84	76.49	83.30
49MnVs3		4850		19.61	21.79	23.73
50CrV4		9282		70.65	78.50	85.49
50CrMo4	6136			145.75	161.95	176.36
51CrV4		4282		72.11	80.12	87.26
51CrV4		4254		118.28	131.42	143.12
51CrV4		9212		65.49	72.77	79.24
51CrV4		4292		76.23	84.70	92.23
51CrV4 Type 1		4291		69.86	77.63	84.54
51CrMoV4		9296		152.27	169.19	184.25
52CrMoV4		4283		150.95	167.72	182.65
52CrMoV4		4296		147.36	163.73	178.30
51CrV4m4		4290		76.09	84.54	92.07
251A58		9073		29.83	33.14	36.09
56SiCr7		9072		20.97	23.30	25.38
56SiCr7		9084		30.68	34.09	
56SiCr7 Mod		9071		31.12	34.57	
61SiCr7(32-45 mm)		4077		35.96	39.95	
92506 (320/380)	4540			170.32	189.24	
92520	4738			260.10	289.00	
92520	4739			255.08	283.42	
92523	4741			226.85	252.05	
92506 'A Level'	1280			173.71	193.01	
92523	4743			214.10	237.89	
92245H	5515			81.39	90.44	98.49
3M		9885		77.54	86.16	
3M Issue 19		4885		56.08	62.31	
Ovako 482 (10M)		9857		29.45	32.72	
14M		4857		35.54	39.49	
17M/18M		9858		14.74	16.38	
17M		9891		14.74	16.38	
S460NL		9856		14.74	16.38	
A193 B7	6093			131.72	146.36	
A193 B16	6098			334.95	372.17	
A320 L7	1281			131.72	146.36	
A320 L7	6137			131.72	146.36	
A320 L7	6135			170.15	189.06	
ASTM A 350 LF2	2735			7.15	7.94	8.65
EN11		9262		31.84	35.38	
SMO215(HYTUFF)	4803			411.28	456.97	497.64
TB1398	4740			227.53	252.81	
V2525-75 (146S)	4757		146S	212.86	236.51	257.56

V2142	7256			25.91	28.79	31.35
V2158	4326			57.13	63.48	
V2158		4222		74.65	82.95	
V2244-75	1266			146.37	162.63	
V2244-00	6129			146.37	162.63	
V2250	6112			133.34	148.16	
V2527-70	4701			232.33	258.15	
453C (SS142534)			453C	491.66	546.29	594.91
SB500		9816		23.25	25.83	
V2906	7216	9850		18.91	21.01	
V2908		4108		18.27	20.30	
Cromobolt	6116			175.34	194.82	212.16
047A			047A	5.88	6.54	7.12
047R			047R	3.56	3.96	4.31
143A			143A	46.76	51.95	56.58
146S (V2525-75)	4757		146S	212.86	236.51	257.56
152G (8620)	4548	9225	152G	171.58	190.65	207.62
157C (4320)			157C	331.23	368.04	400.79
157F			157F	350.77	389.74	424.43
157Q			157Q	197.85	219.84	239.40
158Q			158Q	555.99	617.77	672.75
159B			159B	371.36	412.62	449.35
159X			159X	381.09	423.43	461.11
215B			215B	10.34	11.49	12.51
234K (16MnCr5)			234K	48.12	53.47	58.23
236F			236F	57.87	64.30	70.03
248D			248D	290.77	323.08	351.83
253A			253A	475.26	528.06	575.06
253F			253F	442.58	491.75	535.52
253L	4722		253L	478.13	531.25	578.53
253S			253S	475.80	528.67	575.72
255G			255G	521.59	579.55	631.13
256G			256G	594.72	660.80	719.61
258D			258D	743.65	826.28	899.82
275A			275A	436.70		528.41
277L			277L (X200)	393.16	436.85	475.73
277Q			277Q	393.16	436.85	475.73
TS280M-LX		9880		25.78	28.64	31.19
280M			280M	35.71		43.21
280T (19MnVS6)			280T	35.71		43.21
280X (19MnVS6)			280X	26.19		31.69
316A			316A	12.19		14.75
322D (25CrMo4)			322D	138.38		167.44
322Y			322Y	103.49	114.99	125.22
326C (4140)			326C	134.16		162.34
327A			327A	182.63		220.98
327A	1233		327A	176.49	196.10	213.56
327A	1291		327A	176.49	196.10	213.56
327B			327B	163.29		197.58
355B			355B	340.57		412.09
356D (34CrNiMo6)			356D	326.52		395.09
368.6		9620		126.49		153.05
398Q			398Q	601.85		728.24
420G			420G	363.68		440.05
495B	6521		495B	534.53		646.78
497Q			497Q (X300)	418.02		505.80
510N			510N	13.26		16.05
513Y			513Y	39.37	43.75	47.64
520M	2721			16.00	17.77	19.36
S355J2(M)		9864		16.93	18.81	20.48
MPS2B ISSUE 2 (S355J2C)		9820		18.24	20.27	22.07
520-S355J2	2723			15.76	17.51	19.07
528A/E (50CrMo4)			528A/E (X500)	135.31	150.34	163.72
593B			593B	125.42	139.36	151.76
593Q			593Q	125.42	139.36	151.76
594Y			594Y	76.53	85.03	92.60
596Y			596Y	165.65	184.05	200.43
667L			677L/Q/T (X600)	173.29		209.68

803J/N/P (100Cr6)	5621		803 J/N/P	63.96	71.07	77.40
803F/Q (100Cr6)			803F/Q (X800)	65.12		78.79
802F	5620		802F	63.89	70.99	77.31
100Cr6		4268		63.89		77.31
824B (100CrMo7)			824B	163.63		197.99
825B (100CrMo7 3)			825B	198.03		239.62
826B (100CrMo7 4)			826B	273.51		330.95
825T			825T	209.52		253.52
827B			827B	325.05		393.31
837N/R (100CrMn6)			837N/R	72.98		88.31
15MA27	7245			57.71	64.12	69.82
1130	5616			140.16	155.73	
2725	4734			438.82	487.58	
3350	8312			298.84	332.05	
L435-2				475.53	528.36	
1500	7302			314.51	349.45	380.55
Hybrid 55				1225.80	1362.00	1483.22
Hybrid 60				1225.80	1362.00	1483.22
Imanite	6130			415.00	461.12	502.15
IMACRO	8302			207.68	230.76	251.29
IMACRO EL 700	9259			169.93	188.81	205.61
S355	2714			20.08	22.31	24.30
368.6	5478			122.98	136.65	148.81