

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
242.50	269.44	293

Ovako UK scrap & alloy surcharges

Dec-25

Please note for customers buying in Euros
the Q4 exchange rate is £1 = €1.160

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		15.97	17.74	19.32
NV A		8352		5.19	5.76	6.27
525A61/CCr3		9265		97.18	107.97	117.58
525A61/CCr3		4265 VDG		97.18	107.97	117.58
605M36/605A37	5905			129.84	144.27	
635M15/637M17	4712			127.61	141.79	
655M13	4714			445.90	495.45	
655M13	4715			403.06	447.85	
665M17	4801			304.34	338.15	
704A60/CrMo1		4234 VDG		133.04	147.82	160.98
704A60/CrMo1		9234		133.04	147.82	160.98
708M40/708A42	6126	9288 (708M40/708A42)		139.73	155.25	
709M40	6107			184.41	204.90	
709M40	6134			175.55	195.05	
722M24	8310			387.91	431.02	
735A51	7402	9282		72.86	80.96	
805H60		9280		180.27	200.30	
817M40	6506	9205		339.91	377.68	
817M40	6510			339.91	377.68	
817M40 + S		4205		335.22	372.47	
817M40			356B	339.57	377.30	410.88
826M40	6518			552.12	613.47	
945M38	6201			199.92	222.13	
SAE 1046		8673		33.33	37.03	
4130	6037	9226		175.26	194.74	
4140	6080	9288 (4140)		140.07	155.63	169.48
4140 Ni .2/.25	1272			160.00	177.77	
SAE 4140 Ni .35/.50	6139			192.69	214.09	233.15
SAE1117 ASTM A29		9133		8.27	9.19	10.01
4140 Mod (MPS 14)		9240		116.81	129.79	
4140H	6115			136.85	152.06	
4145	6097			135.79	150.88	
4150	6112	9286 (4150)		135.79	150.88	
4340	6514			341.94	379.93	
5160		9261		40.06	44.52	
8620	4542			175.52	195.02	212.38
8620	4548	9225	152G	175.69	195.21	212.59
8620(M)		9253		175.39	194.88	212.22
100Cr6	5621		803 J/N/P	66.03	73.37	79.90
CHAP031		9663		21.05	23.39	25.47
15B35Hm		9667		25.24	28.04	30.54
15B41 MOD		4689 VDG		34.02	37.80	41.16
15B41 MOD	5497			34.02	37.80	41.16
SB24M13B		9643		16.64	18.49	
SB27M12CB		9660		26.89	29.88	32.54
SB30M13B	9662			16.31	18.12	19.73
27M12B		9654		16.31	18.12	19.73
SB30M10B		9651		6.56	7.29	7.94
SB30M12CB		9661		29.52	32.80	35.72
SB33M15CB		4679		30.41	33.79	36.80
SB43M14B		4678		75.05	83.39	90.82
SB600		9823		28.54	31.71	34.53
16MnCr5	4316	9218		46.09	51.21	
16MnCr5	4306	9661		46.09	51.21	
17Cr3	5502			36.47	40.52	44.12

17MnV6	7252	9875		25.08	27.87	30.35
18CrNiMo7-6	4761			375.99	417.76	454.95
20MnCr5	4324			56.97	63.30	
20MnCr5	4334			56.97	63.30	
20MnB5+Cr+HH		4642		19.26	21.40	
20NiCrMo2	4532			136.40	151.55	
23MnNiMoCr54So		4209		396.41	440.45	
23MnNiMoCr54		4219		410.57	456.19	
27MnCrB5	5465			25.83	28.70	
30CrNiMo8	6507			495.32	550.36	
31CrMoV9	6140			227.07	252.30	
33MnCrB5/MPS 16		4648 VDG		140.79	156.43	
MPS16		4648		140.79	156.43	
34CrNiMo6	6499	9205		371.67	412.97	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		93.43	103.81	
38MnSiV6	7221			29.43	32.70	
38MnVs6		4873		25.02	27.80	
40CrMo4	6077			150.64	167.38	182.28
42CrMo4	6082	9288 (42CrMo4)		150.56	167.29	
42CrMO4	1252			144.34	160.38	174.66
42CrMo4		4288		126.14	140.15	152.63
42CrMo4 MOD	6103			199.35	221.50	241.21
42CrMoS4+HH		9287		150.56	167.29	182.18
42CD4	1279			124.55	138.39	150.70
42MnV5		9859		69.70	77.45	84.34
49MnVs3		4850		19.52	21.69	23.62
50CrV4		9282		72.86	80.96	88.16
50CrMo4	6136			150.40	167.11	181.98
51CrV4		4282		74.91	83.23	90.64
51CrV4		4254		122.05	135.62	147.69
51CrV4		9212		67.44	74.93	81.60
51CrV4		4292		78.46	87.18	94.94
51CrV4 Type 1		4291		71.85	79.84	86.94
51CrMoV4		9296		157.32	174.80	190.36
52CrMoV4		4283		155.98	173.31	188.74
52CrMoV4		4296		152.25	169.17	184.22
51CrV4m4		4290		78.33	87.04	94.78
251A58		9073		26.98	29.98	32.64
56SiCr7		9072		17.70	19.67	21.42
56SiCr7		9084		28.47	31.63	
56SiCr7 Mod		9071		28.29	31.44	
61SiCr7(32-45 mm)		4077		33.72	37.46	
92506 (320/380)	4540			174.66	194.06	
92520	4738			265.90	295.44	
92520	4739			260.51	289.46	
92523	4741			231.56	257.29	
92506 'A Level'	1280			178.17	197.96	
92523	4743			218.53	242.82	
92245H	5515			83.71	93.01	101.28
3M		9885		79.92	88.80	
3M Issue 19		4885		57.61	64.02	
Ovako 482 (10M)		9857		29.33	32.58	
14M		4857		35.68	39.64	
17M/18M		9858		15.51	17.24	
17M		9891		15.51	17.24	
S460NL		9856		15.51	17.24	
A193 B7	6093			135.79	150.88	
A193 B16	6098			347.22	385.80	
A320 L7	1281			135.79	150.88	
A320 L7	6137			135.79	150.88	
A320 L7	6135			175.15	194.61	
ASTM A 350 LF2	2735			6.42	7.14	7.77
EN11		9262		32.39	35.99	
SMO215(HYTUFF)	4803			418.31	464.78	506.15
TB1398	4740			232.19	257.99	
V2525-75 (146S)	4757		146S	217.59	241.77	263.28

V2142	7256			25.43	28.25	30.77
V2158	4326			58.28	64.76	
V2158		4222		76.59	85.10	
V2244-75	1266			150.99	167.77	
V2244-00	6129			150.99	167.77	
V2250	6112			137.53	152.81	
V2527-70	4701			236.85	263.16	
453C (SS142534)			453C	501.73	557.48	607.10
SB500		9816		23.50	26.12	
V2906	7216	9850		18.78	20.87	
V2908		4108		17.15	19.06	
Cromobolt	6116			181.18	201.31	219.22
047A			047A	5.21	5.79	6.30
047R			047R	3.31	3.68	4.00
143A			143A	47.65	52.94	57.65
146S (V2525-75)	4757		146S	217.59	241.77	263.28
152G (8620)	4548	9225	152G	175.69	195.21	212.59
157C (4320)			157C	338.36	375.96	409.42
157F			157F	360.55	400.61	436.27
157Q			157Q	201.10	223.45	243.34
158Q			158Q	570.75	634.16	690.60
159B			159B	380.78	423.08	460.74
159X			159X	390.83	434.25	472.90
215B			215B	9.32	10.36	11.28
234K (16MnCr5)			234K	49.00	54.45	59.29
236F			236F	59.09	65.65	71.50
248D			248D	296.65	329.61	358.95
253A			253A	485.14	539.04	587.02
253F			253F	452.07	502.30	547.01
253L	4722		253L	488.03	542.25	590.51
253S			253S	485.69	539.65	587.68
255G			255G	532.02	591.14	643.75
256G			256G	607.07	674.52	734.55
258D			258D	765.86	850.95	926.69
275A			275A	445.17		538.65
277L			277L (X200)	406.57	451.75	491.95
277Q			277Q	406.57	451.75	491.95
TS280M-LX		9880		25.44	28.26	30.78
280M			280M	35.72		43.22
280T (19MnVS6)			280T	35.72		43.22
280X (19MnVS6)			280X	25.82		31.24
316A			316A	11.06		13.38
322D (25CrMo4)			322D	142.88		172.88
322Y			322Y	106.36	118.18	128.69
326C (4140)			326C	138.29		167.33
327A			327A	188.10		227.61
327A	1233		327A	181.74	201.93	219.90
327A	1291		327A	181.74	201.93	219.90
327B			327B	168.31		203.66
355B			355B	348.02		421.10
355E			355E	367.73		444.95
356D (34CrNiMo6)			356D	334.54		404.80
368.6		9620		128.98		156.07
398Q			398Q	624.48		755.62
420G			420G	376.96		456.12
495B	6521		495B	552.43		668.44
497Q			497Q (X300)	425.89		515.32
510N			510N	12.83		15.52
513Y			513Y	40.06	44.52	48.48
520M	2721			15.58	17.31	18.85
S355J2(M)		9864		16.59	18.44	20.08
MPS2B ISSUE 2 (S355J2C)		9820		17.92	19.91	21.69
520-S355J2	2723			15.16	16.85	18.35
S355J2	2709			7.64	8.49	9.25
528A/E (50CrMo4)			528A/E (X500)	139.56	155.07	168.87
593B			593B	129.16	143.51	156.29
593Q			593Q	129.16	143.51	156.29
594Y			594Y	79.01	87.79	95.60

596Y			596Y	171.76	190.85	207.83
667L			677L/Q/T (X600)	176.22		213.23
803J/N/P (100Cr6)	5621		803 J/N/P	66.03	73.37	79.90
803F/Q (100Cr6)			803F/Q (X800)	67.22		81.33
802F	5620		802F	65.98	73.32	79.84
100Cr6		4268		65.98		79.84
824B (100CrMo7)			824B	169.34		204.90
825B (100CrMo7 3)			825B	204.76		247.76
826B (100CrMo7 4)			826B	282.97		342.39
825T			825T	216.50		261.97
827B			827B	335.86		406.38
837N/R (100CrMn6)			837N/R	74.34		89.95
15MA27	7245			58.20	64.66	70.42
1130	5616			144.92	161.03	
2725	4734			448.67	498.52	
3350	8312			309.80	344.23	
L435-2				485.43	539.37	
1500	7302			320.83	356.48	388.20
Hybrid 55				1256.01	1395.57	1519.77
Hybrid 60				1256.01	1395.57	1519.77
Imanite	6130			430.26	478.07	520.62
IMACRO	8302			215.38	239.31	260.61
IMACRO EL 700	9259			176.24	195.82	213.25
S355	2714			19.81	22.01	23.97
368.6	5478			125.48	139.43	151.83