

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
247.50	275.00	299

Ovako UK scrap & alloy surcharges

Jan-26

Please note for customers buying in Euros
the Q1 exchange rate is £1 = €1.145

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		17.93	19.92	21.70
NV A		8352		6.95	7.73	8.41
525A61/CCr3		9265		95.08	105.65	115.05
525A61/CCr3		4265 VDG		95.08	105.65	115.05
605M36/605A37	5905			122.54	136.15	
635M15/637M17	4712			125.60	139.55	
655M13	4714			428.49	476.09	
655M13	4715			389.98	433.31	
665M17	4801			288.75	320.83	
704A60/CrMo1		4234 VDG		127.69	141.88	154.51
704A60/CrMo1		9234		127.69	141.88	154.51
708M40/708A42	6126	9288 (708M40/708A42)		134.13	149.04	
709M40	6107			175.00	194.44	
709M40	6134			166.93	185.48	
722M24	8310			368.65	409.61	
735A51	7402	9282		74.98	83.31	
805H60		9280		173.77	193.08	
817M40	6506	9205		324.71	360.78	
817M40	6510			324.71	360.78	
817M40 + S		4205		321.02	356.69	
817M40			356B	324.22	360.25	392.31
826M40	6518			521.70	579.67	
945M38	6201			191.94	213.26	
SAE 1046		8673		34.59	38.44	
4130	6037	9226		167.17	185.75	
4140	6080	9288 (4140)		134.27	149.18	162.46
4140 Ni .2/.25	1272			153.54	170.60	
SAE 4140 Ni .35/.50	6139			184.41	204.90	223.13
SAE1117 ASTM A29		9133		11.08	12.31	13.40
4140 Mod (MPS 14)		9240		116.06	128.96	
4140H	6115			131.36	145.96	
4145	6097			130.30	144.78	
4150	6112	9286 (4150)		130.30	144.78	
4340	6514			324.58	360.65	
5160		9261		42.21	46.90	
8620	4542			167.51	186.12	202.69
8620	4548	9225	152G	167.75	186.39	202.98
8620(M)		9253		167.34	185.94	202.48
100Cr6	5621		803 J/N/P	67.41	74.90	81.57
CHAP031		9663		23.84	26.49	28.85
15B35Hm		9667		28.01	31.12	33.89
15B41 MOD		4689 VDG		37.45	41.61	45.32
15B41 MOD	5497			37.45	41.61	45.32
SB24M13B		9643		19.36	21.51	
SB27M12CB		9660		29.53	32.82	35.74
SB30M13B	9662			18.93	21.03	22.90
27M12B		9654		18.93	21.03	22.90
SB30M10B		9651		8.77	9.75	10.61
SB30M12CB		9661		32.32	35.92	39.11
SB33M15CB		4679		33.65	37.39	40.72
SB43M14B		4678		73.30	81.44	88.69
SB600		9823		30.17	33.52	36.51
16MnCr5	4316	9218		48.00	53.33	
16MnCr5	4306	9661		48.00	53.33	
17Cr3	5502			38.16	42.40	46.17

17MnV6	7252	9875		28.48	31.64	34.46
18CrNiMo7-6	4761			359.77	399.75	435.32
20MnCr5	4324			59.81	66.45	
20MnCr5	4334			59.81	66.45	
20MnB5+Cr+HH		4642		21.80	24.22	
20NiCrMo2	4532			135.65	150.72	
23MnNiMoCr54So		4209		372.91	414.34	
23MnNiMoCr54		4219		385.88	428.76	
27MnCrB5	5465			28.53	31.70	
30CrNiMo8	6507			472.62	525.13	
31CrMoV9	6140			220.08	244.53	
33MnCrB5/MPS 16		4648 VDG		139.22	154.69	
MPS16		4648		139.22	154.69	
34CrNiMo6	6499	9205		355.44	394.93	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		92.35	102.61	
38MnSiV6	7221			32.34	35.93	
38MnVs6		4873		27.89	30.98	
40CrMo4	6077			144.01	160.02	174.26
42CrMo4	6082	9288 (42CrMo4)		143.92	159.91	
42CrMO4	1252			138.69	154.10	167.81
42CrMo4		4288		121.39	134.88	146.88
42CrMo4 MOD	6103			188.80	209.78	228.45
42CrMoS4+HH		9287		143.92	159.91	174.15
42CD4	1279			120.24	133.60	145.49
42MnV5		9859		72.02	80.02	87.14
49MnVs3		4850		21.60	24.00	26.13
50CrV4		9282		74.98	83.31	90.72
50CrMo4	6136			143.74	159.71	173.92
51CrV4		4282		76.34	84.82	92.37
51CrV4		4254		121.02	134.46	146.43
51CrV4		9212		69.61	77.35	84.23
51CrV4		4292		81.04	90.05	98.06
51CrV4 Type 1		4291		74.34	82.60	89.96
51CrMoV4		9296		151.89	168.76	183.78
52CrMoV4		4283		151.64	168.49	183.49
52CrMoV4		4296		147.92	164.35	178.98
51CrV4m4		4290		80.88	89.86	97.86
251A58		9073		33.60	37.33	40.65
56SiCr7		9072		24.39	27.10	29.51
56SiCr7		9084		34.09	37.87	
56SiCr7 Mod		9071		34.99	38.88	
61SiCr7(32-45 mm)		4077		39.99	44.44	
92506 (320/380)	4540			166.30	184.78	
92520	4738			256.03	284.48	
92520	4739			251.06	278.96	
92523	4741			224.07	248.97	
92506 'A Level'	1280			169.44	188.27	
92523	4743			212.03	235.58	
92245H	5515			82.87	92.08	100.27
3M		9885		80.46	89.40	
3M Issue 19		4885		59.70	66.33	
Ovako 482 (10M)		9857		32.44	36.05	
14M		4857		38.80	43.12	
17M/18M		9858		15.46	17.18	
17M		9891		15.46	17.18	
S460NL		9856		15.46	17.18	
A193 B7	6093			130.30	144.78	
A193 B16	6098			326.77	363.07	
A320 L7	1281			130.30	144.78	
A320 L7	6137			130.30	144.78	
A320 L7	6135			167.66	186.29	
ASTM A 350 LF2	2735			8.58	9.53	10.38
EN11		9262		34.10	37.89	
SMO215(HYTUFF)	4803			400.82	445.36	485.00
TB1398	4740			224.91	249.90	
V2525-75 (146S)	4757		146S	209.85	233.17	253.92

V2142	7256			28.96	32.18	35.04
V2158	4326			61.20	68.00	
V2158		4222		77.61	86.23	
V2244-75	1266			144.50	160.55	
V2244-00	6129			144.50	160.55	
V2250	6112			131.92	146.58	
V2527-70	4701			231.84	257.61	
453C (SS142534)			453C	480.15	533.51	580.99
SB500		9816		25.73	28.59	
V2906	7216	9850		20.86	23.18	
V2908		4108		20.88	23.20	
Cromobolt	6116			173.73	193.03	210.21
047A			047A	7.01	7.78	8.48
047R			047R	4.35	4.83	5.26
143A			143A	50.17	55.75	60.71
146S (V2525-75)	4757		146S	209.85	233.17	253.92
152G (8620)	4548	9225	152G	167.75	186.39	202.98
157C (4320)			157C	322.45	358.27	390.16
157F			157F	338.94	376.60	410.12
157Q			157Q	197.22	219.13	238.64
158Q			158Q	535.10	594.55	647.47
159B			159B	364.17	404.64	440.65
159X			159X	373.73	415.25	452.21
215B			215B	12.43	13.81	15.04
234K (16MnCr5)			234K	51.64	57.38	62.49
236F			236F	61.93	68.81	74.94
248D			248D	289.88	322.09	350.76
253A			253A	465.24	516.93	562.94
253F			253F	433.08	481.20	524.03
253L	4722		253L	468.02	520.02	566.31
253S			253S	465.83	517.59	563.65
255G			255G	511.05	567.84	618.38
256G			256G	580.47	644.97	702.37
258D			258D	718.94	798.83	869.92
275A			275A	427.69		517.51
277L			277L (X200)	387.44	430.49	468.80
277Q			277Q	387.44	430.49	468.80
TS280M-LX		9880		28.71	31.90	34.74
280M			280M	39.16		47.38
280T (19MnVS6)			280T	39.16		47.38
280X (19MnVS6)			280X	29.21		35.35
316A			316A	14.70		17.78
322D (25CrMo4)			322D	136.28		164.90
322Y			322Y	102.01	113.35	123.44
326C (4140)			326C	132.92		160.84
327A			327A	179.57		217.28
327A	1233		327A	173.87	193.19	210.38
327A	1291		327A	173.87	193.19	210.38
327B			327B	160.35		194.03
355B			355B	332.53		402.36
355E			355E	351.02		424.73
356D (34CrNiMo6)			356D	320.69		388.04
368.6		9620		125.69		152.08
398Q			398Q	587.72		711.15
420G			420G	358.75		434.09
495B	6521		495B	515.52		623.78
497Q			497Q (X300)	409.47		495.45
510N			510N	14.89		18.02
513Y			513Y	42.21	46.90	51.07
520M	2721			18.04	20.04	21.83
S355J2(M)		9864		18.92	21.02	22.89
MPS2B ISSUE 2 (S355J2C)		9820		20.42	22.68	24.70
520-S355J2	2723			17.98	19.98	21.76
S355J2	2709			10.16	11.29	12.29
528A/E (50CrMo4)			528A/E (X500)	133.95	148.83	162.08
593B			593B	127.60	141.78	154.40
593Q			593Q	127.60	141.78	154.40
594Y			594Y	81.21	90.23	98.26

596Y			596Y	164.60	182.89	199.16
667L			677L/Q/T (X600)	173.27		209.65
803J/N/P (100Cr6)	5621		803 J/N/P	67.41	74.90	81.57
803F/Q (100Cr6)			803F/Q (X800)	68.64		83.05
802F	5620		802F	67.34	74.82	81.48
100Cr6		4268		67.34		81.48
824B (100CrMo7)			824B	163.17		197.43
825B (100CrMo7 3)			825B	196.32		237.55
826B (100CrMo7 4)			826B	267.83		324.08
825T			825T	207.39		250.94
827B			827B	317.94		384.70
837N/R (100CrMn6)			837N/R	77.86		94.21
15MA27	7245			60.87	67.63	73.65
1130	5616			137.49	152.76	
2725	4734			429.39	477.10	
3350	8312			297.29	330.32	
L435-2				465.49	517.21	
1500	7302			309.58	343.98	374.60
Hybrid 55				1208.22	1342.46	1461.94
Hybrid 60				1208.22	1342.46	1461.94
Imanite	6130			404.14	449.04	489.00
IMACRO	8302			214.90	238.77	260.02
IMACRO EL 700	9259			178.81	198.68	216.36
S355	2714			22.42	24.92	27.13
368.6	5478			122.28	135.87	147.96