

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
252.50	280.56	306

Ovako UK scrap & alloy surcharges

Feb-26 Please note for customers buying in Euros the Q1 exchange rate is £1 = €1.145

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		19.63	21.81	23.75
NV A		8352		8.58	9.53	10.38
525A61/CCr3		9265		99.13	110.14	119.94
525A61/CCr3		4265 VDG		99.13	110.14	119.94
605M36/605A37	5905			128.98	143.31	
635M15/637M17	4712			145.35	161.50	
655M13	4714			496.24	551.38	
655M13	4715			458.38	509.31	
665M17	4801			328.10	364.55	
704A60/CrMo1		4234 VDG		132.86	147.62	160.76
704A60/CrMo1		9234		132.86	147.62	160.76
708M40/708A42	6126	9288 (708M40/708A42)		139.15	154.61	
709M40	6107			181.36	201.51	
709M40	6134			173.06	192.28	
722M24	8310			379.01	421.12	
735A51	7402	9282		76.99	85.55	
805H60		9280		190.80	212.00	
817M40	6506	9205		360.17	400.19	
817M40	6510			360.17	400.19	
817M40 + S		4205		356.26	395.84	
817M40			356B	359.57	399.52	435.08
826M40	6518			581.26	645.85	
945M38	6201			212.35	235.95	
SAE 1046		8673		39.42	43.80	
4130	6037	9226		182.72	203.02	
4140	6080	9288 (4140)		139.09	154.54	168.30
4140 Ni .2/.25	1272			163.05	181.17	
SAE 4140 Ni .35/.50	6139			198.22	220.24	239.84
SAE1117 ASTM A29		9133		13.65	15.17	16.52
4140 Mod (MPS 14)		9240		126.96	141.06	
4140H	6115			136.44	151.60	
4145	6097			135.37	150.41	
4150	6112	9286 (4150)		135.37	150.41	
4340	6514			364.42	404.91	
5160		9261		44.51	49.45	
8620	4542			183.13	203.47	221.58
8620	4548	9225	152G	183.43	203.81	221.95
8620(M)		9253		182.92	203.25	221.34
100Cr6	5621		803 J/N/P	69.26	76.96	83.81
CHAP031		9663		26.54	29.49	32.12
15B35Hm		9667		30.74	34.15	37.19
15B41 MOD		4689 VDG		40.87	45.41	49.45
15B41 MOD	5497			40.87	45.41	49.45
SB24M13B		9643		21.95	24.39	
SB27M12CB		9660		32.16	35.73	38.91
SB30M13B	9662			21.43	23.82	25.93
27M12B		9654		21.43	23.82	25.93
SB30M10B		9651		10.81	12.01	13.08
SB30M12CB		9661		35.12	39.02	42.50
SB33M15CB		4679		36.85	40.95	44.59
SB43M14B		4678		81.31	90.35	98.39
SB600		9823		31.85	35.39	38.54
16MnCr5	4316	9218		50.17	55.75	
16MnCr5	4306	9661		50.17	55.75	
17Cr3	5502			40.00	44.45	48.40

17MnV6	7252	9875	31.37	34.86	37.96
18CrNiMo7-6	4761		396.90	441.01	480.25
20MnCr5	4324		62.90	69.89	
20MnCr5	4334		62.90	69.89	
20MnB5+Cr+HH		4642	24.27	26.96	
20NiCrMo2	4532		156.01	173.35	
23MnNiMoCr54So		4209	403.60	448.45	
23MnNiMoCr54		4219	416.93	463.25	
27MnCrB5	5465		31.20	34.67	
30CrNiMo8	6507		521.16	579.06	
31CrMoV9	6140		225.51	250.57	
33MnCrB5/MPS 16		4648 VDG	162.90	181.00	
MPS16		4648	162.90	181.00	
34CrNiMo6	6499	9205	392.51	436.12	
36CrB4 (MPS10)		4646 VDG			
36CrB4 (MPS10)		9646			
36CrB4		4646	97.58	108.42	
38MnSiV6	7221		34.68	38.53	
38MnVs6		4873	30.27	33.63	
40CrMo4	6077		149.29	165.88	180.64
42CrMo4	6082	9288 (42CrMo4)	149.18	165.76	
42CrMO4	1252		143.90	159.89	174.12
42CrMo4		4288	125.94	139.94	152.39
42CrMo4 MOD	6103		195.39	217.10	236.43
42CrMoS4+HH		9287	149.18	165.76	180.51
42CD4	1279		124.94	138.83	151.18
42MnV5		9859	79.25	88.05	95.89
49MnVs3		4850	23.29	25.87	28.18
50CrV4		9282	76.99	85.55	93.16
50CrMo4	6136		148.97	165.52	180.25
51CrV4		4282	77.69	86.32	94.00
51CrV4		4254	124.80	138.67	151.01
51CrV4		9212	71.72	79.69	86.78
51CrV4		4292	83.52	92.81	101.06
51CrV4 Type 1		4291	76.68	85.20	92.78
51CrMoV4		9296	156.77	174.19	189.69
52CrMoV4		4283	156.27	173.64	189.09
52CrMoV4		4296	152.52	169.47	184.55
51CrV4m4		4290	83.32	92.58	100.82
251A58		9073	39.59	43.98	47.90
56SiCr7		9072	30.34	33.71	36.72
56SiCr7		9084	39.21	43.57	
56SiCr7 Mod		9071	41.07	45.63	
61SiCr7(32-45 mm)		4077	45.77	50.85	
92506 (320/380)	4540		181.62	201.80	
92520	4738		286.27	318.08	
92520	4739		282.11	313.45	
92523	4741		251.91	279.90	
92506 'A Level'	1280		183.49	203.87	
92523	4743		237.92	264.36	
92245H	5515		86.17	95.74	104.27
3M		9885	82.93	92.14	
3M Issue 19		4885	61.71	68.57	
Ovako 482 (10M)		9857	34.98	38.87	
14M		4857	41.42	46.02	
17M/18M		9858	15.16	16.85	
17M		9891	15.16	16.85	
S460NL		9856	15.16	16.85	
A193 B7	6093		135.37	150.41	
A193 B16	6098		335.59	372.88	
A320 L7	1281		135.37	150.41	
A320 L7	6137		135.37	150.41	
A320 L7	6135		177.49	197.21	
ASTM A 350 LF2	2735		10.56	11.74	12.78
EN11		9262	35.93	39.92	
SMO215(HYTUFF)	4803		449.09	498.99	543.39
TB1398	4740		252.94	281.04	
V2525-75 (146S)	4757	146S	235.31	261.46	284.73

V2142	7256			31.98	35.53	38.69
V2158	4326			64.38	71.53	
V2158		4222		83.80	93.12	
V2244-75	1266			149.90	166.55	
V2244-00	6129			149.90	166.55	
V2250	6112			136.90	152.11	
V2527-70	4701			264.65	294.05	
453C (SS142534)			453C	548.36	609.29	663.52
SB500		9816		27.56	30.62	
V2906	7216	9850		22.56	25.07	
V2908		4108		24.35	27.06	
Cromobolt	6116			179.66	199.62	217.38
047A			047A	8.65	9.61	10.47
047R			047R	5.33	5.92	6.44
143A			143A	52.89	58.77	64.00
146S (V2525-75)	4757		146S	235.31	261.46	284.73
152G (8620)	4548	9225	152G	183.43	203.81	221.95
157C (4320)			157C	363.74	404.16	440.13
157F			157F	365.61	406.23	442.39
157Q			157Q	227.29	252.55	275.03
158Q			158Q	590.39	655.98	714.37
159B			159B	402.13	446.81	486.58
159X			159X	411.98	457.76	498.50
215B			215B	15.30	17.00	18.52
234K (16MnCr5)			234K	54.47	60.53	65.91
236F			236F	65.04	72.27	78.70
248D			248D	330.72	367.47	400.18
253A			253A	529.14	587.94	640.26
253F			253F	491.40	546.00	594.59
253L	4722		253L	532.77	591.97	644.66
253S			253S	529.78	588.64	641.03
255G			255G	585.14	650.16	708.02
256G			256G	661.32	734.80	800.20
258D			258D	773.94	859.93	936.47
275A			275A	474.89		574.62
277L			277L (X200)	406.49	451.65	491.85
277Q			277Q	406.49	451.65	491.85
TS280M-LX		9880		31.48	34.98	38.09
280M			280M	42.19		51.05
280T (19MnVS6)			280T	42.19		51.05
280X (19MnVS6)			280X	32.09		38.83
316A			316A	18.07		21.87
322D (25CrMo4)			322D	141.07		170.70
322Y			322Y	106.75	118.61	129.17
326C (4140)			326C	138.13		167.13
327A			327A	189.67		229.50
327A	1233		327A	183.85	204.28	222.46
327A	1291		327A	183.85	204.28	222.46
327B			327B	168.42		203.79
355B			355B	374.20		452.78
355E			355E	394.22		477.01
356D (34CrNiMo6)			356D	355.12		429.69
368.6		9620		139.40		168.68
398Q			398Q	603.08		729.73
420G			420G	368.85		446.31
495B	6521		495B	539.72		653.06
497Q			497Q (X300)	455.90		551.64
510N			510N	16.85		20.39
513Y			513Y	44.51	49.45	53.86
520M	2721			20.18	22.42	24.42
S355J2(M)		9864		20.90	23.23	25.29
MPS2B ISSUE 2 (S355J2C)		9820		22.55	25.06	27.29
520-S355J2	2723			20.47	22.75	24.77
S355J2	2709			12.50	13.88	15.12
528A/E (50CrMo4)			528A/E (X500)	138.93	154.37	168.11
593B			593B	134.65	149.61	162.92
593Q			593Q	134.65	149.61	162.92
594Y			594Y	83.26	92.52	100.75

596Y			596Y	169.05	187.84	204.55
667L			677L/Q/T (X600)	183.03		221.47
803J/N/P (100Cr6)	5621		803 J/N/P	69.26	76.96	83.81
803F/Q (100Cr6)			803F/Q (X800)	70.54		85.35
802F	5620		802F	69.16	76.85	83.69
100Cr6		4268		69.16		83.69
824B (100CrMo7)			824B	167.93		203.19
825B (100CrMo7 3)			825B	202.66		245.22
826B (100CrMo7 4)			826B	276.53		334.60
825T			825T	214.31		259.32
827B			827B	328.98		398.06
837N/R (100CrMn6)			837N/R	81.68		98.84
15MA27	7245			64.68	71.86	78.26
1130	5616			141.98	157.75	
2725	4734			486.08	540.09	
3350	8312			305.33	339.26	
L435-2				529.37	588.18	
1500	7302			338.67	376.30	409.79
Hybrid 55				1341.38	1490.43	1623.07
Hybrid 60				1341.38	1490.43	1623.07
Imanite	6130			415.20	461.33	502.39
IMACRO	8302			220.01	244.45	266.21
IMACRO EL 700	9259			182.80	203.12	221.19
S355	2714			24.65	27.39	29.83
368.6	5478			135.14	150.16	163.52