



Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
252.50	280.56	306

Ovako UK scrap & alloy surcharges

Mar-26 Please note for customers buying in Euros the Q1 exchange rate is £1 = €1.145

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		20.30	22.56	24.56
NV A		8352		8.33	9.26	10.08
525A61/CCr3		9265		108.01	120.02	130.70
525A61/CCr3		4265 VDG		108.01	120.02	130.70
605M36/605A37	5905			144.73	160.81	
635M15/637M17	4712			149.69	166.32	
655M13	4714			516.77	574.19	
655M13	4715			471.75	524.17	
665M17	4801			348.64	387.38	
704A60/CrMo1		4234 VDG		146.67	162.96	177.47
704A60/CrMo1		9234		146.67	162.96	177.47
708M40/708A42	6126	9288 (708M40/708A42)		153.45	170.50	
709M40	6107			201.60	223.99	
709M40	6134			192.08	213.43	
722M24	8310			419.69	466.32	
735A51	7402	9282		81.07	90.08	
805H60		9280		205.48	228.31	
817M40	6506	9205		384.36	427.06	
817M40	6510			384.36	427.06	
817M40 + S		4205		379.34	421.49	
817M40			356B	383.80	426.44	464.40
826M40	6518			623.98	693.31	
945M38	6201			227.77	253.07	
SAE 1046		8673		40.37	44.86	
4130	6037	9226		197.47	219.41	
4140	6080	9288 (4140)		153.44	170.49	185.66
4140 Ni .2/.25	1272			177.84	197.60	
SAE 4140 Ni .35/.50	6139			215.16	239.07	260.35
SAE1117 ASTM A29		9133		13.29	14.76	16.08
4140 Mod (MPS 14)		9240		133.15	147.95	
4140H	6115			150.52	167.25	
4145	6097			149.39	165.99	
4150	6112	9286 (4150)		149.39	165.99	
4340	6514			387.48	430.53	
5160		9261		46.28	51.42	
8620	4542			197.87	219.86	239.43
8620	4548	9225	152G	198.15	220.17	239.77
8620(M)		9253		197.67	219.63	239.18
100Cr6	5621		803 J/N/P	72.75	80.83	88.03
CHAP031		9663		27.02	30.02	32.69
15B35Hm		9667		31.49	34.98	38.10
15B41 MOD		4689 VDG		41.96	46.63	50.78
15B41 MOD	5497			41.96	46.63	50.78
SB24M13B		9643		22.19	24.66	
SB27M12CB		9660		33.02	36.69	39.95
SB30M13B	9662			21.66	24.07	26.21
27M12B		9654		21.66	24.07	26.21
SB30M10B		9651		10.54	11.71	12.75
SB30M12CB		9661		36.11	40.12	43.69
SB33M15CB		4679		37.76	41.96	45.69
SB43M14B		4678		87.64	97.38	106.04
SB600		9823		33.45	37.17	40.47
16MnCr5	4316	9218		52.53	58.37	
16MnCr5	4306	9661		52.53	58.37	
17Cr3	5502			41.64	46.27	50.38
17MnV6	7252	9875		32.12	35.69	38.86
18CrNiMo7-6	4761			423.90	471.00	512.92
20MnCr5	4324			65.51	72.79	
20MnCr5	4334			65.51	72.79	

20MnB5+Cr+HH		4642		24.71	27.45	
20NiCrMo2	4532			160.48	178.31	
23MnNiMoCr54So		4209		442.06	491.18	
23MnNiMoCr54		4219		457.24	508.04	
27MnCrB5	5465			31.98	35.54	
30CrNiMo8	6507			557.38	619.31	
31CrMoV9	6140			246.37	273.74	
33MnCrB5/MPS 16		4648 VDG		167.29	185.87	
MPS16		4648		167.29	185.87	
34CrNiMo6	6499	9205		419.23	465.81	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		104.60	116.22	
38MnSiV6	7221			35.85	39.84	
38MnVs6		4873		31.20	34.67	
40CrMo4	6077			165.08	183.42	199.74
42CrMo4	6082	9288 (42CrMo4)		164.95	183.28	
42CrMO4	1252			158.56	176.18	191.86
42CrMo4		4288		138.66	154.06	167.77
42CrMo4 MOD	6103			217.41	241.57	263.07
42CrMoS4+HH		9287		164.95	183.28	199.59
42CD4	1279			137.29	152.55	166.12
42MnV5		9859		82.10	91.22	99.34
49MnVs3		4850		24.02	26.69	29.06
50CrV4		9282		81.07	90.08	98.10
50CrMo4	6136			164.70	183.00	199.28
51CrV4		4282		82.29	91.43	99.57
51CrV4		4254		134.81	149.79	163.12
51CrV4		9212		75.41	83.79	91.25
51CrV4		4292		87.81	97.56	106.24
51CrV4 Type 1		4291		80.58	89.54	97.50
51CrMoV4		9296		172.32	191.47	208.51
52CrMoV4		4283		170.97	189.96	206.87
52CrMoV4		4296		167.01	185.56	202.08
51CrV4m4		4290		87.60	97.34	106.00
251A58		9073		38.45	42.72	46.52
56SiCr7		9072		28.63	31.81	34.64
56SiCr7		9084		38.56	42.84	
56SiCr7 Mod		9071		39.99	44.43	
61SiCr7(32-45 mm)		4077		45.28	50.31	
92506 (320/380)	4540			196.47	218.30	
92520	4738			302.99	336.65	
92520	4739			297.83	330.92	
92523	4741			265.36	294.84	
92506 'A Level'	1280			199.67	221.86	
92523	4743			250.53	278.37	
92245H	5515			93.01	103.34	112.54
3M		9885		88.70	98.56	
3M Issue 19		4885		64.77	71.97	
Ovako 482 (10M)		9857		36.09	40.10	
14M		4857		42.91	47.68	
17M/18M		9858		16.35	18.17	
17M		9891		16.35	18.17	
S460NL		9856		16.35	18.17	
A193 B7	6093			149.39	165.99	
A193 B16	6098			375.35	417.06	
A320 L7	1281			149.39	165.99	
A320 L7	6137			149.39	165.99	
A320 L7	6135			194.01	215.57	
ASTM A 350 LF2	2735			10.31	11.46	12.48
EN11		9262		37.35	41.50	
SMO215(HYTUFF)	4803			479.68	532.98	580.41
TB1398	4740			266.37	295.97	
V2525-75 (146S)	4757		146S	248.61	276.24	300.82
V2142	7256			32.68	36.31	39.54
V2158	4326			67.06	74.51	
V2158		4222		87.38	97.09	
V2244-75	1266			165.64	184.04	
V2244-00	6129			165.64	184.04	
V2250	6112			151.05	167.83	
V2527-70	4701			273.57	303.96	
453C (SS142534)			453C	576.01	640.01	696.97

SB500		9816		28.73	31.92	
V2906	7216	9850		23.24	25.82	
V2908		4108		24.18	26.86	
Cromobolt	6116			198.05	220.05	239.64
047A			047A	8.38	9.31	10.13
047R			047R	5.29	5.88	6.40
143A			143A	55.05	61.17	66.61
146S (V2525-75)	4757		146S	248.61	276.24	300.82
152G (8620)	4548	9225	152G	198.15	220.17	239.77
157C (4320)			157C	386.21	429.12	467.32
157F			157F	400.96	445.51	485.16
157Q			157Q	234.40	260.45	283.63
158Q			158Q	639.78	710.87	774.14
159B			159B	429.28	476.98	519.43
159X			159X	440.19	489.10	532.63
215B			215B	14.97	16.63	18.11
234K (16MnCr5)			234K	56.67	62.97	68.57
236F			236F	67.79	75.32	82.02
248D			248D	342.04	380.04	413.87
253A			253A	556.41	618.23	673.26
253F			253F	517.26	574.73	625.89
253L	4722		253L	559.92	622.13	677.50
253S			253S	557.07	618.96	674.05
255G			255G	612.29	680.32	740.87
256G			256G	696.22	773.57	842.42
258D			258D	847.59	941.76	1025.58
275A			275A	507.66		614.27
277L			277L (X200)	445.65	495.17	539.24
277Q			277Q	445.65	495.17	539.24
TS280M-LX		9880		32.28	35.87	39.06
280M			280M	43.55		52.70
280T (19MnVS6)			280T	43.55		52.70
280X (19MnVS6)			280X	32.90		39.80
316A			316A	17.74		21.46
322D (25CrMo4)			322D	156.11		188.89
322Y			322Y	118.18	131.31	142.99
326C (4140)			326C	152.27		184.25
327A			327A	207.79		251.42
327A	1233		327A	201.10	223.44	243.33
327A	1291		327A	201.10	223.44	243.33
327B			327B	185.35		224.27
355B			355B	397.02		480.39
355E			355E	418.86		506.82
356D (34CrNiMo6)			356D	378.30		457.74
368.6		9620		147.98		179.06
398Q			398Q	673.37		814.78
420G			420G	408.01		493.69
495B	6521		495B	602.54		729.07
497Q			497Q (X300)	485.86		587.89
510N			510N	16.99		20.56
513Y			513Y	46.28	51.42	56.00
520M	2721			20.53	22.81	24.84
S355J2(M)		9864		21.35	23.72	25.83
MPS2B ISSUE 2 (S355J2C)		9820		23.07	25.63	27.91
520-S355J2	2723			20.68	22.97	25.02
S355J2	2709			12.26	13.62	14.83
528A/E (50CrMo4)			528A/E (X500)	153.19	170.22	185.37
593B			593B	143.94	159.93	174.16
593Q			593Q	143.94	159.93	174.16
594Y			594Y	87.77	97.52	106.20
596Y			596Y	186.73	207.48	225.94
667L			677L/Q/T (X600)	199.25		241.10
803J/N/P (100Cr6)	5621		803 J/N/P	72.75	80.83	88.03
803F/Q (100Cr6)			803F/Q (X800)	74.09		89.65
802F	5620		802F	72.67	80.75	87.94
100Cr6		4268		72.67		87.94
824B (100CrMo7)			824B	184.09		222.75
825B (100CrMo7 3)			825B	223.26		270.14
826B (100CrMo7 4)			826B	307.51		372.09
825T			825T	236.32		285.95
827B			827B	366.03		442.89
837N/R (100CrMn6)			837N/R	84.98		102.82

15MA27	7245			68.38	75.98	82.74
1130	5616			157.60	175.11	
2725	4734			512.53	569.48	
3350	8312			335.58	372.87	
L435-2				556.66	618.51	
1500	7302			363.48	403.87	439.81
Hybrid 55				1420.27	1578.08	1718.53
Hybrid 60				1420.27	1578.08	1718.53
Imanite	6130			464.81	516.46	562.42
IMACRO	8302			234.85	260.94	284.17
IMACRO EL 700	9259			192.70	214.11	233.16
S355	2714			25.28	28.08	30.58
368.6	5478			143.65	159.62	173.82