

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
267.50	297.22	324

Ovako UK scrap & alloy surcharges

May-26 Please note for customers buying in Euros the Q2 exchange rate is £1 = €1.143

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		22.60	25.12	27.35
NV A		8352		8.19	9.10	9.91
525A61/CCr3		9265		116.20	129.11	140.60
525A61/CCr3		4265 VDG		116.20	129.11	140.60
605M36/605A37	5905			153.86	170.95	
635M15/637M17	4712			153.56	170.62	
655M13	4714			529.22	588.02	
655M13	4715			480.09	533.43	
665M17	4801			359.51	399.45	
704A60/CrMo1		4234 VDG		157.57	175.08	190.66
704A60/CrMo1		9234		157.57	175.08	190.66
708M40/708A42	6126	9288 (708M40/708A42)		165.20	183.56	
709M40	6107			216.82	240.91	
709M40	6134			206.61	229.57	
722M24	8310			454.05	504.50	
735A51	7402	9282		91.61	101.79	
805H60		9280		215.22	239.13	
817M40	6506	9205		401.43	446.03	
817M40	6510			401.43	446.03	
817M40 + S		4205		396.24	440.27	
817M40			356B	400.87	445.42	485.06
826M40	6518			649.39	721.54	
945M38	6201			237.82	264.25	
SAE 1046		8673		41.71	46.35	
4130	6037	9226		207.35	230.39	
4140	6080	9288 (4140)		165.33	183.70	200.05
4140 Ni .2/.25	1272			189.40	210.45	
SAE 4140 Ni .35/.50	6139			227.86	253.18	275.71
SAE1117 ASTM A29		9133		13.06	14.51	15.80
4140 Mod (MPS 14)		9240		140.54	156.16	
4140H	6115			161.91	179.90	
4145	6097			160.66	178.51	
4150	6112	9286 (4150)		160.66	178.51	
4340	6514			402.34	447.05	
5160		9261		49.89	55.43	
8620	4542			207.75	230.83	251.38
8620	4548	9225	152G	208.03	231.14	251.71
8620(M)		9253		207.55	230.61	251.13
100Cr6	5621		803 J/N/P	79.63	88.47	96.35
CHAP031		9663		28.20	31.33	34.12
15B35Hm		9667		33.14	36.82	40.10
15B41 MOD		4689 VDG		44.32	49.24	53.63
15B41 MOD	5497			44.32	49.24	53.63
SB24M13B		9643		22.91	25.45	
SB27M12CB		9660		34.93	38.81	42.26
SB30M13B	9662			22.39	24.87	27.09
27M12B		9654		22.39	24.87	27.09
SB30M10B		9651		10.35	11.50	12.53
SB30M12CB		9661		38.23	42.48	46.26
SB33M15CB		4679		39.80	44.23	48.16
SB43M14B		4678		91.13	101.25	110.26
SB600		9823		38.67	42.97	46.79
16MnCr5	4316	9218		56.85	63.17	
16MnCr5	4306	9661		56.85	63.17	
17Cr3	5502			45.06	50.06	54.52
17MnV6	7252	9875		35.66	39.62	43.14
18CrNiMo7-6	4761			444.02	493.35	537.26
20MnCr5	4324			70.72	78.58	
20MnCr5	4334			70.72	78.58	

20MnB5+Cr+HH		4642		25.79	28.66	
20NiCrMo2	4532			165.18	183.54	
23MnNiMoCr54So		4209		465.59	517.33	
23MnNiMoCr54		4219		482.04	535.60	
27MnCrB5	5465			33.74	37.49	
30CrNiMo8	6507			583.88	648.75	
31CrMoV9	6140			270.17	300.19	
33MnCrB5/MPS 16		4648 VDG		170.54	189.49	
MPS16		4648		170.54	189.49	
34CrNiMo6	6499	9205		438.88	487.64	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		112.08	124.53	
38MnSiV6	7221			40.97	45.52	
38MnVs6		4873		35.17	39.08	
40CrMo4	6077			177.71	197.45	215.02
42CrMo4	6082	9288 (42CrMo4)		177.58	197.31	
42CrMO4	1252			170.72	189.69	206.57
42CrMo4		4288		149.31	165.90	180.66
42CrMo4 MOD	6103			233.99	259.99	283.13
42CrMoS4+HH		9287		177.58	197.31	214.87
42CD4	1279			147.76	164.17	178.78
42MnV5		9859		89.47	99.42	108.26
49MnVs3		4850		27.29	30.32	33.02
50CrV4		9282		91.61	101.79	110.85
50CrMo4	6136			177.33	197.04	214.57
51CrV4		4282		93.82	104.25	113.53
51CrV4		4254		149.20	165.77	180.53
51CrV4		9212		84.77	94.19	102.58
51CrV4		4292		98.77	109.75	119.52
51CrV4 Type 1		4291		90.85	100.94	109.93
51CrMoV4		9296		188.46	209.40	228.04
52CrMoV4		4283		188.04	208.93	227.53
52CrMoV4		4296		183.65	204.06	222.22
51CrV4m4		4290		98.57	109.53	119.28
251A58		9073		39.05	43.39	47.25
56SiCr7		9072		28.17	31.30	34.08
56SiCr7		9084		39.71	44.12	
56SiCr7 Mod		9071		40.71	45.23	
61SiCr7(32-45 mm)		4077		46.73	51.92	
92506 (320/380)	4540			206.37	229.30	
92520	4738			315.47	350.52	
92520	4739			309.38	343.75	
92523	4741			275.65	306.28	
92506 'A Level'	1280			210.46	233.85	
92523	4743			260.52	289.46	
92245H	5515			100.42	111.58	121.51
3M		9885		99.11	110.13	
3M Issue 19		4885		72.64	80.72	
Ovako 482 (10M)		9857		41.00	45.56	
14M		4857		48.53	53.92	
17M/18M		9858		20.37	22.64	
17M		9891		20.37	22.64	
S460NL		9856		20.37	22.64	
A193 B7	6093			160.66	178.51	
A193 B16	6098			411.31	457.01	
A320 L7	1281			160.66	178.51	
A320 L7	6137			160.66	178.51	
A320 L7	6135			206.93	229.92	
ASTM A 350 LF2	2735			10.13	11.26	12.26
EN11		9262		40.29	44.76	
SMO215(HYTUFF)	4803			497.77	553.07	602.30
TB1398	4740			276.65	307.39	
V2525-75 (146S)	4757		146S	258.51	287.23	312.79
V2142	7256			36.21	40.23	43.81
V2158	4326			72.37	80.41	
V2158		4222		92.99	103.32	
V2244-75	1266			178.26	198.06	
V2244-00	6129			178.26	198.06	
V2250	6112			162.57	180.63	
V2527-70	4701			282.81	314.23	
453C (SS142534)			453C	593.65	659.61	718.31

SB500		9816		32.73	36.37	
V2906	7216	9850		26.32	29.25	
V2908		4108		24.59	27.32	
Cromobolt	6116			213.66	237.40	258.53
047A			047A	8.23	9.15	9.96
047R			047R	5.20	5.77	6.29
143A			143A	59.33	65.93	71.79
146S (V2525-75)	4757		146S	258.51	287.23	312.79
152G (8620)	4548	9225	152G	208.03	231.14	251.71
157C (4320)			157C	399.94	444.38	483.92
157F			157F	423.01	470.02	511.85
157Q			157Q	241.04	267.82	291.65
158Q			158Q	668.35	742.61	808.70
159B			159B	449.48	499.42	543.87
159X			159X	461.26	512.52	558.13
215B			215B	14.70	16.34	17.79
234K (16MnCr5)			234K	61.06	67.85	73.89
236F			236F	73.23	81.36	88.60
248D			248D	353.70	393.00	427.98
253A			253A	574.62	638.46	695.29
253F			253F	534.84	594.27	647.16
253L	4722		253L	578.02	642.25	699.41
253S			253S	575.32	639.24	696.13
255G			255G	630.56	700.62	762.97
256G			256G	718.19	797.99	869.01
258D			258D	895.75	995.27	1083.85
275A			275A	533.38		645.39
277L			277L (X200)	481.56	535.06	582.68
277Q			277Q	481.56	535.06	582.68
TS280M-LX		9880		36.03	40.03	43.59
280M			280M	48.27		58.41
280T (19MnVS6)			280T	48.27		58.41
280X (19MnVS6)			280X	36.63		44.32
316A			316A	17.42		21.08
322D (25CrMo4)			322D	168.19		203.51
322Y			322Y	126.43	140.47	152.97
326C (4140)			326C	163.77		198.16
327A			327A	221.82		268.40
327A	1233		327A	214.60	238.44	259.66
327A	1291		327A	214.60	238.44	259.66
327B			327B	198.29		239.93
355B			355B	411.74		498.20
355E			355E	434.76		526.06
356D (34CrNiMo6)			356D	395.60		478.67
368.6		9620		154.57		187.03
398Q			398Q	733.93		888.05
420G			420G	441.49		534.21
495B	6521		495B	646.45		782.20
497Q			497Q (X300)	507.86		614.50
510N			510N	17.58		21.27
513Y			513Y	49.89	55.43	60.36
520M	2721			22.42	24.92	27.13
S355J2(M)		9864		23.64	26.27	28.61
MPS2B ISSUE 2 (S355J2C)		9820		25.53	28.37	30.90
520-S355J2	2723			22.16	24.62	26.81
S355J2	2709			12.04	13.38	14.57
528A/E (50CrMo4)			528A/E (X500)	164.95	183.28	199.59
593B			593B	157.45	174.95	190.52
593Q			593Q	157.45	174.95	190.52
594Y			594Y	99.49	110.54	120.38
596Y			596Y	205.13	227.92	248.20
667L			677L/Q/T (X600)	212.66		257.32
803J/N/P (100Cr6)	5621		803 J/N/P	79.63	88.47	96.35
803F/Q (100Cr6)			803F/Q (X800)	81.08		98.11
802F	5620		802F	79.55	88.39	96.26
100Cr6		4268		79.55		96.26
824B (100CrMo7)			824B	199.45		241.34
825B (100CrMo7 3)			825B	241.17		291.82
826B (100CrMo7 4)			826B	331.51		401.13
825T			825T	255.06		308.63
827B			827B	394.01		476.75
837N/R (100CrMn6)			837N/R	91.92		111.22

15MA27	7245			76.30	84.77	92.32
1130	5616			169.95	188.83	
2725	4734			530.48	589.42	
3350	8312			363.86	404.29	
L435-2				574.92	638.80	
1500	7302			384.40	427.11	465.12
Hybrid 55				1494.96	1661.06	1808.90
Hybrid 60				1494.96	1661.06	1808.90
Imanite	6130			507.76	564.17	614.39
IMACRO	8302			256.73	285.25	310.64
IMACRO EL 700	9259			211.42	234.91	255.81
S355	2714			28.11	31.24	34.02
368.6	5478			150.32	167.02	181.88