

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
267.50	297.22	324

## Ovako UK scrap & alloy surcharges

**Jun-26** Please note for customers buying in Euros the Q2 exchange rate is £1 = €1.143

### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		22.31	24.79	26.99
NV A		8352		8.30	9.22	10.04
525A61/CCr3		9265		120.95	134.39	146.35
525A61/CCr3		4265 VDG		120.95	134.39	146.35
605M36/605A37	5905			162.53	180.59	
635M15/637M17	4712			166.20	184.67	
655M13	4714			577.09	641.21	
655M13	4715			525.60	584.00	
665M17	4801			390.46	433.85	
704A60/CrMo1		4234 VDG		164.91	183.24	199.55
704A60/CrMo1		9234		164.91	183.24	199.55
708M40/708A42	6126	9288 (708M40/708A42)		172.72	191.92	
709M40	6107			227.47	252.74	
709M40	6134			216.63	240.70	
722M24	8310			474.86	527.62	
735A51	7402	9282		91.67	101.86	
805H60		9280		229.55	255.05	
817M40	6506	9205		431.18	479.09	
817M40	6510			431.18	479.09	
817M40 + S		4205		425.39	472.66	
817M40			356B	430.64	478.48	521.07
826M40	6518			700.97	778.85	
945M38	6201			254.73	283.04	
SAE 1046		8673		44.11	49.01	
4130	6037	9226		221.50	246.11	
4140	6080	9288 (4140)		172.85	192.05	209.15
4140 Ni .2/.25	1272			199.79	221.99	
SAE 4140 Ni .35/.50	6139			241.66	268.51	292.41
SAE1117 ASTM A29		9133		13.23	14.70	16.01
4140 Mod (MPS 14)		9240		148.35	164.83	
4140H	6115			169.36	188.18	
4145	6097			168.08	186.75	
4150	6112	9286 (4150)		168.08	186.75	
4340	6514			435.09	483.43	
5160		9261		50.90	56.56	
8620	4542			221.91	246.57	268.51
8620	4548	9225	152G	222.18	246.87	268.84
8620(M)		9253		221.71	246.34	268.27
100Cr6	5621		803 J/N/P	81.28	90.31	98.35
CHAP031		9663		28.75	31.94	34.78
15B35Hm		9667		33.80	37.56	40.90
15B41 MOD		4689 VDG		45.21	50.24	54.71
15B41 MOD	5497			45.21	50.24	54.71
SB24M13B		9643		23.35	25.94	
SB27M12CB		9660		35.62	39.58	43.10
SB30M13B	9662			22.80	25.34	27.59
27M12B		9654		22.80	25.34	27.59
SB30M10B		9651		10.50	11.67	12.71
SB30M12CB		9661		39.00	43.33	47.19
SB33M15CB		4679		40.59	45.10	49.11
SB43M14B		4678		97.11	107.91	117.51
SB600		9823		38.01	42.23	45.99
16MnCr5	4316	9218		58.11	64.57	
16MnCr5	4306	9661		58.11	64.57	
17Cr3	5502			45.96	51.06	55.61
17MnV6	7252	9875		35.10	39.00	42.47
18CrNiMo7-6	4761			475.73	528.59	575.64
20MnCr5	4324			72.19	80.21	
20MnCr5	4334			72.19	80.21	

20MnB5+Cr+HH		4642		26.29	29.21	
20NiCrMo2	4532			177.71	197.46	
23MnNiMoCr54So		4209		497.71	553.01	
23MnNiMoCr54		4219		515.05	572.27	
27MnCrB5	5465			34.41	38.23	
30CrNiMo8	6507			626.03	695.59	
31CrMoV9	6140			279.10	310.11	
33MnCrB5/MPS 16		4648 VDG		185.11	205.68	
MPS16		4648		185.11	205.68	
34CrNiMo6	6499	9205		470.47	522.75	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		116.91	129.90	
38MnSiV6	7221			40.01	44.46	
38MnVs6		4873		34.50	38.33	
40CrMo4	6077			186.00	206.67	225.06
42CrMo4	6082	9288 (42CrMo4)		185.87	206.52	
42CrMO4	1252			178.44	198.26	215.91
42CrMo4		4288		156.00	173.33	188.76
42CrMo4 MOD	6103			245.53	272.81	297.09
42CrMoS4+HH		9287		185.87	206.52	224.90
42CD4	1279			154.29	171.43	186.69
42MnV5		9859		91.73	101.92	111.00
49MnVs3		4850		26.69	29.66	32.30
50CrV4		9282		91.67	101.86	110.93
50CrMo4	6136			185.59	206.22	224.57
51CrV4		4282		93.72	104.14	113.41
51CrV4		4254		152.41	169.34	184.41
51CrV4		9212		85.01	94.45	102.86
51CrV4		4292		98.98	109.98	119.77
51CrV4 Type 1		4291		90.89	100.98	109.97
51CrMoV4		9296		195.06	216.73	236.02
52CrMoV4		4283		193.69	215.21	234.36
52CrMoV4		4296		189.21	210.24	228.95
51CrV4m4		4290		98.78	109.76	119.52
251A58		9073		39.26	43.63	47.51
56SiCr7		9072		28.14	31.26	34.05
56SiCr7		9084		40.02	44.47	
56SiCr7 Mod		9071		40.95	45.50	
61SiCr7(32-45 mm)		4077		47.19	52.44	
92506 ( 320/380)	4540			220.54	245.05	
92520	4738			339.08	376.76	
92520	4739			333.07	370.07	
92523	4741			296.46	329.39	
92506 'A Level'	1280			224.24	249.15	
92523	4743			279.76	310.84	
92245H	5515			104.03	115.59	125.87
3M		9885		100.32	111.47	
3M Issue 19		4885		72.85	80.95	
Ovako 482 (10M)		9857		40.10	44.56	
14M		4857		47.79	53.10	
17M/18M		9858		19.52	21.69	
17M		9891		19.52	21.69	
S460NL		9856		19.52	21.69	
A193 B7	6093			168.08	186.75	
A193 B16	6098			427.96	475.51	
A320 L7	1281			168.08	186.75	
A320 L7	6137			168.08	186.75	
A320 L7	6135			218.19	242.43	
ASTM A 350 LF2	2735			10.29	11.43	12.45
EN11		9262		41.10	45.67	
SMO215(HYTUFF)	4803			535.72	595.24	648.22
TB1398	4740			297.48	330.53	
V2525-75 (146S)	4757		146S	278.06	308.95	336.45
V2142	7256			35.64	39.60	43.13
V2158	4326			73.88	82.09	
V2158		4222		97.12	107.91	
V2244-75	1266			186.55	207.28	
V2244-00	6129			186.55	207.28	
V2250	6112			170.03	188.92	
V2527-70	4701			305.02	338.91	
453C (SS142534)			453C	644.59	716.21	779.95

SB500		9816		32.11	35.67	
V2906	7216	9850		25.76	28.62	
V2908		4108		24.95	27.72	
Cromobolt	6116			223.23	248.04	270.11
047A			047A	8.32	9.25	10.07
047R			047R	5.32	5.91	6.43
143A			143A	60.57	67.30	73.29
146S (V2525-75)	4757		146S	278.06	308.95	336.45
152G (8620)	4548	9225	152G	222.18	246.87	268.84
157C (4320)			157C	432.65	480.72	523.50
157F			157F	451.71	501.90	546.57
157Q			157Q	260.77	289.74	315.53
158Q			158Q	720.50	800.55	871.80
159B			159B	481.83	535.36	583.01
159X			159X	494.16	549.06	597.93
215B			215B	14.94	16.60	18.07
234K (16MnCr5)			234K	62.33	69.25	75.42
236F			236F	74.75	83.06	90.45
248D			248D	381.63	424.03	461.77
253A			253A	622.54	691.71	753.27
253F			253F	579.10	643.45	700.71
253L	4722		253L	626.44	696.04	757.99
253S			253S	623.26	692.51	754.14
255G			255G	684.62	760.69	828.39
256G			256G	779.26	865.84	942.90
258D			258D	956.41	1062.68	1157.26
275A			275A	569.38		688.95
277L			277L (X200)	504.78	560.86	610.78
277Q			277Q	504.78	560.86	610.78
TS280M-LX		9880		35.41	39.35	42.85
280M			280M	47.98		58.06
280T (19MnVS6)			280T	47.98		58.06
280X (19MnVS6)			280X	36.03		43.59
316A			316A	17.73		21.45
322D (25CrMo4)			322D	176.06		213.03
322Y			322Y	132.61	147.35	160.46
326C (4140)			326C	171.25		207.22
327A			327A	233.90		283.01
327A	1233		327A	226.23	251.37	273.74
327A	1291		327A	226.23	251.37	273.74
327B			327B	208.78		252.63
355B			355B	444.66		538.04
355E			355E	469.31		567.87
356D (34CrNiMo6)			356D	424.22		513.31
368.6		9620		164.97		199.61
398Q			398Q	766.10		926.98
420G			420G	461.51		558.43
495B	6521		495B	683.05		826.49
497Q			497Q (X300)	543.84		658.05
510N			510N	17.89		21.65
513Y			513Y	50.90	56.56	61.59
520M	2721			22.16	24.62	26.81
S355J2(M)		9864		23.27	25.86	28.16
MPS2B ISSUE 2 (S355J2C)		9820		25.15	27.95	30.44
520-S355J2	2723			22.01	24.45	26.63
S355J2	2709			12.25	13.61	14.82
528A/E (50CrMo4)			528A/E (X500)	172.45	191.62	208.67
593B			593B	162.54	180.60	196.67
593Q			593Q	162.54	180.60	196.67
594Y			594Y	99.43	110.48	120.31
596Y			596Y	212.24	235.83	256.82
667L			677L/Q/T (X600)	221.78		268.36
803J/N/P (100Cr6)	5621		803 J/N/P	81.28	90.31	98.35
803F/Q (100Cr6)			803F/Q (X800)	82.77		100.15
802F	5620		802F	81.21	90.24	98.27
100Cr6		4268		81.21		98.27
824B (100CrMo7)			824B	207.70		251.32
825B (100CrMo7 3)			825B	251.82		304.71
826B (100CrMo7 4)			826B	347.62		420.62
825T			825T	266.50		322.46
827B			827B	413.41		500.23
837N/R (100CrMn6)			837N/R	93.74		113.42

15MA27	7245			76.42	84.91	92.47
1130	5616			178.07	197.85	
2725	4734			574.10	637.89	
3350	8312			379.20	421.33	
L435-2				622.85	692.05	
1500	7302			407.60	452.89	493.20
Hybrid 55				1597.26	1774.73	1932.68
Hybrid 60				1597.26	1774.73	1932.68
Imanite	6130			529.50	588.33	640.69
IMACRO	8302			263.87	293.19	319.29
IMACRO EL 700	9259			215.98	239.98	261.33
S355	2714			27.67	30.74	33.48
368.6	5478			160.20	178.00	193.84