

Black bar Scrap	Imatra Bright bar Scrap	HoHE Bright bar & Tube Scrap
Surcharge GBP	Surcharge GBP	Surcharge GBP
267.50	297.22	324

Ovako UK scrap & alloy surcharges

Jul-26

Please note for customers buying in Euros
the Q3 exchange rate is £1 = €1.154

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		21.72	24.14	26.29
NV A		8352		8.09	8.98	9.78
525A61/CCr3		9265		125.80	139.78	152.22
525A61/CCr3		4265 VDG		125.80	139.78	152.22
605M36/605A37	5905			172.46	191.62	
635M15/637M17	4712			162.80	180.89	
655M13	4714			569.12	632.36	
655M13	4715			512.27	569.19	
665M17	4801			392.51	436.12	
704A60/CrMo1		4234 VDG		172.93	192.15	209.25
704A60/CrMo1		9234		172.93	192.15	209.25
708M40/708A42	6126	9288 (708M40/708A42)		180.93	201.03	
709M40	6107			239.44	266.05	
709M40	6134			227.83	253.15	
722M24	8310			498.12	553.46	
735A51	7402	9282		91.15	101.28	
805H60		9280		234.94	261.05	
817M40	6506	9205		436.17	484.63	
817M40	6510			436.17	484.63	
817M40 + S		4205		429.56	477.29	
817M40			356B	435.66	484.06	527.14
826M40	6518			711.59	790.65	
945M38	6201			259.36	288.18	
SAE 1046		8673		43.50	48.33	
4130	6037	9226		226.98	252.20	
4140	6080	9288 (4140)		181.07	201.19	219.09
4140 Ni .2/.25	1272			206.97	229.96	
SAE 4140 Ni .35/.50	6139			248.96	276.63	301.25
SAE1117 ASTM A29		9133		12.91	14.35	15.63
4140 Mod (MPS 14)		9240		148.74	165.27	
4140H	6115			177.48	197.20	
4145	6097			176.18	195.76	
4150	6112	9286 (4150)		176.18	195.76	
4340	6514			437.69	486.32	
5160		9261		51.34	57.05	
8620	4542			227.39	252.65	275.14
8620	4548	9225	152G	227.64	252.94	275.45
8620(M)		9253		227.18	252.43	274.89
100Cr6	5621		803 J/N/P	82.30	91.45	99.59
CHAP031		9663		28.74	31.93	34.77
15B35Hm		9667		33.89	37.66	41.01
15B41 MOD		4689 VDG		45.38	50.42	54.91
15B41 MOD	5497			45.38	50.42	54.91
SB24M13B		9643		23.27	25.86	
SB27M12CB		9660		35.74	39.71	43.25
SB30M13B	9662			22.72	25.24	27.49
27M12B		9654		22.72	25.24	27.49
SB30M10B		9651		10.27	11.41	12.42
SB30M12CB		9661		39.16	43.51	47.38
SB33M15CB		4679		40.69	45.21	49.24
SB43M14B		4678		99.80	110.89	120.75
SB600		9823		36.77	40.86	44.49
16MnCr5	4316	9218		58.83	65.36	
16MnCr5	4306	9661		58.83	65.36	
17Cr3	5502			46.36	51.51	56.09
17MnV6	7252	9875		33.98	37.76	41.12
18CrNiMo7-6	4761			481.84	535.38	583.03
20MnCr5	4324			72.87	80.97	
20MnCr5	4334			72.87	80.97	

20MnB5+Cr+HH		4642		26.29	29.21	
20NiCrMo2	4532			174.35	193.72	
23MnNiMoCr54So		4209		515.23	572.48	
23MnNiMoCr54		4219		533.65	592.94	
27MnCrB5	5465			34.50	38.34	
30CrNiMo8	6507			634.55	705.06	
31CrMoV9	6140			288.64	320.71	
33MnCrB5/MPS 16		4648 VDG		180.89	200.99	
MPS16		4648		180.89	200.99	
34CrNiMo6	6499	9205		476.48	529.42	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		119.85	133.16	
38MnSiV6	7221			38.58	42.87	
38MnVs6		4873		33.37	37.08	
40CrMo4	6077			195.15	216.84	236.14
42CrMo4	6082	9288 (42CrMo4)		195.00	216.67	
42CrMO4	1252			186.82	207.58	226.06
42CrMo4		4288		163.24	181.38	197.52
42CrMo4 MOD	6103			258.57	287.30	312.86
42CrMoS4+HH		9287		195.00	216.67	235.95
42CD4	1279			161.28	179.21	195.15
42MnV5		9859		89.50	99.44	108.29
49MnVs3		4850		25.75	28.61	31.16
50CrV4		9282		91.15	101.28	110.29
50CrMo4	6136			194.71	216.34	235.59
51CrV4		4282		93.19	103.55	112.77
51CrV4		4254		155.53	172.82	188.20
51CrV4		9212		84.64	94.05	102.42
51CrV4		4292		98.50	109.44	119.18
51CrV4 Type 1		4291		90.28	100.31	109.23
51CrMoV4		9296		202.34	224.83	244.84
52CrMoV4		4283		199.82	222.03	241.79
52CrMoV4		4296		195.28	216.98	236.29
51CrV4m4		4290		98.29	109.21	118.93
251A58		9073		38.08	42.32	46.08
56SiCr7		9072		26.77	29.74	32.39
56SiCr7		9084		39.11	43.46	
56SiCr7 Mod		9071		39.79	44.21	
61SiCr7(32-45 mm)		4077		46.31	51.46	
92506 (320/380)	4540			226.11	251.23	
92520	4738			340.65	378.50	
92520	4739			333.76	370.84	
92523	4741			296.64	329.60	
92506 'A Level'	1280			231.26	256.95	
92523	4743			280.00	311.11	
92245H	5515			107.49	119.44	130.07
3M		9885		101.26	112.51	
3M Issue 19		4885		72.51	80.57	
Ovako 482 (10M)		9857		38.70	43.00	
14M		4857		46.52	51.69	
17M/18M		9858		18.71	20.79	
17M		9891		18.71	20.79	
S460NL		9856		18.71	20.79	
A193 B7	6093			176.18	195.76	
A193 B16	6098			447.93	497.70	
A320 L7	1281			176.18	195.76	
A320 L7	6137			176.18	195.76	
A320 L7	6135			226.40	251.56	
ASTM A 350 LF2	2735			10.06	11.18	12.18
EN11		9262		41.44	46.05	
SMO215(HYTUFF)	4803			543.07	603.41	657.11
TB1398	4740			297.65	330.73	
V2525-75 (146S)	4757		146S	278.88	309.86	337.44
V2142	7256			34.49	38.33	41.74
V2158	4326			74.58	82.87	
V2158		4222		97.19	107.99	
V2244-75	1266			195.67	217.41	
V2244-00	6129			195.67	217.41	
V2250	6112			178.18	197.97	
V2527-70	4701			299.73	333.03	
453C (SS142534)			453C	641.22	712.47	775.88

SB500		9816		31.16	34.63	
V2906	7216	9850		24.86	27.62	
V2908		4108		24.60	27.34	
Cromobolt	6116			233.69	259.65	282.76
047A			047A	8.09	8.99	9.79
047R			047R	5.27	5.86	6.38
143A			143A	61.13	67.92	73.97
146S (V2525-75)	4757		146S	278.88	309.86	337.44
152G (8620)	4548	9225	152G	227.64	252.94	275.45
157C (4320)			157C	435.02	483.35	526.37
157F			157F	468.15	520.17	566.46
157Q			157Q	255.64	284.04	309.32
158Q			158Q	737.18	819.09	891.99
159B			159B	487.72	541.91	590.14
159X			159X	500.66	556.29	605.80
215B			215B	14.63	16.26	17.71
234K (16MnCr5)			234K	62.89	69.88	76.10
236F			236F	75.48	83.87	91.33
248D			248D	375.05	416.72	453.81
253A			253A	620.33	689.25	750.59
253F			253F	577.58	641.75	698.87
253L	4722		253L	623.84	693.15	754.84
253S			253S	621.05	690.06	751.47
255G			255G	678.78	754.20	821.32
256G			256G	776.93	863.25	940.08
258D			258D	989.42	1099.36	1197.20
275A			275A	575.29		696.10
277L			277L (X200)	521.79	579.77	631.37
277Q			277Q	521.79	579.77	631.37
TS280M-LX		9880		34.26	38.07	41.46
280M			280M	47.06		56.94
280T (19MnVS6)			280T	47.06		56.94
280X (19MnVS6)			280X	34.87		42.19
316A			316A	17.42		21.08
322D (25CrMo4)			322D	184.78		223.58
322Y			322Y	139.42	154.91	168.70
326C (4140)			326C	179.39		217.07
327A			327A	243.08		294.13
327A	1233		327A	234.86	260.95	284.18
327A	1291		327A	234.86	260.95	284.18
327B			327B	217.85		263.60
355B			355B	447.02		540.89
355E			355E	472.41		571.62
356D (34CrNiMo6)			356D	428.68		518.71
368.6		9620		166.75		201.77
398Q			398Q	803.85		972.66
420G			420G	483.80		585.39
495B	6521		495B	717.32		867.96
497Q			497Q (X300)	549.38		664.75
510N			510N	17.79		21.53
513Y			513Y	51.34	57.05	62.12
520M	2721			21.49	23.88	26.00
S355J2(M)		9864		22.51	25.01	27.24
MPS2B ISSUE 2 (S355J2C)		9826		24.36	27.07	29.48
520-S355J2	2723			21.38	23.76	25.87
S355J2	2709			12.03	13.36	14.55
528A/E (50CrMo4)			528A/E (X500)	180.63	200.70	218.56
593B			593B	164.06	182.29	198.51
593Q			593Q	164.06	182.29	198.51
594Y			594Y	98.77	109.74	119.51
596Y			596Y	220.39	244.88	266.67
667L			677L/Q/T (X600)	230.98		279.48
803J/N/P (100Cr6)	5621		803 J/N/P	82.30	91.45	99.59
803F/Q (100Cr6)			803F/Q (X800)	83.81		101.41
802F	5620		802F	82.25	91.39	99.52
100Cr6		4268		82.25		99.52
824B (100CrMo7)			824B	216.52		261.99
825B (100CrMo7 3)			825B	263.44		318.77
826B (100CrMo7 4)			826B	365.84		442.66
825T			825T	279.00		337.59
827B			827B	435.35		526.77
837N/R (100CrMn6)			837N/R	94.53		114.38

15MA27	7245			76.07	84.52	92.04
1130	5616			187.19	207.99	
2725	4734			573.45	637.17	
3350	8312			395.83	439.81	
L435-2				620.64	689.61	
1500	7302			414.38	460.42	501.39
Hybrid 55				1598.28	1775.87	1933.92
Hybrid 60				1598.28	1775.87	1933.92
Imanite	6130			555.44	617.16	672.08
IMACRO	8302			270.06	300.06	326.77
IMACRO EL 700	9259			219.08	243.42	265.09
S355	2714			26.80	29.77	32.42
368.6	5478			162.17	180.19	196.23