

Black bar Scrap	Imatra Bright bar Scrap	HoHE Bright bar & Tube Scrap
Surcharge GBP	Surcharge GBP	Surcharge GBP
257.50	286.11	312

Ovako UK scrap & alloy surcharges

Aug-26

Please note for customers buying in Euros
the Q3 exchange rate is £1 = €1.154

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		21.51	23.90	26.02
NV A		8352		7.95	8.84	9.62
525A61/CCr3		9265		128.18	142.42	155.09
525A61/CCr3		4265 VDG		128.18	142.42	155.09
605M36/605A37	5905			177.07	196.74	
635M15/637M17	4712			149.10	165.67	
655M13	4714			521.62	579.58	
655M13	4715			460.56	511.73	
665M17	4801			369.86	410.95	
704A60/CrMo1		4234 VDG		176.79	196.44	213.92
704A60/CrMo1		9234		176.79	196.44	213.92
708M40/708A42	6126	9288 (708M40/708A42)		184.91	205.45	
709M40	6107			245.20	272.44	
709M40	6134			233.23	259.14	
722M24	8310			509.51	566.12	
735A51	7402	9282		91.29	101.44	
805H60		9280		230.06	255.62	
817M40	6506	9205		418.43	464.92	
817M40	6510			418.43	464.92	
817M40 + S		4205		411.45	457.17	
817M40			356B	417.93	464.37	505.70
826M40	6518			682.28	758.09	
945M38	6201			251.43	279.37	
SAE 1046		8673		41.19	45.76	
4130	6037	9226		222.18	246.87	
4140	6080	9288 (4140)		185.06	205.63	223.93
4140 Ni .2/.25	1272			207.41	230.45	
SAE 4140 Ni .35/.50	6139			246.77	274.18	298.59
SAE1117 ASTM A29		9133		12.71	14.12	15.37
4140 Mod (MPS 14)		9240		143.65	159.62	
4140H	6115			181.41	201.56	
4145	6097			180.09	200.10	
4150	6112	9286 (4150)		180.09	200.10	
4340	6514			414.42	460.47	
5160		9261		51.61	57.34	
8620	4542			222.58	247.31	269.33
8620	4548	9225	152G	222.83	247.59	269.63
8620(M)		9253		222.38	247.09	269.08
100Cr6	5621		803 J/N/P	82.97	92.19	100.39
CHAP031		9663		28.71	31.89	34.73
15B35Hm		9667		33.92	37.69	41.04
15B41 MOD		4689 VDG		45.45	50.50	54.99
15B41 MOD	5497			45.45	50.50	54.99
SB24M13B		9643		23.19	25.77	
SB27M12CB		9660		35.80	39.77	43.31
SB30M13B	9662			22.64	25.16	27.39
27M12B		9654		22.64	25.16	27.39
SB30M10B		9651		10.11	11.23	12.23
SB30M12CB		9661		39.23	43.59	47.47
SB33M15CB		4679		40.73	45.25	49.28
SB43M14B		4678		98.30	109.22	118.94
SB600		9823		36.13	40.14	43.72
16MnCr5	4316	9218		59.23	65.81	
16MnCr5	4306	9661		59.23	65.81	
17Cr3	5502			46.62	51.80	56.41
17MnV6	7252	9875		33.57	37.30	40.62
18CrNiMo7-6	4761			464.01	515.57	561.46
20MnCr5	4324			73.29	81.43	
20MnCr5	4334			73.29	81.43	

20MnB5+Cr+HH		4642		26.26	29.18	
20NiCrMo2	4532			161.03	178.92	
23MnNiMoCr54So		4209		509.69	566.32	
23MnNiMoCr54		4219		528.64	587.37	
27MnCrB5	5465			34.54	38.38	
30CrNiMo8	6507			611.19	679.10	
31CrMoV9	6140			293.67	326.30	
33MnCrB5/MPS 16		4648 VDG		164.73	183.04	
MPS16		4648		164.73	183.04	
34CrNiMo6	6499	9205		458.60	509.55	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		119.98	133.32	
38MnSiV6	7221			38.11	42.35	
38MnVs6		4873		32.98	36.65	
40CrMo4	6077			199.58	221.75	241.49
42CrMo4	6082	9288 (42CrMo4)		199.42	221.58	
42CrMO4	1252			190.89	212.11	230.98
42CrMo4		4288		166.75	185.28	201.77
42CrMo4 MOD	6103			264.84	294.26	320.45
42CrMoS4+HH		9287		199.42	221.58	241.30
42CD4	1279			164.68	182.98	199.27
42MnV5		9859		85.68	95.20	103.67
49MnVs3		4850		25.44	28.27	30.78
50CrV4		9282		91.29	101.44	110.46
50CrMo4	6136			199.12	221.24	240.93
51CrV4		4282		93.38	103.75	112.98
51CrV4		4254		157.40	174.89	190.46
51CrV4		9212		84.80	94.23	102.61
51CrV4		4292		98.66	109.62	119.37
51CrV4 Type 1		4291		90.36	100.40	109.34
51CrMoV4		9296		206.10	229.00	249.38
52CrMoV4		4283		203.12	225.69	245.77
52CrMoV4		4296		198.54	220.60	240.23
51CrV4m4		4290		98.46	109.40	119.13
251A58		9073		37.53	41.70	45.41
56SiCr7		9072		26.09	28.99	31.57
56SiCr7		9084		38.71	43.01	
56SiCr7 Mod		9071		39.25	43.61	
61SiCr7(32-45 mm)		4077		45.91	51.02	
92506 (320/380)	4540			221.34	245.94	
92520	4738			323.97	359.96	
92520	4739			315.98	351.09	
92523	4741			280.63	311.82	
92506 'A Level'	1280			228.53	253.92	
92523	4743			265.37	294.86	
92245H	5515			109.23	121.37	132.17
3M		9885		102.04	113.37	
3M Issue 19		4885		72.62	80.69	
Ovako 482 (10M)		9857		38.24	42.48	
14M		4857		46.13	51.26	
17M/18M		9858		18.53	20.59	
17M		9891		18.53	20.59	
S460NL		9856		18.53	20.59	
A193 B7	6093			180.09	200.10	
A193 B16	6098			458.05	508.95	
40CrMoV5-7 / A193 B16	1217			493.03	547.81	
A320 L7	1281			180.09	200.10	
A320 L7	6137			180.09	200.10	
A320 L7	6135			227.34	252.60	
ASTM A 350 LF2	2735			9.91	11.01	11.99
EN11		9262		41.66	46.29	
SMO215(HYTUFF)	4803			521.58	579.54	631.11
TB1398	4740			281.64	312.93	
V2525-75 (146S)	4757		146S	264.51	293.90	320.05
V2142	7256			34.06	37.85	41.22
V2158	4326			75.01	83.34	
V2158		4222		94.63	105.14	
V2244-75	1266			200.07	222.30	
V2244-00	6129			200.07	222.30	
V2250	6112			182.12	202.36	
V2527-70	4701			276.51	307.24	

453C (SS142534)			453C	596.62	662.91	721.91
SB500		9816		30.85	34.28	
V2906	7216	9850		24.56	27.29	
V2908		4108		24.39	27.10	
Cromobolt	6116			238.78	265.31	288.93
047A			047A	7.95	8.83	9.62
047R			047R	5.22	5.80	6.31
143A			143A	61.46	68.29	74.37
146S (V2525-75)	4757		146S	264.51	293.90	320.05
152G (8620)	4548	9225	152G	222.83	247.59	269.63
157C (4320)			157C	411.57	457.31	498.01
157F			157F	464.16	515.73	561.63
157Q			157Q	234.44	260.49	283.67
158Q			158Q	714.09	793.43	864.04
159B			159B	469.13	521.25	567.65
159X			159X	482.37	535.96	583.67
215B			215B	14.42	16.02	17.44
234K (16MnCr5)			234K	63.23	70.25	76.51
236F			236F	75.92	84.36	91.86
248D			248D	345.88	384.31	418.52
253A			253A	579.65	644.05	701.37
253F			253F	540.61	600.67	654.13
253L	4722		253L	582.30	647.00	704.58
253S			253S	580.37	644.86	702.25
255G			255G	629.00	698.89	761.09
256G			256G	725.39	805.99	877.73
258D			258D	978.96	1087.74	1184.55
275A			275A	553.85		670.16
277L			277L (X200)	523.70	581.89	633.67
277Q			277Q	523.70	581.89	633.67
TS280M-LX		9880		33.85	37.61	40.96
280M			280M	46.77		56.60
280T (19MnVS6)			280T	46.77		56.60
280X (19MnVS6)			280X	34.45		41.68
316A			316A	17.18		20.78
322D (25CrMo4)			322D	189.00		228.70
322Y			322Y	142.64	158.49	172.60
326C (4140)			326C	183.32		221.82
327A			327A	244.49		295.84
327A	1233		327A	236.01	262.23	285.57
327A	1291		327A	236.01	262.23	285.57
327B			327B	220.34		266.61
355B			355B	423.53		512.47
355E			355E	448.47		542.65
356D (34CrNiMo6)			356D	411.40		497.79
368.6		9620		160.88		194.66
398Q			398Q	822.66		995.42
420G			420G	494.73		598.63
495B	6521		495B	727.58		880.38
497Q			497Q (X300)	527.63		638.43
510N			510N	17.73		21.45
513Y			513Y	51.61	57.34	62.45
520M	2721			21.22	23.58	25.68
S355J2(M)		9864		22.23	24.70	26.90
MPS2B ISSUE 2 (S355J2C)		9820		24.07	26.74	29.12
520-S355J2	2723			21.11	23.45	25.54
S355J2	2709			11.86	13.18	14.35
528A/E (50CrMo4)			528A/E (X500)	184.60	205.11	223.36
593B			593B	162.46	180.52	196.58
593Q			593Q	162.46	180.52	196.58
594Y			594Y	98.89	109.88	119.66
596Y			596Y	224.62	249.58	271.79
667L			677L/Q/T (X600)	235.41		284.84
803J/N/P (100Cr6)	5621		803 J/N/P	82.97	92.19	100.39
803F/Q (100Cr6)			803F/Q (X800)	84.49		102.23
802F	5620		802F	82.92	92.13	100.33
100Cr6		4268		82.92		100.33
824B (100CrMo7)			824B	220.91		267.30
825B (100CrMo7 3)			825B	269.14		325.66
826B (100CrMo7 4)			826B	374.65		453.33
825T			825T	285.12		344.99
827B			827B	445.92		539.56

837N/R (100CrMn6)			837N/R	95.05		115.01
15MA27	7245			76.17	84.63	92.16
1130	5616			191.62	212.91	
2725	4734			537.96	597.74	
3350	8312			404.09	448.99	
L435-2				579.97	644.41	
1500	7302			404.42	449.35	489.34
Hybrid 55				1519.50	1688.34	1838.60
Hybrid 60				1519.50	1688.34	1838.60
Imanite	6130			568.43	631.59	687.80
IMACRO	8302			273.47	303.86	330.90
IMACRO EL 700	9259			221.03	245.59	267.45
S355	2714			26.48	29.42	32.04
368.6	5478			156.93	174.37	189.89