

Black bar Scrap	Imatra Bright bar Scrap	HoHE Bright bar & Tube Scrap
Surcharge GBP	Surcharge GBP	Surcharge GBP
257.50	286.11	312

Ovako UK scrap & alloy surcharges

Sep-26

Please note for customers buying in Euros
the Q3 exchange rate is £1 = €1.154

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		20.79	23.10	25.16
NV A		8352		7.99	8.87	9.66
525A61/CCr3		9265		129.42	143.80	156.59
525A61/CCr3		4265 VDG		129.42	143.80	156.59
605M36/605A37	5905			181.80	202.00	
635M15/637M17	4712			150.31	167.01	
655M13	4714			529.25	588.06	
655M13	4715			466.14	517.93	
665M17	4801			377.45	419.39	
704A60/CrMo1		4234 VDG		179.54	199.49	217.25
704A60/CrMo1		9234		179.54	199.49	217.25
708M40/708A42	6126	9288 (708M40/708A42)		187.50	208.33	
709M40	6107			249.52	277.24	
709M40	6134			237.20	263.56	
722M24	8310			516.25	573.62	
735A51	7402	9282		88.65	98.50	
805H60		9280		234.19	260.21	
817M40	6506	9205		424.97	472.19	
817M40	6510			424.97	472.19	
817M40 + S		4205		417.43	463.82	
817M40			356B	424.47	471.64	513.61
826M40	6518			695.98	773.32	
945M38	6201			255.92	284.36	
SAE 1046		8673		41.27	45.85	
4130	6037	9226		226.27	251.41	
4140	6080	9288 (4140)		187.63	208.48	227.03
4140 Ni .2/.25	1272			210.51	233.90	
SAE 4140 Ni .35/.50	6139			250.67	278.52	303.31
SAE1117 ASTM A29		9133		12.76	14.18	15.44
4140 Mod (MPS 14)		9240		143.94	159.93	
4140H	6115			184.07	204.52	
4145	6097			182.77	203.08	
4150	6112	9286 (4150)		182.77	203.08	
4340	6514			421.44	468.27	
5160		9261		50.97	56.63	
8620	4542			226.67	251.85	274.27
8620	4548	9225	152G	226.92	252.13	274.57
8620(M)		9253		226.47	251.63	274.03
100Cr6	5621		803 J/N/P	81.73	90.81	98.89
CHAP031		9663		28.51	31.68	34.50
15B35Hm		9667		33.65	37.38	40.71
15B41 MOD		4689 VDG		45.05	50.06	54.51
15B41 MOD	5497			45.05	50.06	54.51
SB24M13B		9643		23.09	25.65	
SB27M12CB		9660		35.47	39.41	42.92
SB30M13B	9662			22.53	25.03	27.26
27M12B		9654		22.53	25.03	27.26
SB30M10B		9651		10.15	11.28	12.29
SB30M12CB		9661		38.87	43.19	47.03
SB33M15CB		4679		40.38	44.87	48.86
SB43M14B		4678		100.46	111.62	121.56
SB600		9823		34.55	38.39	41.81
16MnCr5	4316	9218		58.48	64.97	
16MnCr5	4306	9661		58.48	64.97	
17Cr3	5502			46.01	51.12	55.67
17MnV6	7252	9875		32.45	36.06	39.26
18CrNiMo7-6	4761			470.70	523.00	569.55
20MnCr5	4324			72.37	80.41	
20MnCr5	4334			72.37	80.41	

20MnB5+Cr+HH		4642		26.08	28.98	
20NiCrMo2	4532			162.02	180.02	
23MnNiMoCr54So		4209		521.02	578.92	
23MnNiMoCr54		4219		540.41	600.46	
27MnCrB5	5465			34.24	38.05	
30CrNiMo8	6507			620.35	689.28	
31CrMoV9	6140			294.19	326.87	
33MnCrB5/MPS 16		4648 VDG		166.37	184.86	
MPS16		4648		166.37	184.86	
34CrNiMo6	6499	9205		465.37	517.07	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		120.51	133.90	
38MnSiV6	7221			36.50	40.56	
38MnVs6		4873		31.74	35.26	
40CrMo4	6077			202.60	225.11	245.15
42CrMo4	6082	9288 (42CrMo4)		202.45	224.94	
42CrMO4	1252			193.53	215.04	234.17
42CrMo4		4288		168.96	187.73	204.44
42CrMo4 MOD	6103			269.50	299.45	326.10
42CrMoS4+HH		9287		202.45	224.94	244.96
42CD4	1279			166.80	185.34	201.83
42MnV5		9859		84.06	93.40	101.71
49MnVs3		4850		24.41	27.12	29.53
50CrV4		9282		88.65	98.50	107.26
50CrMo4	6136			202.14	224.60	244.58
51CrV4		4282		90.43	100.48	109.43
51CrV4		4254		156.30	173.67	189.13
51CrV4		9212		82.50	91.66	99.82
51CrV4		4292		95.94	106.60	116.08
51CrV4 Type 1		4291		87.77	97.52	106.20
51CrMoV4		9296		207.33	230.36	250.87
52CrMoV4		4283		203.41	226.01	246.13
52CrMoV4		4296		198.91	221.01	240.68
51CrV4m4		4290		95.74	106.37	115.84
251A58		9073		37.38	41.54	45.23
56SiCr7		9072		26.14	29.04	31.63
56SiCr7		9084		38.46	42.74	
56SiCr7 Mod		9071		39.08	43.42	
61SiCr7(32-45 mm)		4077		45.63	50.70	
92506 (320/380)	4540			225.43	250.48	
92520	4738			328.33	364.81	
92520	4739			320.26	355.85	
92523	4741			284.13	315.70	
92506 'A Level'	1280			232.95	258.83	
92523	4743			268.48	298.31	
92245H	5515			109.67	121.85	132.70
3M		9885		100.43	111.59	
3M Issue 19		4885		70.68	78.54	
Ovako 482 (10M)		9857		36.69	40.76	
14M		4857		44.45	49.39	
17M/18M		9858		17.28	19.20	
17M		9891		17.28	19.20	
S460NL		9856		17.28	19.20	
A193 B7	6093			182.77	203.08	
A193 B16	6098			463.59	515.10	
40CrMoV5-7 / A193 B16	1217			499.49	554.99	
A320 L7	1281			182.77	203.08	
A320 L7	6137			182.77	203.08	
A320 L7	6135			230.79	256.43	
ASTM A 350 LF2	2735			9.96	11.06	12.05
EN11		9262		41.14	45.71	
SMO215(HYTUFF)	4803			532.06	591.18	643.80
TB1398	4740			285.14	316.82	
V2525-75 (146S)	4757		146S	267.99	297.76	324.26
V2142	7256			32.95	36.61	39.87
V2158	4326			74.07	82.30	
V2158		4222		94.06	104.51	
V2244-75	1266			203.10	225.66	
V2244-00	6129			203.10	225.66	
V2250	6112			184.76	205.29	
V2527-70	4701			278.10	309.00	

453C (SS142534)			453C	605.79	673.10	733.01
SB500		9816		29.61	32.90	
V2906	7216	9850		23.58	26.20	
V2908		4108		24.33	27.04	
Cromobolt	6116			241.86	268.73	292.65
047A			047A	7.98	8.87	9.66
047R			047R	5.25	5.83	6.35
143A			143A	60.71	67.46	73.46
146S (V2525-75)	4757		146S	267.99	297.76	324.26
152G (8620)	4548	9225	152G	226.92	252.13	274.57
157C (4320)			157C	418.93	465.48	506.90
157F			157F	474.37	527.08	573.99
157Q			157Q	236.19	262.43	285.79
158Q			158Q	729.87	810.97	883.15
159B			159B	475.90	528.78	575.84
159X			159X	489.33	543.71	592.10
215B			215B	14.49	16.10	17.53
234K (16MnCr5)			234K	62.45	69.39	75.57
236F			236F	74.96	83.29	90.70
248D			248D	347.87	386.53	420.93
253A			253A	588.20	653.56	711.72
253F			253F	548.51	609.45	663.70
253L	4722		253L	590.86	656.51	714.94
253S			253S	588.92	654.36	712.59
255G			255G	637.75	708.61	771.68
256G			256G	736.95	818.83	891.71
258D			258D	999.06	1110.07	1208.87
275A			275A	561.90		679.89
277L			277L (X200)	529.05	587.83	640.15
277Q			277Q	529.05	587.83	640.15
TS280M-LX		9880		32.67	36.30	39.53
280M			280M	45.44		54.98
280T (19MnVS6)			280T	45.44		54.98
280X (19MnVS6)			280X	33.27		40.26
316A			316A	17.27		20.89
322D (25CrMo4)			322D	191.89		232.18
322Y			322Y	145.29	161.43	175.80
326C (4140)			326C	185.97		225.02
327A			327A	248.32		300.47
327A	1233		327A	239.58	266.20	289.89
327A	1291		327A	239.58	266.20	289.89
327B			327B	223.95		270.98
355B			355B	430.60		521.03
355E			355E	456.04		551.81
356D (34CrNiMo6)			356D	417.21		504.82
368.6		9620		162.99		197.21
398Q			398Q	833.75		1008.83
420G			420G	501.04		606.26
495B	6521		495B	742.74		898.71
497Q			497Q (X300)	535.87		648.40
510N			510N	17.63		21.33
513Y			513Y	50.97	56.63	61.67
520M	2721			20.62	22.91	24.95
S355J2(M)		9864		21.50	23.89	26.02
MPS2B ISSUE 2 (S355J2C)		9820		23.29	25.88	28.18
520-S355J2	2723			20.63	22.93	24.97
S355J2	2709			11.92	13.24	14.42
528A/E (50CrMo4)			528A/E (X500)	187.19	207.99	226.50
593B			593B	161.47	179.41	195.38
593Q			593Q	161.47	179.41	195.38
594Y			594Y	95.91	106.57	116.05
596Y			596Y	225.86	250.96	273.29
667L			677L/Q/T (X600)	238.86		289.01
803J/N/P (100Cr6)	5621		803 J/N/P	81.73	90.81	98.89
803F/Q (100Cr6)			803F/Q (X800)	83.22		100.70
802F	5620		802F	81.68	90.76	98.83
100Cr6		4268		81.68		98.83
824B (100CrMo7)			824B	222.84		269.64
825B (100CrMo7 3)			825B	272.38		329.58
826B (100CrMo7 4)			826B	380.91		460.91
825T			825T	288.80		349.45
827B			827B	453.81		549.11

837N/R (100CrMn6)			837N/R	93.80		113.50
15MA27	7245			74.75	83.05	90.44
1130	5616			194.68	216.31	
2725	4734			545.88	606.53	
3350	8312			407.82	453.13	
L435-2				588.52	653.91	
1500	7302			409.73	455.25	495.77
Hybrid 55				1532.52	1702.80	1854.35
Hybrid 60				1532.52	1702.80	1854.35
Imanite	6130			576.23	640.26	697.24
IMACRO	8302			271.43	301.58	328.42
IMACRO EL 700	9259			217.67	241.85	263.38
S355	2714			25.58	28.42	30.95
368.6	5478			158.95	176.61	192.33